



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	RICOH Europe SCM B.V., Blankenweg 24 4612 RC	
e-mail address	Bergen op Zoom, Netherlands	KICOH
	emo@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Colour MFP				
Commercial name *	M C250FW				
Model number *	M C250FW				
Issue date *	6 August 2019				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	M C250FW	Logo	DICOH
Issue date *	6 August 2019		RICOH

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	$\overline{\boxtimes}$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square	\Box	
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes	П	
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5~\mu g/cm^2/week$	\boxtimes		
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$	
F1.7	emo@ricoh-europe.com	\boxtimes	Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$	
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	Ш
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\square		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P3.2*	The Declaration of Conformity can be requested at (add link or e-mail address): The product complies with the Eco design requirements for energy-related products,		_	
F3.2	(see legal reference).	\boxtimes	Ш	Ш
	Required information is; given in item P15 or added to this document,		\boxtimes	
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	\square	\Box	
	legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		$\overline{}$	
	hexavalent chromium by weight of these together.		ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	$\overline{\boxtimes}$	П	
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
		\sim		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	M C250FW	Logo	DICOLL
Issue date *	6 August 2019		RICOH

Product environmental attributes - Market requirements (See General NOTE GN below)						
	· · · · · · · · · · · · · · · · · · ·	Require	ment	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design					
D7.4*	Disassembly, recycling		_			
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: PC + ABS Material type: Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	💆				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	\boxtimes			
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	_	_	_		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		_			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes			
	BFR's are used, which are not restricted of their inclusion by regulations Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\boxtimes			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
	concentrations above 0,1%:		\boxtimes			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR (40)		\boxtimes			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		\boxtimes			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):					
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is< 0.1%. or b) The weight of recycled material is g.	ι				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	M	C250FW			Logo			
Issue date *	6 A	lugust 2019	9			RIC	O F	1
	Product environmental attributes - Market requirements (continued)					Require		met
Item								n.a.
	Material and substance requirements (continued)							
	17.21* Biobased plastic material content is used in the product (See NOTE B7):						Ш	
		of the two alternatives parts' weight > 25 g.			ed as a perce	ntage of		
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0.01%. 							
or b)								
*		ree from mercury, i.e. I		nn		<u> </u>		
0		specify: Number of lam		imum mercury content per	lamp: n	ng	Ш	Ш
P8 Batte								
	*	omposition: Manganes	se dioxide lithium					
		ion (See NOTE B8)						
P9.1 For the	ne product the	following power levels	or energy consum	ptions are reported:				
Energy mode *		Power level at 100 V AC	Power level at 115 V AC		Reference/Stamodes and te		nergy	
Sleep mode for E	NERGY	W	W	W				\boxtimes
STAR® Operatio	nal Mode							
(OM) products	for	W	W	W				
Standby/off mode ENERGY STAR		VV	VV	VV				
Mode (OM) produ								
TEC value for EN	IERGY STAR	kWh/week		0.37				
TEC products			kWh/week	kWh/week				
(TEC= Typical Er	nergy							
Operating mode)	W	W	412.0 BW 450.0 Col W				
Ready mode		W	W	32.8 W				
Sleep mode		W	W	0.66 W				
		W	W	W				
		W	W	W				
		W	W	W				
External Power S	Supply Efficiend	cy Level (International	Efficiency Marking	Protocol) *:				\boxtimes
Print/Scan Speed	: * t	20 images per minute	е					
		ve mode: 1 minutes						
P9.2* Information about the energy save function is provided with the product.								
	sions							
		Declared according to	ISO 9296 (See NC					
P10.1 Mode	e N	Mode description		Statistical upper limit A-wei $L_{WA,c}$ (B)	ghted sound p	oower level,		
Idle	*	Stand-by		* 3.2				
Oper		Operating Mode		* Mono: <i>6.8</i> , Colour: <i>6.8</i>				Н
Othe		See section P15						
Meas	sured accordin	ıg to: 🛛 ISO 7779 🗌	ECMA-74					

Other (only if not covered by ECMA-74)

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	M C250FW				Logo			_	
Issue da	ite *	6 August 2019					RI	C	Oł	1
Product	t environ	mental attributes - Market re	equirements	s (continued)			Re	quire	ment	met
Item								Yes	No	n.a.
		cal emissions from printing pro								
P10.2*		rformed according to ECMA-328 ent (ISO/IEC 28360), other sp			ssion Rates from E	Electronic				
P10.3	Typical	emission rate (operation phase) i	s (mg/h):							
		ohotographic devices: Ozone 0.1 on TVOC (Print) 1.36 BW 7.04 Coces:		.3 COL Styrene 0 Styrene	.996 COL Benzen Benzene	e BW & Co TVOC	l <i>limit of</i>			
	Note: c	ompliance with maximum emissio	n rates in eco	labels to be decla	red in P14.					
P11		mable materials for printing pro								
P11.1*	A Safet	y Data Sheet (SDS) is available for	or the ink/tone	r preparation, eve	n if not legally req	uired (see f	P4.3).	\boxtimes		
P11.2*										
P11.3*	2-sided	(duplex) printing/copying is an int	tegrated produ	act function.				\boxtimes		
P11.4*							П			
P13	Packag	ing and documentation								
P13.1*	1* Product packaging material type(s): corrugated paper weight (kg): 3.54 Product packaging material type(s): plastic weight (kg): 0.554 Product packaging material type(s): weight (kg):									
P13.2*	Product	plastic primary packaging is free	from PVC.					\boxtimes		
P13.3*		duct primary corrugated fiberboa er recovered fiber content:	ard packaging %	, specify the con	tained percentage	e of minimu	um post-			
P13.4*		media for user and product docur nic \square , Paper \square , Other \square	mentation (tick	(box):						
P13.5	Úser ar	only complete this item if paper of d product documentation on paper blease specify:						\boxtimes		
	Totally	chlorine-free						\boxtimes		

Date:

Date:

Date:

Product category:

Product category:

Product category:

The product meets the requirements of the following voluntary program(s):

Criteria version:

Criteria version:

Criteria version:

This product is designed to utilize recycled plastic materials wherever available.

Declared A-weighted sound pressure level $L_p {\rm Am}$ (dB) in operation position

Elemental chlorine-free Processed chlorine-free

Voluntary programs:

Additional information (See NOTE B11)

Stand-by: 20.2(dB)
Operating Mode: Mono: 57.7(dB), Colour: 58.3(dB)

ENERGY STAR®

Eco-label:

Eco-label:

P14

P14.1

P15

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Comment A (PVC): The PVC is restricted to use only for the packing materials. The following is Ricoh Group Green Procurement's standpoint for the PVC use for the products: Please refer to the latest Ricoh Group Green Procurement Guideline below;

http://ext.ricoh.co.jp/ecology/guideline/pdf/image_e_ver7.pdf Ricoh deleted the restriction of use of PVC as steted in the above as "Until now, PVC contained in products is restricted to use since we concerned environmental impact after product disposal and hazardous property of additives. At this time we have reviewed a scope of PVC restricted use by confirming public movement and concern surrounding PVC. Comment B (Flame retardants in the PCB): There is a same kind of requirement in the EPEAT criteria 4.1.6.2: All printed circuit board laminates included in the product excluding components soldered or affixed to the printed circuit board laminates shall contain no more than 0.1 % weight. (1000ppm) bromine and 0.1 % weight. (1000ppm) chlorine attributable to brominated flame retardants (BFRs) and chlorinated flame retardants (CFRs), with the following exception:

Uses of brominated or chlorinated substances that are not classified as BFRs or CFRs are allowed, but their use shall be documented if the bromine or chlorine content exceeds the applicable threshold.

IEC 61249-2-21 establishes limits on elemental bromine (900 ppm) and chlorine (900 ppm), and a combined limit of (1500 ppm.) Demonstration of conformance with the threshold limits established in IEC 61249-2-21 meets the requirements of this criterion. However, any registered MFP/Printer/Scanner products, 620 products registered as of today including

Ricoh/Canon/KonicaMinolta/HP/Xerox/Samsung/Lexmark/Toshiba/Dell/Epson/Kodak/Kyocera, do not comply yet to this requirement. It is said that it seems difficult for the PCB manufacturers to meet this requirement from the technical reasons. Comment C (Risk Phrase classified flame retardant): We confirmed the plastic manufacturers and obtained their declarations that the plastic materials used in the products are compliant with the Blue Angel criteria *Only flame retardants classified as R53 might be contained as above 0.1%.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1