



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo			
Company name *	Ricoh Company Ltd.				
Contact information *	coh Europe Plc, 20 Triton Street, London NW1 3BF				
e-mail address					
Internet site *	www.ricoh.com				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.				
Type of product *	Colour Printer				
Commercial name *	P C600				
Model number *	P C600				
Issue date *	8th th May 2019				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	el number * P C600 Logo					
Issue date	e * 8th th May 2019					
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		<u> </u>		Yes	No	n.a.
P1		ous substances and preparations to do comply with the current European RoHS Directive. (See legal reference and No				
P1.1*		\boxtimes				
P1.2*	Products					
P1.3*		nt: Legal reference has no maximum concentration value. s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
P1.3		s do not contain Ozone Depleting Substances. Chlorondorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 11	1-		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m		, •		
	concentr	ation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms	in the		
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm ^{2/}	week 🔀		
		al reference).		_		_
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1./"		Article 33 information about substances in articles is available at (add URL or mail coh-europe.com	contact):			Ш
P2	Batterie					
P2.1*	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	•			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*		and accumulators are readily removable. (See legal reference)			П	П
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address): emo@rico				
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products, al reference).			\boxtimes	
		d information is; given in item P15 or added to this document,				
	·	available at (add URL):		_		
P4	Consum	nable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	ax 0,01% (s	see 🔀		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referenc	ce).		
P4.3*		toner formulation/preparation is classified as hazardous or contains a substance for		ere 🔀		
		munity workplace exposure limits, the product/packaging is adequately labeled acc		—		
		le regulations and a Safety Data Sheet (SDS) in accordance with these requirement	its is availa	ıble		
P5		al reference). packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmiun	m and		
	hexavale	ent chromium by weight of these together.	•			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the mate	erial(s)		
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified	in the Mo	ontreal 🔀		
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			П	
		. ,				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	P C600	Logo	
Issue date *	8th May 2019		

	environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		+	- -
			屵	<u> </u>
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product lifetime		_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes	<u>Ц</u>	<u>L</u>
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC Material type: AS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)	_	_	_
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR mark FR(40)</i>			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		_	
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 1.05%. or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numbe	r* <i>P C60</i>	00			Logo				
Issue date *	8 th Ma	y 2019	019						
		-							
Product env	Product environmental attributes - Market requirements (continued) Requirement met								
Item						`	es/	No	n.a.
		ibstance requirements (OTE DE)					
							\boxtimes	Ш	Ш
a)	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.								
or b)	The weigh	t of the biobased plastic m	naterial is g.						
		re free from mercury, i.e. I ed specify: Number of lam		um mercury content per	lamp:	mg	X		
P8 Ba	tteries								
P8.1* Bat	ttery chemica	l composition: Manganes	e dioxide lithium batte	ry					
P9 En	ergy consur	nption (See NOTE B8)							
P9.1 Fo	r the product	the following power levels	or energy consumption	ons are reported:					
Energy mode *	r	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/S modes and t		en	nergy	
Sleep mode for		W	W	W					
STAR® Operation (OM) products									
Standby/off mo		. W	W	W					
ENERGY STA Mode (OM) pro		II							
TEC value for ENERGY STAR		AR kWh/week	kWh/week	N/A kWh/week					П
TEC products									
(TEC= Typical									
Operating mo		W	W	628.2 W					
Operating mo	de colour	W	W	680.4 W					
Ready mode		W	W	<i>85.4</i> W					
Sleep mode		W	W	0.53 W					
		W	W	W					
		W	W	W					
External Power	External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:						\boxtimes		
Print/Scan Spe	Print/Scan Speed * : 40 images per minute								
Default time to	Default time to enter energy save mode: 1 minutes								
P9.2* Information about the energy save function is provided with the product.									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1 Mo	.1 Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)								
Idle	е	* Stand-by	*	30.9					
Ор	eration	* Operating mode mod	no * (65.2					
Otl	her mode	Operating mode cold	our 6	65.7					
Me	easured acco	rding to: ISO 7779 Other	ECMA-74						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	P C600				Logo			
Issue date * 8 th May 2019									
	duct environmental attributes - Market requirements (continued) Requi								
Item	01	-1	-ii NOTE D	140)			Yes	No	n.a.
P10.2*	Test no	rformed according to	rinting products (See NOTE B	omical Emission Rate	oc from Ele	ectronic			$\overline{}$
F 10.2	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify: RAL-UZ 205								
P10.3		emission rate (operat							
	Electrophotographic devices: Ozone 0.2 Dust 0.75 Styrene 0.78 Benzene <0.01 TVOC 5.67							$\overline{\Box}$	
	Ink devices: Dust Styrene Benzene TVOC								Ħ
	Note: co	ompliance with maxim	um emission rates in eco labels	to be declared in P1	4.				_
P11		mable materials for p			••				
P11.1*	A Safet	y Data Sheet (SDS) is	available for the ink/toner prepa	aration, even if not le	gally requi	red (see P4.3).	\square	П	П
P11.2*	Paper of		ımer recycled fibers can be us	sed, provided that it	meets the	e requirements of			
P11.3*	2-sided	(duplex) printing/copy	ring is an integrated product fund	ction.			\boxtimes		
P11.4*	The pro	duct is delivered to er	nd-user with default auto-duplex	enabled.					
P13	Packag	ing and documentat	ion						
P13.1*	Product		pe(s): Cardboard & other pap): 1.389				
P13.2*	Product	plastic primary packa	aging is free from PVC.				\boxtimes		
P13.3*									
P13.4*	4* Specify media for user and product documentation (tick box): Electronic , Paper , Other .								
P13.5									
	Totally of	chlorine-free					\boxtimes		
	Elemen	tal chlorine-free							
	Process	sed chlorine-free							
P14		ary programs:							
P14.1	The pro	duct meets the requir	ements of the following voluntar	y program(s):					
	ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RAL UZ 205 Eco-label: Criteria version: Date: Product category: Colour printer Date: Product category: Colour printer Product category:								
P15	Additional information (See NOTE B11)								

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1