

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd	
Contact information * e-mail address	Ricoh Europe (Netherlands), Prof. W.H.Keesomlaan 1, PO Box 114 1180AC Amstelveen, The Netherlands reu.compliance@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

 The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.

 Type of product \*
 MFP

 Commercial name \*
 IM C300F

 Model number \*
 IM C300F

 Issue date \*
 21 November 2019

 Intended market \*
 Global Sector Asia, Pacific & Japan Americas Other

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *     IM C300F     Logo       Issue date *     21 November 2019     Logo	5		
Issue date * 21 November 2019	Model number *	IM C300F	Logo
	Issue date *	21 November 2019	

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes		n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm <sup>2</sup> /weel (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	< 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): reu.compliance@ricoh-europe.com	$\boxtimes$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🛛		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		-2	$\square$
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)			$\boxtimes$
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): <i>reu.compliance@ricoheurope.com</i>			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).	$\boxtimes$		
	Required information is; given in item P15 or added to this document, available at (add URL):		$\square$	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	$\square$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			$\boxtimes$
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (sused (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	IM C300F	Logo	
Issue date *	21 November 2019		

	· Environmental conscious design	Requ			net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable			-	
P7.2*	Plastic materials in covers/housing have no surface coating.		<u>_</u> _		⊢
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.				⊢
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				⊢
P7.5					⊢
-	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				님
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives			-	
					님
P7.8*	Upgrading can be done using commonly available tools	$\square$			<u> </u>
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.			1	
P7.13	Insulation materials of internal electrical cables are PVC free.	-		2	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			]	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			3	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>	$\boxtimes$		]	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive) [, TBBPA (reactive) [ (See NOTE B3), Other; chemical name: , CAS #:		$\geq$		
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			3	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:         1. Chemical name:       , CAS #:       (See NOTE B4)		Þ	3	
	<ul> <li>2. Chemical name: , CAS #: "</li> <li>3. Chemical name: , CAS #: "</li> <li><u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts &gt; 25 g according ISO 1043-4: <i>FR(40)</i></li> </ul>	$\boxtimes$		]	
P7.19	In plastic parts > 25 g according ISO 1043-4. rr(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			3	

NOTE B3 and B4 A Guidance document on Chemical substances is available;

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu	mber *	IM C300F				Logo			
Issue dat	e *	21 Noven	1ber 2019						
Product	environm	nental attr	ibutes - Market re	quirements (contin	nued)		Require	ment	met
ltem							Yes	No	n.a.
			ince requirements (c		<u> </u>				
P7.20*	Postcons	umer recyc	led plastic material co	ontent is used in the pr	roduct (See NOTE B6):				
				below shall be answe	ered; cled plastic material co	ntent (calculate	hd as a		
			otal plastic by weight)						
		weight of re	ecycled material is 10	<b>82.1</b> g.					
P7.21*	Biobased	l plastic mat	erial content is used i	in the product (See NO	DTE B7):			$\boxtimes$	
	If YES; at	t least one o	of the two alternatives	below shall be answe	ered;				
			parts' weight > 25 g, t veight) is <i>0.001</i> %.	the biobased plastic n	naterial content (calcula	ated as a perce	entage of		
	or b) The	weight of th	ne biobased plastic ma	aterial is g.					
P7.22*	Light sou	rces are fre		ess than 0,1 mg/lamp.	um mercury content pe	r lamo: n	ng		
P7.23*			•		in the integrated displa	•		$\square$	
P8	Batteries								
P8.1*				e dioxide lithium bat	tery				
P9			on (See NOTE B8)						
P9.1	For the p	roduct the fo	ollowing power levels	or energy consumption	ons are reported:				
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and te		nergy	
	de for ENEI perational I ducts		W	W	W				
ENERGY	off mode for STAR Ope /) products		W	W	W				$\square$
TEC value TEC prod	e for ENER ucts (TEC= onsumption	Typical	kWh/week	kWh/week	0.34 kWh/week		ERGY STAR Ver TEC value satisf equirements.		
Operating	g mode		W	W	Mono: 427 W Colour: 502W				
Ready m	ode		W	W	50,6 W				
Sleep mo	ode		W	W	0,66 W				
			W	W	W				
			W	W	W				
			W	W	W				
				Efficiency Marking Pro	otocol) * :				$\square$
Print/Scar			30 images per minute						
			e mode: 1 minutes					_	
P9.2*	Information	on about the	e energy save function	n is provided with the	product.		$\square$		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM C300F	Logo	
Issue date *	21 November 2019		

Produc	t environmental a	ttributes - Market requirements (	continued)		Require	ement	met	
Item			-		Yes	No	n.a.	
P10	Emissions							
	Noise emission	- Declared according to ISO 9296 (See	NOTE B9)					
P10.1	Mode	Mode description	Statistical upper L <sub>WA,c</sub> (B)	limit A-weighted sound power le	evel,			
	Idle	* Stand-by	* 3,4					
	Operation	* Operating Mode	* Mono: 6.5 Colo	ur <mark>6.6</mark>			Π	
	Other mode	Other mode						
	Measured accord	Measured according to: ISO 7779 ECMA-74						
	Chemical emissi	ions from printing products (See NO		· · · · ·				
P10.2*	Test performed a	ccording to ECMA-328 Determination of EC 28360)	f Chemical Emission	Rates from Electronic	$\square$			
P10.3		rate (operation phase) is (mg/h):						
	Electrophotograph mono <0.05 colo Ink devices:	hic devices: Ozone mono <0.14 colou ur 0.08 Benzene mono <0.02 colou Dust	ur <0.02 TVOC mo		1			
	NOTE: compliance	e with maximum emission rates in eco	abels to be declared	in P14.				
P11		terials for printing products						
P11.1*		eet (SDS) is available for the ink/toner p	preparation, even if no	ot legally required (see P4.3).	$\square$			
P11.2*	Paper containing EN 12281.	post-consumer recycled fibers can be u	sed, provided that it r	meets the requirements of				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.							
P11.4*	The product is de	livered to end-user with default auto-du	olex enabled.					
P13	Packaging and c	locumentation						
P13.1*	Product packagin	g material type(s): Corrugated paper g material type(s): PLastic (LDPE) g material type(s): weigh	weight (kg): <b>7,67</b> weight (kg): <b>0,17</b> t (kg):					
P13.2*	Product plastic pr	imary packaging is free from PVC.			$\boxtimes$			
P13.3*	For product prima consumer recove	ry corrugated fiberboard packaging, spored fiber content: %	ecify the contained pe	ercentage of minimum post-				
P13.4*	Specify media for Electronic 🔀, Pa	user and product documentation (tick b	oox):					
P13.5		plete this item if paper documentation u documentation on paper media is chlor ecify:			$\boxtimes$			
	Totally chlorine-fr				$\boxtimes$			
	Elemental chlorin							
	Processed chlorir	ne-free						
P14	Voluntary progra							
P14.1	The product meet	ts the requirements of the following volu	ntary program(s):					
	ENERGY STAR® Eco-label: <b>BAM</b> Eco-label:	Criteria version: See P9.1 Criteria version: <i>RA-UZ205</i> Criteria version:	Date: Date: Date:	Product category: <i>MFP</i> Product category: <i>MFP</i> Product category:				

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

Model number *	IM C300F	Logo	
Issue date *	21 November 2019		

P15       Additional information (See NOTE B11)         Sound pressure level at the operator position [LpA:dB(A)]         Stand-by: 20.5(dB)         Operating Mode: Mono; 53.9 (dB), Colour; 55.7(dB)	Produc	Product environmental attributes - Market requirements (concluded) Requirement n					
Stand-by: 20.5(dB)	P15	Additional information (See NOTE B11)					
		Sound pressure level at the operator position [LpA:dB(A)]					
Operating Mode: Mono: 53.9 (dB), Colour: 55.7(dB)		Stand-by: 20.5(dB)					
		Operating Mode: Mono: 53,9 (dB), Colour: 55,7(dB)					

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	