



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd.			
Contact information *	coh Europe Plc, 20 Triton Street			
e-mail address	London NW1 3BF, United Kingdom			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	A4 Colour copier			
Commercial name *	MP C501SP			
Model number *	MP C501SP			
Issue date *	19/07/2018			
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		MP C501SP	Logo			
Issue date *		19/07/2018				
Dan dan t		manufal attributas at a sel se suita manufa				1
	environ	mental attributes - Legal requirements	K	equire		
Item P1	Uonarda	and anhataness and propagations		Yes	No	n.a.
P1.1*		ous substances and preparations s do comply with the current European RoHS Directive. (See legal reference and N	IOTE D1)		$\overline{}$	
		· · · · · · · · · · · · · · · · · · ·	OTE BT)		<u> Н</u>	
P1.2*	2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square	П		
	hydrobro trichloro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car entaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (0,5 μg/cm²/week	\boxtimes		
	(see lega	al reference).				
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL	or mail contact):	\square		
' '.'	KLAOII	Article 30 information about substances in articles is available at (add one	or man contact).		ш	Ш
Do.	5					
P2	Batterie		the diamond		_	
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	tne disposal	\boxtimes	Ш	Ш
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
	referenc	e)	(ccc regain			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le claration of Conformity can be requested at (add link or e-mail address):	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document,			\boxtimes	
		available at (add URL):				
P4		nable materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	•			
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see le		\boxtimes		
P4.3*	are Com applicab	c/toner formulation/preparation is classified as hazardous or contains a substance formunity workplace exposure limits, the product/packaging is adequately labeled accorder regulations and a Safety Data Sheet (SDS) in accordance with these requiremental reference).	cording to			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature elegal reference).	()			
P5.3*						
		nt: Legal reference has no maximum concentration values.				
P6	Treatment information					
P6.1*	intormati	ion for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MP C501SP	Logo	
Issue date *	19/07/2018		

Product	Product environmental attributes - Market requirements (See General NOTE GN below)						
- F	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design						
D7 4*	Disassembly, recycling		_				
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>				
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9.	Spare parts are available after end of production for: 7 years						
P7.10	Service is available after end of production for: 7 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):						
	Material type: PC+ABS Material type: Material type:						
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes				
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes				
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "						
	3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\boxtimes					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	\boxtimes					
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0.49%. or b) The weight of recycled material is 154 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * MP C5013		SP						
Issue date	*	19/07/201	8					
Product environmental attributes - Market requirements (continued)						-	iirement	met
Item						Y	es No	n.a.
P7.21*	Material and substance requirements (continued) 7.21* Biobased plastic material content is used in the product (See NOTE B7):						7 🗆	
F1.21		•		•	,			Ш
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0.011%. 							
	or b) The weight of the biobased plastic material is 3.8 g.							
P7.22*			ee from mercury, i.e. le pecify: Number of lam		np. imum mercury content per	lamp: mg		
P8	Batteries							
P8.1*	-		mposition: Manganes	e dioxide lithium				
P9		-	on (See NOTE B8)					
P9.1	For the p	roduct the	following power levels	or energy consump	otions are reported:			
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method *	energy	
Sleep mode STAR® Op (OM) produ	erational		W	W	W			
Standby/off ENERGY S Mode (OM)	f mode for STAR Ope	rational	W	W	W			
TEC value			kWh/week	kWh/week	0.67 kWh/week			
TEC produ	cts							
(TEC= Typ	ical Energ	ıy						
Operating	mode	•	W	W	Monochrome: 831.9 W			
					Color: 940.2 W			
Ready mo	de		W	W	55.1 W			
Sleep mod	le		W	W	0.84 W			
			W	W	W			
			W	W	W			
			W	W	W			
External Po	wer Supp	ly Efficienc	y Level (International	Efficiency Marking	Protocol) *:			
Print/Scan			50 images per minute)				
Default time	e to enter	energy sav	e mode: 1 minutes					
P9.2*	Informati	on about th	e energy save functio	n is provided with th	ne product.			
P10	Emissio	ns						
			Declared according to					
P10.1	Mode	ode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)						
	Idle * Stand-by			* 3.4				
	Operatio	n *	Operating mode		* Mono: 6.6, Color 6.7			
	Other mo	ode						
	Measure	d accordino	g to: 🔀 ISO 7779 🗌	ECMA-74				
			Other	(only if not covered	by ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		MP C501SP							
Issue date *		19/07/2018							
Product (Product environmental attributes - Market requirements (continued)							ment	met
Item							Yes	No	n.a.
D. () 0 t	Chemical emissions from printing products (See NOTE B10)								
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify: RAL-UZ171						\boxtimes	Ш	
P10.3			tion phase) is (mg/h):						
F 10.3	Турісаі	emission rate (opera	mon phase) is (mg/n).						
			:: Ozone Color <0.2, Mono <0.			Styrene Color			
			ne Color 0.041, Mono 0.032 T\			T1/00			
	Ink devi	ces:	Dust	Styrene Ben	zene	TVOC			
	Note: co	ompliance with maxi	mum emission rates in eco labels	s to be declared in P1	14.				
P11		mable materials for							
P11.1*			is available for the ink/toner prep				\boxtimes		
P11.2*	Paper of EN 122		sumer recycled fibers can be us	sed, provided that it	meets the	e requirements of			
P11.3*	2-sided	(duplex) printing/cor	ying is an integrated product fun	ction.			\boxtimes		
P11.4*	The pro	duct is delivered to	end-user with default auto-duplex	enabled.			\boxtimes		
P13		ing and documenta							
P13.1*									
P13.2*			aging is free from PVC.	9/-			\boxtimes		\Box
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:								
P13.4*	* Specify media for user and product documentation (tick box):								
P13.5									
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free								
P14		ary programs:							
P14.1	•	•	irements of the following voluntar	ry program(s):					
		Y STAR®	Criteria version: 3.0	Date:		ategory: MFP			
	Eco-lab Eco-lab	el: BAM	Criteria version: RALUZ171 Criteria version:	Date: Date:	Product ca	ategory: <i>MFP</i>			
P15		nal information (Se		Date.	i Toduct Co	atogory.			
<u> </u>									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1