



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd	
Contact information *	Ricoh Europe (Netherlands), Prof. W.H.Keesomlaan 1,	
e-mail address	PO Box 114 1180AC Amstelveen, The Netherlands	
	reu.compliance@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFP			
Commercial name *	IM 3500A			
Model number *	IM 3500A			
Issue date *	10 March 2021			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## **About Annex B1**

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	IM 3500A	Logo	
Issue date *	10 March 2021		

	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations	<u></u>	<u> </u>	
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values.		_	
P1.4	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
1 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	$\square$		
	(see legal reference).		ш	ш
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	reu.compliance@ricoh-europe.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	$\boxtimes$		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			$\boxtimes$
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional	一一	Ħ	
	user", the related text is present and legible on the external packaging (see legal reference)		ш	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
	The Declaration of Conformity can be requested at (add link or e-mail address): reu.compliance@ricoh-	_	_	
	europe.com			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	$\boxtimes$		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	Ш	$\boxtimes$	
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	$\boxtimes$		
D4 0*	than 0,01% (see legal reference and NOTE B1).		_	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)		Ш	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		$\overline{}$	
1 4.0	are Community workplace exposure limits, the product/packaging is adequately labeled according to		Ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	$\boxtimes$		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	$\boxtimes$		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$		
	Protocol (see legal reference).			
D6	Comment: Legal reference has no maximum concentration values.  Treatment information			
<b>P6</b> P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
1 0.1	mornation to rocycloration in admitted to available (see legal releited).	$\triangle$		

Model number *	IM 3500A	Logo	
Issue date *	10 March 2021		

	t environmental attributes - Market requirements (See General Note GN below)	Pogu	iromo	nt ma	
	Environmental conscious design  *=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	iremei No r	nt me n.a.	T.
P7	Design	168	INO I	ı.a.	
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	$\square$	$\overline{\Box}$		$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\mathbb{X}}$	一片		Ť
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ		ヿ゙ヿ
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		一百		ī
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		币		<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		一百		<u> </u>
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$			
P7.8*	Upgrading can be done using commonly available tools				
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC+ABS Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$		
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				]
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)				]
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:				]
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "				
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				]

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$ 

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	IM 3500A	Logo	
Issue date *	10 March 2021		

Product environmental attributes - Market requirements (continued)					R	equire	ment	met
Item						Yes	No	n.a.
	Material and substa	ance requirements (c	ontinued)					
P7.20*	Postconsumer recyc	eled plastic material co	ntent is used in the p	roduct (See NOTE B6)	:			
		of the two alternatives						
		parts' weight > 25 g, tr otal plastic by weight)		cled plastic material co	ontent (calculated as a			
	or	. , , ,	•					
D7 04*		ecycled material is app		OTE D7\.				_
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):					$\boxtimes$	Ш	
	If YES; at least one of the two alternatives below shall be answered;							
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is</li> </ul>							
	or	<b>3</b> ,						
D7 00*		he biobased plastic ma ee from mercury, i.e. le					_	_
P7.22*		ee from mercury, i.e. le becify: Number of lamp		um mercury content pe	er lamp: mg			
P7.23*	If product includes a	n integral display, the	total mercury content	in the integrated display	ay: 0 mg	$\boxtimes$		
P8	Batteries							
P8.1*		mposition: <i>Manganese</i>	e dioxide lithium					
P9	Energy consumption	· · ·						
P9.1	For the product the f	following power levels	or energy consumption	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test metho		nergy	
	le for ENERGY	W	W	W				$\boxtimes$
STAR® Op (OM) prod	perational Mode							
Standby/of	ff mode for	W	W	W				$\boxtimes$
ENERGY S Mode (OM	STAR Operational							
	for ENERGY STAR	kWh/week	kWh/week	0.41 kWh/week	Based on ENERGY S	TAR Ver	3.0	
	icts (TEC= Typical				Test Method. TEC value		es	
• • •	nsumption)	10/	147	Marra 550 14/	the program requireme	ents.		
Operating		W	W	Mono: 553 W 56.4 W				屵
Ready mo								<u> </u>
Sleep mod	de	W	W	0.57 W				<u> </u>
		W	W	W				<u>Ц</u>
		W	W	W				
		W	W	W				
		y Level (International E	Efficiency Marking Pro	otocol) *:				
Print/Scan	Speed * :	35 images per minute						
Default tim	e to enter energy sav	e mode: 1 min.						
P9.2*	Information about the	e energy save functior	n is provided with the	product.				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	IM 3500A	Logo	
Issue date *	10 March 2021		

Product	environmental	attributes - Market requirements (co	ntinued)		Require	ment	met
Item					Yes	No	n.a.
P10	Emissions						
		<ul> <li>Declared according to ISO 9296 (See NO</li> </ul>					
P10.1	Mode	Mode description	Statistical upper limit A- $L_{WA,c}$ (B)	-weighted sound power	level,		
	Idle	* Stand-by	* 3.4				
	Operation	* Operating Mode	* 6.3				
	Other mode						
			only if not covered by E0	CMA-74)			
	Chemical emiss	sions from printing products (See NOTE	B10)				
P10.2*		according to ECMA-328 Determination of Ch		from Electronic	$\boxtimes$		
D40.0	Equipment (ISO/	/IEC 28360), other specify: RAL-UZ 205	j				_
P10.3	i ypicai emission	rate (operation phase) is (mg/h):					Ш
		phic devices: Ozone 0.2 or less s Styrene 0.002 Benzene 0.009 TV0	DC 0.15				
	Ink devices: Du	ust Styrene Benzene TV	OC				
		ce with maximum emission rates in eco laborates	els to be declared in P14	l			
P11		aterials for printing products					
P11.1*		heet (SDS) is available for the ink/toner prep				<u>Ш</u>	Щ
P11.2*	EN 12281.	g post-consumer recycled fibers can be used		the requirements of			
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.				
P11.4*	<u> </u>	elivered to end-user with default auto-duple:	x enabled.				
P13	Packaging and						
P13.1*	Product packagii	ng material type(s): Corrugated paper ng material type(s): Plastic (LDPE) ng material type(s): weight (k	weight (kg): <b>9.82</b> weight (kg): <b>0.364</b> g):				
P13.2*	Product plastic p	orimary packaging is free from PVC.			$\boxtimes$		
P13.3*		ary corrugated fiberboard packaging, specifered fiber content:	y the contained percenta	age of minimum post-			
P13.4*	Specify media for Electronic , Pa	or user and product documentation (tick box) aper $\boxtimes$ , Other $\square$	):				
P13.5		nplete this item if paper documentation used to documentation on paper media is chlorine secify:					
	Totally chlorine-f	ree			$\boxtimes$		
	Elemental chloring	ne-free			Ħ		
	Processed chlori	ne-free					
P14	Voluntary progr						
P14.1	The product mee	ets the requirements of the following volunta	ry program(s):				
	ENERGY STARGECO-label: BAM		Date: Pr	roduct category: roduct category: MFP			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	IM 3500A	Logo	
Issue date *	10 March 2021		

Produc	Product environmental attributes - Market requirements (concluded)  Requirement		
P15	Additional information (See NOTE B11)		
	Sound pressure level at the operator position [LpA:dB(A)]		
	Stand-by: 21.4 (dB)		
	Operating Mode: Mono: 47.4 (dB)		

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer	
servers	
· · · · · · · · · · · · · · · · · · ·	P4.3, P7.19
Commission Regulation (EC) 1272/2008 (CLP	P4.3, P7.19 P5.1

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	