

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd	
Contact information *	Ricoh Europe (Netherlands), Prof. W.H.Keesomlaan 1,	
e-mail address	PO Box 114 1180AC Amstelveen, The Netherlands	
	reu.compliance@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFP				
Commercial name *	IM 6000				
Model number *	IM 6000				
Issue date *	10 March 2021				
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9 1 PTEC, ETEC and display resolution

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	IM 6000	Logo	
Issue date *	10 March 2021		

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes		n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4 4*	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🖂		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	< 🔀		
	(see legal reference).		_	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): reu.compliance@ricoh-europe.com	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\square		
ΓΖ.Ι	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			\boxtimes
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional			$\overline{\boxtimes}$
	user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address): reu.compliance@ricoh- europe.com			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\square		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		\bowtie	
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\boxtimes		
D.4.0t	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\square		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(S) 🔀		
DE Ot	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		\Box
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

Model nu	umber *	IM 6000	Logo				
Issue da	te *	10 March 2021					
Product	t environ	mental attributes - Market requirements (See General Note GN below)					
-		nental conscious design				nt met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No r	n.a.	
P7	Design						
P7.1*		nbly, recycling t have to be treated separately are easily separable					
P7.2*					<u> </u>	<u> </u>	
		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.					
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product						
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		\boxtimes			
P7.8*	Upgradin	g can be done using commonly available tools		\boxtimes			
P7.9.	Spare pa	rts are available after end of production for: 7 years					
P7.10	Service is	s available after end of production for: 7 years					
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
	Material t	ype: PC+ABS Material type: Material	type:				
P7.12	Insulatior	materials of external electrical cables are PVC free.			\square		
P7.13	Insulatior	n materials of internal electrical cables are PVC free.			\square		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro					
	weight (1	000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	retardants,	and			
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	norine in p	barts			
P7.15		sircuit boards, PCBs (without components) are low halogen: all PCBs > 25			\square		
17.10		as defined in IEC 61249-2-21. (See NOTE B2)	ig 🔄 are				
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\square			
	Marking:						
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without co	mponents):				
	TBBPA (a	additive) 🔲, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name:	, CAS #:		\bowtie		
		i i martino de la construcción de l		_		_	
		emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:	nts) > 25 g		\bowtie		
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/	preparation	ns in			
1 1.10		ations above 0,1%:	propulation		\square		
		cal name: , CAS #: (See NOTE B4)					
		cal name: , CAS #: "					
	3. Chemi	cal name: , CAS #: "				_	
	Alt. 2: Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4: FR(40)	\bowtie			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			\square		
-	assigned	the following Risk phrases; and Hazard statements:					
	The sour	ce(s) for these classifications is/are found at (add URL(s)): , (See N	IOTE B5)				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nur	nber *	IM 6000				Logo			
Issue date	*	10 March	2021						
Product	environm	ental attr	ibutes - Market re	quirements (conti	nued)		Require	ment	met
Item				•			Yes	No	n.a.
			ance requirements (c						
P7.20*	Postcons	umer recyc	eled plastic material co	ontent is used in the p	roduct (See NOTE B6):		\bowtie		
	If YES; at	least one	of the two alternatives	below shall be answe	ered;				
					cled plastic material co	ntent (calculated as a			
	perc or	entage of t	otal plastic by weight)	is app. 5.55% .					
		weight of r	ecycled material is ap	p. 1538.39 g.					
P7.21*	Biobased	plastic ma	terial content is used i	in the product (See N	OTE B7):			\square	
If YES; at least one of the two alternatives below shall be answered;									
	a) Of to	otal plastic	parts' weight > 25 g, t		material content (calcula	ated as a percentage of	of		
	total or	plastic by	weight) is						
	b) The		he biobased plastic ma						
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.					\boxtimes				
If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg									
P7.23*	If product	includes a	n integral display, the	total mercury content	t in the integrated displa	y: <mark>0</mark> mg	\boxtimes		
P8	Batteries								
P8.1*			mposition: Manganes	e dioxide lithium					
P9		· · · ·	on (See NOTE B8)						
P9.1		oduct the t	ollowing power levels		-	1			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth		nergy	
	le for ENEF		W	W	W				\boxtimes
STAR® Op (OM) prod	perational N	lode							
Standby/of	f mode for		W	W	W				\square
ENERGY S Mode (OM	STAR Oper	rational							
	for ENER	GY STAR	kWh/week	kWh/week	0.74 kWh/week	Based on ENERGY	STAR Ver	3.0	
	icts (TEC=					Test Method. TEC va		es	-
	nsumption))				the program requirer	nents.		
Operating			W	W	Mono: 821 W				<u> </u>
Ready mo			W	W	64.7 W				
Sleep mo	de		W	W	0.57 W				
			W	W	W				
			W	W	W				
			W	W	W				
External P	ower Supp	y Efficienc	y Level (International	Efficiency Marking Pr	otocol) * :				\boxtimes
Print/Scan	Speed *	:	60 images per minute)					
Default tim	e to enter e	energy sav	e mode: 1 min.						Ē
P9.2*			e energy save function	n is provided with the	product.	1			⊢
					•				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM 6000	Logo	
Issue date *	10 March 2021		

Produc	t environmenta	al attributes - Market require	ements (con	tinued)		Require	ment	met
ltem						Yes	No	n.a.
P10	Emissions							
		on - Declared according to ISO 9						
P10.1	Mode	Mode description		Statistical upp L _{WA,c} (B)	er limit A-weighted sound power	level,		
	Idle	* Stand-by	e l	* 3.4				
	Operation	* Operating Mode	e l	* 6.6				Π
	Other mode							
	Measured acc	ording to: ISO 7779 🔀 ECMA-7		nly if not cove	ered by ECMA-74)			
	Chemical emi	issions from printing products			, ,			
P10.2*	Test performed	d according to ECMA-328 Determ O/IEC 28360) , other specify:	nination of Che		on Rates from Electronic	\square		
P10.3		on rate (operation phase) is (mg/l						
		raphic devices: Ozone 0.2 or les ess Styrene 0.005 Benzene 0	s 0.013 TVOC	0.64				
	Ink devices:	Dust Styrene E	Benzene TVC	C				
		ance with maximum emission rate	es in eco label	s to be declar	ed in P14.			
P11		materials for printing products						
P11.1*		Sheet (SDS) is available for the i				\square		
P11.2*	EN 12281.							
P11.3*	2-sided (duple	x) printing/copying is an integrate	d product func	tion.		\boxtimes		
P11.4*	The product is delivered to end-user with default auto-duplex enabled.							
P13		d documentation						
P13.1*	Product packa	ging material type(s): Corrugate ging material type(s): Plastic (LL ging material type(s):		weight (kg): 9 weight (kg): 0):				
P13.2*		c primary packaging is free from F	PVC.			\boxtimes		
P13.3*	For product pri consumer reco	imary corrugated fiberboard pack overed fiber content: %		the contained	percentage of minimum post-			
P13.4*		for user and product documentat Paper, Other	ion (tick box):					
P13.5	(Please only c	omplete this item if paper docume uct documentation on paper med				\boxtimes		
	Totally chlorine	e-free						
	Elemental chic							
	Processed chl					H		
P14	Voluntary pro							
P14.1		eets the requirements of the follo	wing voluntary	/ program(s):				
	ENERGY STA	.R® Criteria version:	3.0	Date:	Product category:			
	Eco-label: BA		RAL-UZ 205	Date:	Product category: MFP			
	Eco-label:	Criteria version:		Date:	Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM 6000	Logo	
Issue date *	10 March 2021		

P15 Additional information (See NOTE B11) Sound pressure level at the operator position [LpA:dB(A)] Stand-by: 21.5 (dB) Operating Mode: Mono: 52.2 (dB)	Produc	t environmental attributes - Market requirements (concluded)	Requirement met
Stand-by: 21.5 (dB)	P15	Additional information (See NOTE B11)	
		Sound pressure level at the operator position [LpA:dB(A)]	
Operating Mode: Mono: 52.2 (dB)		Stand-by: 21.5 (dB)	
		Operating Mode: Mono: 52.2 (dB)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Decision arrizareo (Gecondary packaging legislation)	1 0.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	