



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Ricoh	Logo
Ricoh Company Ltd	
Ricoh Europe (Netherlands) , Prof. W.H.Keesomlaan 1,	
PO Box 114 1180AC Amstelveen, The Netherlands	
reu.compliance@ricoh-europe.com	
www.ricoh.com	
	Ricoh Company Ltd Ricoh Europe (Netherlands), Prof. W.H.Keesomlaan 1, PO Box 114 1180AC Amstelveen, The Netherlands reu.compliance@ricoh-europe.com

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Colour MFP				
Commercial name *	M C251FW				
Model number *	M C251FW				
Issue date *	12 May 2022				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5

Model number *	M C251FW	Logo	
Issue date *	12 May 2022		

Product	environmental attributes - Legal requirements	Require	ement	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
54.00	Comment: Legal reference has no maximum concentration value.		_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5~\mu g/cm^2/week$	\boxtimes		
	(see legal reference).			
5.1 = 1	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	_
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	Ш	
	reu.compliance@ricoh-europe.com			
P2	Batteries Control of the Control of		_	
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes	Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			$\overline{}$
Γ Ζ. Ζ	reference)		Ш	Ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	П	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	- 	+	$\overline{\Box}$
	<u> </u>	ㅡ	ᆛ	
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)		Ш	\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at (add link or e-mail address):		ш	ш
	https://www.ricoh.com/products/ce_doc2/			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,			\boxtimes
	(see legal reference).	_	_	_
	Required information is; given in item P15 or added to this document,			
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			
5.4.00	than 0,01% (see legal reference and NOTE B1).		_	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
P4.3*	legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	$\overline{}$		
1 4.5	are Community workplace exposure limits, the product/packaging is adequately labeled according to	Ш	ш	\boxtimes
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)) 🔀		
P5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal			$\overline{}$
ro.5	Protocol (see legal reference).		Ш	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	M C251FW	Logo	
Issue date *	12 May 2022		

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Regu	irem	ent met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\geq	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\geq	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\boxtimes	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\boxtimes	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "		×	
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		\boxtimes	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		×	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	M C251FW	Logo	
Issue date *	12 May 2022		

Product (oduct environmental attributes - Market requirements (continued) Requirement					met		
Item						Yes	No	n.a.
	Material and subst	ance requirements (c	ontinued)					
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pro	oduct (See NOTE B6):			Ш	Ш
	,	of the two alternatives		,				
	percentage of t	parts weight > 25 g, tr total plastic by weight)		cled plastic material co	ntent (calculated as a			
	or b) The weight of r	ecycled material is 9.4	1 4 g.					
P7.21*	Biobased plastic ma	terial content is used i	n the product (See NC	OTE B7):		\boxtimes		
	If YES; at least one	of the two alternatives	below shall be answe	red;				
		parts' weight > 25 g, t weight) is 0.011%.	he biobased plastic m	naterial content (calcula	ated as a percentage of			
	or	weight) is 0.011 /6.						
D7.00*		he biobased plastic ma						_
P7.22*		ee from mercury, i.e. le pecify: Number of lamp		ım mercury content pe	r lamp: mg		Ш	Ш
P7.23*				in the integrated displa	y: 0 mg			
P8	Batteries							
P8.1*	Battery chemical co	mposition: <i>Lithium-ior</i>	n battery (one cell ba	ttery)				
P9	Energy consumpti	on (See NOTE B8)						
P9.1	For the product the	following power levels	or energy consumptio	ns are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
Operating	mode	W	W	Mono: 422 W Colour: 444 W				
	-							
Ready mod	de	W	W	35.4 W				Ш
Sleep mod	le	kWh/week	kWh/week	0.74 W				
TEC value		kWh/week	kWh/week	0.309 kWh/week	Based on ENERGY S Test Method.	TAR Ver	3.0	
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
External P	ower Supply Efficienc	y Level (International E	Efficiency Marking Pro	tocol) *:				
Print/Scan	Speed * :	26 images per minute						
	e to enter energy sav							
P9.2*	Information about th	e energy save function	n is provided with the p	oroduct.		\boxtimes		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

	Model number *	M C251FW	Logo	
	Issue date *	12 May 2022		
ı				

Product	roduct environmental attributes - Market requirements (continued)					Requirement me		
Item						Yes	No	n.a.
P10	Emissions							
	Noise emission	 Declared according to ISO 9 						
P10.1	Mode	Mode description		Statistical upp $L_{WA,c}$ (B)	per limit A-weighted sound power	r level,		
	Idle	* Stand-by		* 3.3				
	Operation	* Operating Mode		* Mono: 6.7, 0	Colour: 6.7			
	Other mode							
					ered by ECMA-74)			
		sions from printing products						
P10.2*		according to ECMA-328 Deterr		emical Emissi	ion Rates from Electronic			
		TEC 28360) , other specify:						
P10.3	Typical emission	rate (operation phase) is (mg/	/h):					
	Electrophotograp Ink devices:	ohic devices: Ozone 0.19 Dus D			nzene <0.022 TVOC 7.038 enzene TVOC			
		ce with maximum emission rat		ls to be decla	red in P14.			
P11		aterials for printing products						
P11.1*		, ,			if not legally required (see P4.3).	. 🛚		
P11.2*	Paper containing EN 12281.	post-consumer recycled fiber	s can be used	, provided tha	t it meets the requirements of			
P11.3*	2-sided (duplex)	printing/copying is an integrate	ed product fund	ction.				
P11.4*	The product is de	elivered to end-user with defau	ılt auto-duplex	enabled.		X		
P13	Packaging and	documentation						
P13.1*	Product packagii Product packagii	ng material type(s): Corrugate ng material type(s): EPS ng material type(s): LDPE ng material type(s):	ed Paper weight (kg weight (kg weight (kg): 0.164	3.3533			
P13.2*	Product plastic p	rimary packaging is free from	PVC.					
P13.3*			kaging, specify %	the contained	d percentage of minimum post-			\boxtimes
P13.4*	Specify media for Electronic X, P	r user and product documenta	tion (tick box):					
P13.5	(Please only con	nplete this item if paper docum t documentation on paper med						
	Totally chlorine-f							
	Elemental chlorin					Ц		
	Processed chlori							
P14	Voluntary progr							
P14.1	The product mee	ets the requirements of the follo	owing voluntar	y program(s):				
	ENERGY STARGECO-label:	© Criteria version: Criteria version: Criteria version:	See P9.1	Date: Date: Date:	Product category: Product category: Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

Model number *	M C251FW	Logo	
Issue date *	12 May 2022		

Produc	Product environmental attributes - Market requirements (concluded) Requirements		
P15	Additional information (See NOTE B11)		
	Sound pressure level at the operator position [LpA:dB(A)]		
	Stand-by: 21		
	Operating Mode: Mono: 57.7, Colour: 58.3		
	Heat Emission: Mono: 290.6736, Colour 305.8272 [kcal/h]		

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
	P4.3, P7.19 P5.1

Directive 2012/19/EU (WEEE directive) Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.