Internal



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd	
Contact information *	Ricoh Europe (Netherlands), Prof. W.H.Keesomlaan 1,	
e-mail address	PO Box 114 1180AC Amstelveen, The Netherlands	
	reu.compliance@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Colour MFP				
Commercial name *	IM C3010A				
Model number *	IM C3010A				
Issue date *	11 Jan 2023				
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	IM C3010A	Logo	
Issue date *	11 Jan 2023		

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbon tetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\square$		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	) )		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	$\boxtimes$		
	(see legal reference).	_		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	reu.compliance@ricoh-europe.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$		
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\square$		
		<u> </u>	<u> </u>	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	<u> </u>	<u> </u>	$\boxtimes$
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional			$\bowtie$
<b>D</b> 2	user", the related text is present and legible on the external packaging (see legal reference) Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\square$		
1 3.1	The Declaration of Conformity can be requested at (add link or e-mail address):			
	https://www.ricoh.com/products/ce_doc2/			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	$\square$		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		$\bowtie$	
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	$\square$		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	$\boxtimes$		
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			$\bowtie$
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	) 🖂		
	used (see legal reference).	<u>د</u> لع		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$		
	Protocol (see legal reference).			_
Do	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\square$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	IM C3010A	Logo	
Issue date *	11 Jan 2023		

-	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Requi	irem	ent n	net
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No		
P7	Design				
	Disassembly, recycling			_	
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.	$\square$		]	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		]	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		]	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\square$		]	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			]	
	Product lifetime			-	
P7.7*	Upgrading can be done e.g., with processor, memory, cards or drives	$\square$		]	
P7.8*	Upgrading can be done using commonly available tools			1	
P7.9.	Spare parts are available after end of production for: 7 years				Π
P7.10	Service is available after end of production for: 7 years				Ē
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.			1	
P7.13	Insulation materials of internal electrical cables are PVC free.	$\overline{\Box}$		1	一
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1		]	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	!	$\ge$	]	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>	$\square$		]	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			3	
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		$\boxtimes$	]	
97.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:         1. Chemical name:       , CAS #:       (See NOTE B4)         2. Chemical name:       , CAS #:       "	· 🗆		]	
	3. Chemical name: , CAS #: "	$\boxtimes$		]	
P7.19	<u>Alt. 2: Chemical specifications of flame retardants in plastic parts &gt; 25 g according to ISO 1043-4:</u> In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			3	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nu		IM C3010				Logo			
Issue date	B *	11 Jan 20	23						
Draduat	onvironm	ontol ottri	huton Markat ra	nuiromente (conti	nuod)		Doguizo		
Item	environm	iental attri	ibutes - Market ree	quirements (conti	nuea)		Require Yes	No	n.a
	Material a	and substa	nce requirements (c	continued)			100	110	n.u
P7.20*					roduct (See NOTE B6)	):	$\square$		
	a) Of to perc or	otal plastic p entage of to	of the two alternatives parts' weight > 25 g, the pastic by weight) ecycled material is <b>18</b>	ne postconsumer recy is <b>51.07 %</b> .	ered; ycled plastic material c	ontent (calculated a	sa		
P7.21*			erial content is used i		OTE B7):			$\boxtimes$	
P7.22*	a) Of to total or b) The Light sour	otal plastic p plastic by v weight of th rces are free	veight) is %. <u>e biobased plastic ma</u> e from mercury, i.e. le	he biobased plastic r aterial is g. ess than 0,1 mg/lamp.	naterial content (calcu		ge of		
P7.23*			ecify: Number of lamp		um mercury content per in the integrated displ	1 0			
-			r integral display, the			ay. ong			
P8 P8.1*	Batteries		position: Manganes	e dioxide Lithium Ba	atterv				
P9			n (See NOTE B8)						
P9.1			bllowing power levels	or energy consumption	ons are reported:				
Energy mo	-		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test n		nergy	
Operating	mode		W	W	Mono: <b>464.4</b> W Colour: <b>515.3</b> W				
Ready mo	de		W	W	<b>38.5</b> W				
Sleep moo	le		kWh/week	kWh/week	0.3 W				
TEC value	)		kWh/week	kWh/week	0.30 kWh/week	Based on ENERO Test Method.	GY STAR Ver	· 3.0	
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
		W	W	W					
External P	ower Supp	ly Efficiency	Level (International I	Efficiency Marking Pro	otocol) * :				
Print/Scan	Speed *	: 3	o images per minute	!					
Default tim	ne to enter e	energy save	e mode: 1 minutes						
P9.2*			e energy save function	n is provided with the	product.	I			Ē

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM C3010A	Logo	
Issue date *	11 Jan 2023		

Produc	t environmental	attributes - Market requirem	ents (contin	ued)		Require	ment	met
Item						Yes	No	n.a.
P10	Emissions							
		<ul> <li>Declared according to ISO 929</li> </ul>						
P10.1	Mode	Mode description		tistical upper limi .,c (B)	t A-weighted sound power	level,		
	Idle	* Stand-by	* 2.	1				
	Operation	* Operating Mode	* M	ono: <mark>6.2</mark> , Colour:	6.2			
	Other mode							
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							
	Chemical emiss	sions from printing products (Se	e NOTE B10	-	<i>'</i>			
P10.2*		according to ECMA-328 Determina			es from Electronic			
		/IEC 28360) 🔲, other specify: RA	L-UZ 219					
P10.3	Typical emission	n rate (operation phase) is (mg/h):						
	Electrophotogra	ohic devices: Ozone 0.21 Dust 0. Dust						
	NOTE: complian	ce with maximum emission rates i	in eco labels to	be declared in I	P14.			
P11	Consumable m	aterials for printing products						
P11.1*	A Safety Data S	heet (SDS) is available for the ink/	toner preparat	ion, even if not le	egally required (see P4.3).	$\boxtimes$		
P11.2*	Paper containing EN 12281.	g post-consumer recycled fibers ca	an be used, pro	ovided that it me	ets the requirements of	$\boxtimes$		
P11.3*	2-sided (duplex)	printing/copying is an integrated p	product functio	n.		$\boxtimes$		
P11.4*	The product is d	elivered to end-user with default a	uto-duplex ena	abled.				
P13	Packaging and	documentation						
P13.1*	Product packagi Product packagi Product packagi	ng material type(s): Corrugated F ng material type(s): Card Board ng material type(s): LDPE ng material type(s): PP	weight (kg): 3 weight (kg): 0 weight (kg): 0	.351				
P13.2*	Product plastic p	primary packaging is free from PVC	C.			$\boxtimes$		
P13.3*	consumer recove	ary corrugated fiberboard packagi ered fiber content: %		e contained perce	entage of minimum post-			$\square$
P13.4*		or user and product documentation	(tick box):					
P13.5	(Please only con	nplete this item if paper document t documentation on paper media i		:				
	Totally chlorine-f					$\boxtimes$		
	Elemental chlori					Ц		
	Processed chlor							
P14	Voluntary prog							
P14.1	The product mee	ets the requirements of the following	ig voluntary pi	ogram(s):				
	ENERGY STAR Eco-label: BAM Eco-label:	® Criteria version: 3.0 Criteria version: RAI Criteria version:	UZ 219 Da	ate: ate: ate:	Product category: Product category: <i>MFP</i> Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM C3010A	Logo	
Issue date *	11 Jan 2023		

Product environmental attributes - Market requirements (concluded) Requirement r						
P15	Additional information (See NOTE B11)					
	Sound pressure level at the operator position [LpA:dB(A)]					
	Stand-by: 3.8 (dB)					
	Operating Mode: Mono: 46.9 (dB), Colour: 47.9 (dB)					

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
	·

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	