



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Ricoh	Logo
Ricoh Company Ltd	
Ricoh Europe (Netherlands) , Prof. W.H.Keesomlaan 1,	
PO Box 114 1180AC Amstelveen, The Netherlands	
reu.compliance@ricoh-europe.com	
www.ricoh.com	
	Ricoh Company Ltd Ricoh Europe (Netherlands), Prof. W.H.Keesomlaan 1, PO Box 114 1180AC Amstelveen, The Netherlands reu.compliance@ricoh-europe.com

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Colour MFP			
Commercial name *	IM C4510			
Model number *	IM C4510			
Issue date *	11 Jan 2023			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5

Model number *	IM C4510	Logo	
Issue date *	11 Jan 2023		

Product	environmental attributes - Legal requirements	equire	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbon tetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4 4*	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes	$\overline{}$	
1 1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		Ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes		
	(see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	reu.compliance@ricoh-europe.com		_	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
D0.0*	reference)	\square	_	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			<u> </u>
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		Щ.	\boxtimes
P2.5*				
Do	user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)		_	
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	\boxtimes	Ш	
	https://www.ricoh.com/products/ce_doc2/			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\boxtimes		
	(see legal reference).		ш	
	Required information is; given in item P15 or added to this document,		\boxtimes	
	available at (add URL):			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	\boxtimes		
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
DAOt	legal reference)		_	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to	Ш	Ш	\boxtimes
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\square	П	
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	\boxtimes		
DE 0*	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		Ш	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	IM C4510	Logo	
Issue date *	11 Jan 2023		

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Regu	irem	ent met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g., with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\geq	
P7.13	Insulation materials of internal electrical cables are PVC free.		\geq	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		\succeq	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		X	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "		×	
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according to ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)		\geq	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	IM C4510	Logo	
Issue date *	11 Jan 2023		

Product environmental attributes - Market requirements (continued)						Require	ment	met
Item						Yes	No	n.a.
D= 00*		ance requirements (c	The state of the s					
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pro	oduct (See NOTE B6):			Ш	Ш
	•	of the two alternatives		red; cled plastic material co	ntant (aslaulated as a			
	percentage of t	total plastic by weight)		cied piastic material co	ntent (calculated as a			
	or b) The weight of r	ecycled material is 19	135.35 g.					
P7.21*		aterial content is used i		OTE B7):			\boxtimes	
	If YES; at least one	of the two alternatives	below shall be answe	red;				
 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 								
	or	ha hiahaaad plaatia m	otoriolio a					
P7.22*		he biobased plastic ma se from mercury, i.e. le				\square		
	•	pecify: Number of lamp	, , ,	ım mercury content pe	r lamp: mg		ш	ш
P7.23*	If product includes a	n integral display, the	total mercury content	in the integrated displa	y: 0 mg			
P8	Batteries							
P8.1*								
P9	Energy consumption	<u> </u>						
P9.1		following power levels		•	1			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth		nergy	Ш
Operating	mode	W	W	Mono: 576.6 W Colour: 664.9 W				
Ready mod	de	W	W	40.5 W				
rtoddy mot		**	**	40.0 **				Ш
Sleep mod	е	kWh/week	kWh/week	0.32 W				
TEC value		kWh/week	kWh/week	0.45 kWh/week	Based on ENERGY : Test Method.	STAR Ver	3.0	
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
External Po	ower Supply Efficienc	y Level (International I	Efficiency Marking Pro	tocol) *:				
Print/Scan	Speed * :	45 images per minute						
Default tim	e to enter energy sav	re mode: 1 minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.							

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM C4510	Logo	
Issue date *	11 Jan 2023		

Product	oduct environmental attributes - Market requirements (continued)				Require	ment	met	
Item						Yes	No	n.a.
P10	Emissions							
	Noise emission		ding to ISO 9296 (See NO					
P10.1	Mode	Mode description	1	Statistical upper lin $L_{WA,c}$ (B)	nit A-weighted sound power	level,		
	Idle	* Stand-by		* 2.1				
	Operation	* Operating Mod	de	* Mono: 6.5, Colou	r: 6.5			
	Other mode							
		ding to: X ISO 77	Other (d	only if not covered b	by ECMA-74)			
			g products (See NOTE E					
P10.2*			A-328 Determination of Ch		ates from Electronic			
			ther specify: RAL-UZ 219					
P10.3	Typical emission	rate (operation ph	nase) is (mg/h):					
	Electrophotograp Ink devices:	ohic devices: Ozor	ne 0.49 Dust 0.49 Styrene Dust Sty	e 0.05 Benzene <0. rrene Benzer				
			emission rates in eco labe	els to be declared in	P14.			
P11		aterials for printin						
P11.1*	A Safety Data SI	heet (SDS) is avail	able for the ink/toner prep	aration, even if not	legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing EN 12281.	g post-consumer re	ecycled fibers can be used	l, provided that it me	eets the requirements of			
P11.3*	2-sided (duplex)	printing/copying is	an integrated product fun	ction.		\boxtimes		
P11.4*	The product is de	elivered to end-use	er with default auto-duplex	enabled.		$\overline{\boxtimes}$		
P13	Packaging and	documentation						
P13.1*	Product packagii Product packagii			g): 0.351				
P13.2*	Product plastic p	orimary packaging	is free from PVC.			\boxtimes		
P13.3*		ary corrugated fibe ered fiber content:		y the contained per	centage of minimum post-			
P13.4*	Specify media for	or user and produce	t documentation (tick box)	:				
P13.5	(Please only con	nplete this item if p	paper documentation used n paper media is chlorine-) free:				
	Totally chlorine-f							
	Elemental chlori					Ш		
	Processed chlori	ine-free						
P14	Voluntary progr							
P14.1	The product mee	ets the requiremen	ts of the following voluntar	ry program(s):				
	ENERGY STARGECO-label: BAM	Crite	ria version: 3.0 ria version: RAL-UZ 219 ria version:	Date: Date: Date:	Product category: MFP Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

Model number *	IM C4510	Logo	
Issue date *	11 Jan 2023		

Product	Product environmental attributes - Market requirements (concluded) Requirement r				
P15	Additional information (See NOTE B11)				
	Sound pressure level at the operator position [LpA:dB(A)]				
	Stand-by: 3.3 (dB)				
	Operating Mode: Mono: 50.5 (dB), Colour: 51.1 (dB)				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
3617613	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Commission Regulation (EC) 1272/2008 (CLP	P4.3, P7.19 P5.1

Directive 2012/19/EU (WEEE directive) Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.