



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd	
Contact information *	Ricoh Europe (Netherlands) , Prof. W.H.Keesomlaan 1,	
e-mail address	PO Box 114 1180AC Amstelveen, The Netherlands	
	reu.compliance@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFP			
Commercial name *	IM 370F			
Model number *	IM 370F			
Issue date *	05 September 2023			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	IM 370F	Logo	
Issue date *	05 September 2023		

Product	environmental attributes - Legal requirements	Require	ment	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
D4.0*	Comment: Legal reference has no maximum concentration value.		_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\bowtie	Ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$	\boxtimes		
	(see legal reference).			
5.1 = 1	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	_
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	reu.compliance@ricoh-europe.com			
P2	Batteries			_
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		
D0.0*	symbol. Information on proper disposal is provided in user manual. (See legal reference)		_	$\overline{}$
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)		Ш	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		$\overline{}$	$\overline{}$
		<u> </u>	 	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	_ <u>_</u>	<u>Ц</u>	
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional			\boxtimes
Do	user", the related text is present and legible on the external packaging (see legal reference)			
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference).		$\overline{}$	
F 3. I	The Declaration of Conformity can be requested at (add link or e-mail address):		Ш	
	https://www.ricoh.com/products/ce_doc2/			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\boxtimes		
	(see legal reference).		ш	ш
	Required information is; given in item P15 or added to this document,		\boxtimes	
	available at (add URL):			_
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater		\Box	П
	than 0,01% (see legal reference and NOTE B1).		ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\boxtimes		
	legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			\boxtimes
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		$\overline{}$	
	hexavalent chromium by weight of these together.		ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)			
	used (see legal reference).			<u> </u>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference).			_
	Comment: Legal reference has no maximum concentration values.		<u> </u>	
P6 1*	Treatment information		_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	IM 370F	Logo	
Issue date *	05 September 2023		

	t environmental attributes - Market requirements (See General Note GN below)	Danu	!	-44
	Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.		No r	nt met
Item P7	Design	res	INO I	ı.a.
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square	П	
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	Ħ
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\overline{\Box}$	$\overline{\Box}$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\boxtimes}$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{\Box}$	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	一百		Ħ
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) for Covers/Housing			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	IM 370F	Logo	
Issue date *	05 September 2023		

Product environmental attributes - Market requirements (continued)						Require	ment	met
Item						Yes	No	n.a.
	Material and substa	ance requirements (c	ontinued)					
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pr	oduct (See NOTE B6):				
	,	of the two alternatives parts' weight > 25 g. th		ered; cled plastic material co	intent (calculated as a			
		total plastic by weight)		orda praesto matemar co	mom (calculated ac a			
	b) The weight of r	ecycled material is 284						
P7.21*	Biobased plastic ma	terial content is used i	n the product (See NO	OTE B7):			\boxtimes	
	If YES; at least one	of the two alternatives	below shall be answe	ered;				
 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 								
	or b) The weight of the biobased plastic material is g.							
P7.22*		ee from mercury, i.e. le				\square		
		pecify: Number of lamp		um mercury content pe				
P7.23*	· ·	in integral display, the	total mercury content	in the integrated displa	y: 0 mg		Ш	Ш
P8	Batteries	1.1						
P8.1*		mposition: <i>Manganese</i>	e dioxide lithium bat	tery				Ш
P9	Energy consumption							
P9.1	For the product the f	following power levels	or energy consumption	ons are reported:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test meth		nergy	
Operating	mode	W	W	528.8 W				
Ready mod	de	W	W	26.4 W				
Sleep mod	е	kWh/week	kWh/week	0.45 W				
TEC value		kWh/week	kWh/week	0.38 kWh/week	Based on ENERGY	-		
					Test Method. TEC vi the program require		sfies	
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
External Po	ower Supply Efficienc	y Level (International E	Efficiency Marking Pro	otocol) *:				
Print/Scan	Speed * :	37 images per minute						
Default tim	e to enter energy sav	re mode: 1 minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.							

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM 370F	Logo	
Issue date *	05 September 2023		

Product	environmental	attributes - Market	requirements (cor	ntinued)		Require	ment	met
Item				-		Yes	No	n.a.
P10	Emissions							
	Noise emission	- Declared according	to ISO 9296 (See NO	TE B9)				
P10.1	Mode	Mode description		Statistical upper lin $L_{WA,c}$ (B)	nit A-weighted sound power	level,		
	Idle	* Stand-by		* 2.0				
	Operation	* Operating Mode		* 6.5				
	Other mode							
	Measured accord	ding to: X ISO 7779	ECMA-74 Other (c	only if not covered b	by ECMA-74)			
		sions from printing pr						
P10.2*		according to ECMA-328			ates from Electronic	\boxtimes		
		(IEC 28360), other s)				
P10.3	Typical emission	rate (operation phase)	is (mg/h):					
	Electrophotograp Ink devices:	ohic devices: Ozone 0.0		tyrene 0.019 Benz tyrene Benz	zene 0.014 TVOC 0.85 zene TVOC			
		ce with maximum emis		ls to be declared in	P14.			
P11		aterials for printing pr						
P11.1*		<u> </u>			legally required (see P4.3).			
P11.2*	Paper containing EN 12281.	post-consumer recycle	ed fibers can be used	, provided that it me	eets the requirements of			
P11.3*	2-sided (duplex)	printing/copying is an in	ntegrated product fun	ction.		\boxtimes		
P11.4*	The product is de	elivered to end-user wit	h default auto-duplex	enabled.		\boxtimes		
P13	Packaging and	documentation						
P13.1*	Product packagii Product packagii	ng material type(s): Conng material type(s): Canng material type(s): LDng material type(s): PP	rdBoard weight (kg PE weight (kg	g): 0.24				
P13.2*	Product plastic p	rimary packaging is fre	e from PVC.			\boxtimes		
P13.3*		ary corrugated fiberboa ered fiber content:	ard packaging, specify	the contained per	centage of minimum post-			
P13.4*	Specify media for Electronic , P	r user and product doc						
P13.5	(Please only con	nplete this item if paper at documentation on paper	documentation used per media is chlorine-) free:				
	Totally chlorine-f							
	Elemental chlorin					\sqcup		
	Processed chlori	ne-free						
P14	Voluntary progr							
P14.1	The product mee	ets the requirements of	the following voluntar	y program(s):				
	ENERGY STARGE Eco-label: BAM Eco-label:		ersion: See P9.1 ersion: RAL-UZ 219 ersion:	Date: Date: Date:	Product category: Product category: <i>MFP</i> Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

Model number *	IM 370F	Logo	
Issue date *	05 September 2023		

Product	Product environmental attributes - Market requirements (concluded)		
P15	Additional information (See NOTE B11)		
	Sound pressure level at the operator position [LpA:dB(A)]		
	Stand-by: 3.3 (dB)		
	Operating Mode : 53.7 (dB)		

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer	
servers	
	P4.3, P7.19
Commission Regulation (EC) 1272/2008 (CLP	P4.3, P7.19

Directive 2012/19/EU (WEEE directive) Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.