Internal



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Ricoh	Logo
Ricoh Company Ltd	
Ricoh Europe (Netherlands), John M. Keynesplein 10-B	
1066 EP, Amsterdam, The Netherlands	
reu.compliance@ricoh-europe.com	
www.ricoh.com	
	Ricoh Company Ltd Ricoh Europe (Netherlands) , John M. Keynesplein 10-B 1066 EP, Amsterdam, The Netherlands reu.compliance@ricoh-europe.com

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Colour MFP						
Commercial name *	IM C320F						
Model number *	IM C320F						
Issue date *	07 October 2024						
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9 1 PTEC, ETEC and display resolution

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5			
Model number *	IM C320F	Logo	
Issue date *	07 October 2024		

Product	environmental attributes - Legal requirements	Require	ement	met		
Item	9	Yes		n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes				
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes				
1 1.4	terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	* 🖂				
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week					
	(see legal reference).					
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			_		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes				
	reu.compliance@ricoh-europe.com					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes				
1 2.2	reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square				
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		∺	\square		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional	- - -	⊢⊢			
1 2.5	user", the related text is present and legible on the external packaging (see legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square				
	The Declaration of Conformity can be requested at (add link or e-mail address):					
	https://www.ricoh.com/products/ce_doc2/					
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	\square				
	(see legal reference).	_				
	Required information is; given in item P15 or added to this document,		\boxtimes			
	available at (add URL):					
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).	\boxtimes				
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\square				
	legal reference)					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			\boxtimes		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to					
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available					
	(see legal reference).					
P5.1*	Product packaging					
	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).)		\Box		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal					
	Protocol (see legal reference).					
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	IM C320F	Logo	
Issue date *	07 October 2024		

	t environmental attributes - Market requirements (See General Note GN below)	_	_		
	Environmental conscious design			ent me	et 🛛
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
	Disassembly, recycling		_		
P7.1*	Parts that have to be treated separately are easily separable			<u>i ľ</u>	
P7.2*	Plastic materials in covers/housing have no surface coating.	\square			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\square		<u> </u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square] [
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square] [
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\square] [7
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes] [
P7.8*	Upgrading can be done using commonly available tools			1 [7
P7.9.	Spare parts are available after end of production for: 7 years		_	Ē	1
P7.10	Service is available after end of production for: 7 years			ī	1
	Material and substance requirements				_
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: PC Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\geq	1 C	
P7.13	Insulation materials of internal electrical cables are PVC free.		\geq	1 C	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.] [
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\ge] [
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>	\square] [
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive) 🔲, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name: , CAS #:		\geq	1 [
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\ge	3 [
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #: " <u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR(40) for</i> <u>Covers/Housing</u>] [
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)] []

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

Model number *	IM C320F			Logo			
Issue date *	07 October 2024						
	nental attributes - Market	requirements (conti	nued)		Require		met
Item		- ((Yes	No	n.a.
	and substance requirement						
Postcon	sumer recycled plastic materia	I content is used in the p	roduct (See NOTE B6)	:			
If YES; a	at least one of the two alternation	ves below shall be answe	ered;				
	total plastic parts' weight > 25		vcled plastic material c	ontent (calculated	as a		
per or	centage of total plastic by weig	int) is 51.0% .					
	e weight of recycled material is	6484.02 g.					
P7.21* Biobase	d plastic material content is us	ed in the product (See N	OTE B7):			\boxtimes	
If VES:	at least one of the two alternati	ves below shall be answe	ered:				
	total plastic parts' weight > 25			ated as a percent	age of		
	al plastic by weight) is %.				-		
or b) The	e weight of the biobased plastic	c material is q.					
	urces are free from mercury, i.e				\square		
	ry is used specify: Number of I		um mercury content pe	er lamp: mg			
P7.23* If produc	t includes an integral display,	the total mercury content	t in the integrated displa	ay: <mark>0</mark> mg	\boxtimes		
P8 Batterie	S						
P8.1* Battery of	chemical composition: Lithium	-ion battery (one cell b	attery)				
	consumption (See NOTE B8)						
P9.1 For the	product the following power lev	els or energy consumption	ons are reported:				
Energy mode *	Power level at	Power level at	Power level at	Reference/Stan		nergy	
	100 V AC	115 V AC	230 V AC	modes and test	method *		
Operating mode	W	W	Mono: 452.3 W Colour: 468.9 W				
			Colour. 400.9 W				
Ready mode	W	W	28.3 W				
Sleep mode	kWh/week	kWh/week	0.31 W				
·							
TEC value	kWh/week	kWh/week	0.30 kWh/week	Based on ENE Test Method. 1			
				the program re		51105	
					-		
	W	W	W				
	W	W	W				<u> </u>
	W	W	W				_⊢
	W	W	W				
W W W							
External Power Sup	oly Efficiency Level (Internation	nal Efficiency Marking Pro	otocol) * :				\square
Print/Scan Speed *	: 32 (Mono) 32 (Col	our) images per minute					
Default time to enter	energy save mode: 1 minutes						
	ion about the energy save fund		product.	1			⊢⊢
	in include the choigy care fund						

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM C320F	Logo	
Issue date *	07 October 2024		

Product	t environmental	attributes - Market require	nents (con	tinued)		Require	ement	met
Item						Yes	No	n.a.
P10	Emissions							
		 Declared according to ISO 92 						
P10.1	Mode	Mode description		Statistical upper lin L _{WA,c} (B)	mit A-weighted sound power	level,		
	Idle	* Stand-by		* 2.8				
	Operation	* Operating Mode		* Mono: 6.7, Colou	ur: 6.8			
	Other mode							
	Measured accor	ding to: 🔀 ISO 7779 📃 ECMA		only if not covered	by ECMA-74)			
		sions from printing products (
P10.2*		according to ECMA-328 Determi		emical Emission R	ates from Electronic	\boxtimes		
		/IEC 28360) 🔲, other specify:						
P10.3	Typical emissior	n rate (operation phase) is (mg/h):					
	<0.02 (Mono), <	phic devices: Ozone < <u>0.40</u> Dus 0.02 (Colour) TVOC 1.90 (Mor Ozone Dust Styrene		lour)	ono), <0.10 (Colour) Benzer	ne		
	NOTE: compliar	nce with maximum emission rate	s in eco label	ls to be declared ir	n P14.			
P11		aterials for printing products						
P11.1*	A Safety Data S	heet (SDS) is available for the in	k/toner prepa	aration, even if not	legally required (see P4.3).	\square		
P11.2*	EN 12281.	g post-consumer recycled fibers			eets the requirements of	\boxtimes		
P11.3*	2-sided (duplex)	printing/copying is an integrated	I product fund	ction.		\boxtimes		
P11.4*	The product is d	elivered to end-user with default	auto-duplex	enabled.		\boxtimes		
P13		documentation						
P13.1*	Product packagi Product packagi Product packagi	ng material type(s): Corrugated ng material type(s): CardBoard ng material type(s): LDPE ng material type(s): PP	weight (kg weight (kg weight (kg	i): 0.101				
P13.2*		primary packaging is free from P				\square		
P13.3*	consumer recov	hary corrugated fiberboard packa ered fiber content: 70 %			centage of minimum post-	\square		
P13.4*		or user and product documentation	on (tick box):					
P13.5		nplete this item if paper docume of documentation on paper media becify:				\boxtimes		
	Totally chlorine-free					\boxtimes		
	Elemental chlori							
	Processed chlor	ine-free						
P14	Voluntary prog							
P14.1	The product me	ets the requirements of the follow	ving voluntar	y program(s):				
	ENERGY STAR Eco-label: BAM Eco-label:			Date: Date: Date:	Product category: Product category: <i>MFP</i> Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	IM C320F	Logo	
Issue date *	07 October 2024		

Produc	ct environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
	Sound pressure level at the operator position [LpA:dB(A)]	
	Stand-by: 19.0 (dB)	
	Operating Mode : Mono: 58.7, Colour: 58.8 (dB)	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	