

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *	Ricoh Europe Plc	1
	20 Triton Street, London NW1 3BF, United Kingdom emo@ricoh-europe.com	nashua <u>tec</u>
Internet site *	www.ricoh.com	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Fax				
Commercial name *	Fax 1195L				
Model number *	Fax 1195L				
Issue date *	04 April 2014				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Fax 1195L		
Issue date *	04 April 2014	Logo	nashua <u>tec</u>

Product	duct environmental attributes - Legal requirements			Requirement met		
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		-		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split		$\overline{}$	\boxtimes		
	aromatic amines. (See legal reference and Note B1)		ш			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as		П	\boxtimes		
	pentachlorophenol and derivatives (see legal reference).	_	_	_		
D4 0*	Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square	П			
	emo@ricoh-europe.com		ш			
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes				
P2.3*						
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		$\overline{\Box}$	$\overline{\Box}$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).					
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	П			
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					

Note B¹: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Fax 1195L		
Issue date *	04 April 2014	Logo	nashua <u>tec</u>

Product	quire	men	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\boxtimes}$	$\overline{\Box}$	$\overline{\Box}$
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes	币	$\overline{\Box}$
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years	\boxtimes		
P7.10	Service is available after end of production for: 7 years	\boxtimes		
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7.40	Material type: PC+ABS Material type: PC+PS Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.			
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B ²)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	Ш	Ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is <i>0</i> %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.		_	
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	Ш	Ш	
P8	Batteries			
P8.1*	Battery chemical composition: No battery			X
P8.2	Batteries meet the requirements of the following voluntary program/s:	Ħ	ヿ	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Fax 1195L		
Issue date *	04 April 2014	Logo	nashua <u>tec</u>

	duct environmental attributes - Market requirements (continued) Requirement m					t met	
Item	Yes No				n.a.		
· · · · · · · · · · · · · · · · · · ·	following power levels	or energy consump	otions are report	ed:			
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for energy	
Operating Mode	W	W	360 W				
Ready Mode	W	W	55 W				
	W	W	W				
	W	W	W				
	W	W	W				
	W	W	W				
EPS No-load	W	W	W				
(External power supply / charger plugged in the wall outlet but disconnected from the product.)							
PTEC * Typical Energy Consumption	W	W	W				
Typical Effergy Consumption							
TEC *	kWh/week	kWh/week	0.958 kWh/we	ek			
Typical Energy Consumption							
ETEC *	kWh/year	kWh/year	45.984 kWh/ye	ear			
Annual Energy Consumption							
Display resolution* : Meg	gapixels						
	s per minute						
Default time to enter energy say							
••	ne energy save functio	n is provided with th	ne product				
	the energy requiremen	-	-	m/o:			
ENERGY STAR® v Others specify:		duct category: <i>Fax</i>	oluniary program	11/5.			\boxtimes
P10 Emissions							
Noise emission –	Declared according to	ISO 9296					
P10.1 Mode M	lode description		Declared A-weighted		Declared A-weight		
			sound power		sound pressure level L_p		
			level L_{WAd} (B)	Ope		nder positions	
					Desktop (only if	product is not	
						ator attended)	
	Stand-by		* n/a		n/a		
	Operating Mode		* 6.5		n/a		$\perp \square$
Other mode							
Measured according	Measured according to: ISO7779 ECMA-74						
	Other	(only if not covered	by ECIVIA-74 WIT	∏ LpAn	n measurement distance	m)	1
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: Blue Angel Nordic Swan							

Model number *	Fax 1195L		
Issue date *	04 April 2014	Logo	nashua <u>tec</u>

Product (environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ171	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust 0.15 Ozone 0.02 Styrene 0.07 Benzene 0.006 TVOC 5.6			
P10.5	Chemical emission requirements of the following voluntary program/s are met for:			
	Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑ Blue Angel		\boxtimes	
	Nordic Swan			\boxtimes
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			\square
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of 🔀		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			
P12				
P12 P12.1*	Ergonomics for computing products The display mosts the arganomic requirements of ISO 0244-207 for viewal display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paper Product packaging material type(s): Plastic weight (kg): 1.6 weight (kg): 0.479			
	Product packaging material type(s): <i>Plastic</i> weight (kg): <i>0.479</i> Product packaging material type(s): weight (kg):			
P13.2*	Product plastic packaging is free from PVC.		П	
P13.3*	Specify media for user and product documentation (tick box):			∺
	Electronic , Paper , Other			ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			\square
	fiber: %			
Rev.	User and product documentation do not contain chlorine bleached paper	\boxtimes		
P13.5	Additional information (See Note B⁴)			
P14	This product is designed to utilise recycled plastic materials wherever available.			
	This product is designed to dulise recycled plastic materials wherever available.			

Note B⁴: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19