

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *	Ricoh Europe Plc	
	20 Triton Street, London NW1 3BF, United Kingdom	nashuatec
	emo@ricoh-europe.com	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product * Multifunction					
Commercial name *	MP 2553SP				
Model number *	MP 2553SP				
Issue date *	29 July 2013				
Intended market *	led market * 🔄 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control			
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀		

Model n		MP 2553SP				
Issue da	ite *	29 July 2013	Logo	nashu	<u>ate</u>	C
	t environ	mental attributes - Legal requirements		Require		
Item				Yes	No	n.a.
P1	Hazardo	bus substances and preparations				
P1.1*	0.1% po	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexa lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (So e and $^{\text{Note}} B^1$)		im, 🔀		
P1.2*	Products	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.				
P1.4*		s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polych /l (PCT) in preparations (see legal reference).	nlorinated	\boxtimes		
P1.5*		s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	he 🔀		
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference nt: Legal reference has no maximum concentration values.),		
P1.7*	Textile a	ind leather parts with direct skin contact do not contain more than 0.003% Azo colo c amines. (See legal reference and Note B1)	prants that split			\boxtimes
P1.8*	Wooden pentach	parts do not contain arsenic and chromium as a wood preservation treatment as w lorophenol and derivatives (see legal reference). nt: Legal reference has no maximum concentration values.	vell as			
P1.9*	Parts wi microgra	th direct and prolonged skin contact do not release nickel in concentrations above (am/cm ² /week (see legal reference). nt: Max limit in legal reference when tested according to EN1811:1998.	0.5			
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail icoh-europe.com	contact):			
P2	Batterie	S				
P2.1*	more that marked	oduct contains a battery or an accumulator, it is labeled with the disposal symbol ar an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea with the chemical symbol for the metal concerned, Hg or Pb. Information on proper I in user manual. (See legal reference)	ad, it shall be			
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other t ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See)		
P2.3*	design c or data i	s and accumulators are easily removable by either users or service providers (as do if the product). Exception: Batteries that are permanently installed for safety, perfo ntegrity reasons do not have to be "easily removable". (See legal reference)				
P3		EMC connection to the telephone network and labeling				
P3.1*	The pro	duct complies with legally required safety standards as specified (see legal reference	ce).	\boxtimes		
P3.2*	The pro	duct complies with legally required standards for electromagnetic compatibility (see	legal reference	:e). 🔀		
P3.3*	If produc	t is intended for connection to a public telecom network or contains a radio transm ally required standards for radio and telecommunication devices (see legal reference	itter, it complie	· 🔼		
P3.4*	The pro	duct is labeled to show conformance with applicable legal requirements (see legal r	,	\square		
P4		nable materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium materiate and Note B1).	,			
P4.2*	If ink/tor	er is used in the product, it does not contain cadmium max 0.1% by weight (see leg	gal reference).	\boxtimes		
P4.3*	product/ requiren	/toner formulation/preparation is classified as hazardous according to applicable re packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with nents is available (see legal reference).				
P5		packaging				
P5.1*	hexaval	ng and packaging components do not contain more than 0.01% lead, mercur ent chromium by weight of these together.	-	and 🔀		
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).	\square		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.		eal 🔀		

 $^{^{}Note}$ B¹: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	Imber *	MP 2553SP						
Issue dat	te *	29 July 2013	Logo	nashu	19t	00		
			lasin	lay				
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement							
Item		atory to fill in. Additional information regarding each item may be found under P14.	Jesign	Yes	No	n.a.		
P6		Int information			<u> </u>			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							
P7	Design Disasse	mbly, recycling						
P7.1*		at have to be treated separately are easily separable						
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ	Ē		
P7.3*					Ħ	Ē		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			H	H		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		H	H		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			⊢⊢	⊢⊢		
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives						
P7.8*		ng can be done using commonly available tools			H	\dashv		
P7.9.		arts are available after end of production for: 7 years			⊢⊢	\dashv		
P7.10	<u> </u>	is available after end of production for: 7 years			⊢⊢	⊢⊢		
		and substance requirements						
P7.11*		cover/housing material type:						
	Material	type: PC+ABC Material type: PC+PS Materia	al type:					
P7.12		l cable insulation materials of power cables are PVC free.						
P7.13	Electrica	l cable insulation materials of signal cables are PVC free						
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.			Π			
P7.15	All printe	ed circuit boards (without components) >25g are halogen free. as defined in IEC	61249-2-21. (Se	e				
P7.16	Flame re Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
P7.17		al specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name:, CAS #:	ents):					
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) > 3-4:	25g according					
P7.18		etarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%:	s/preparations	in 🗌				
		ent: No legal limits exist, this is a market requirement.						
	1. Chem	ical name: , CAS #:						
		ical name: , CAS #:						
	3. Chem Alt. 2	ical name: , CAS #:						
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:			П			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,					
P7.20		plastic parts' weight >25g, recycled material content is 0%. [pls see P14 for addition	nal information]					
P7.21		plastic parts' weight >25g, biobased material content is 0%.						
P7.22	If mercu	urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp:	mg					
P8	Batterie							
P8.1*		chemical composition: Manganese dioxide lithium						
P8.2	Batteries meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i>							

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number Issue date *	* MP 25533 29 July 2					Logo	no	ch	ıate	-
								19111	late	
Product environmental attributes - Market requirements (continued) Requirement met							met			
Item							n.a.			
	rgy consumpti									
9.1 <u>For</u>	the product the	following power levels	or energy consumption	otions are report	ed:					
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC		Reference / modes and tes	Standard t method *	for	energy	
Operating Mod	e	W	W	637 W						
Ready Mode		W	W	152 W						
Sleep Mode		W	W	0.61 W						
		W	W	W						
		W	W	W						
		W	W	W						
EPS No-load		W	W	W						
(External power charger plugged outlet but discon the product.)	l in the wall									
PTEC * Typical Energy (Consumption	W	W	W						
TEC * Typical Energy (Consumption	kWh/week	kWh/week	1.303 kWh/we	ek					
ETEC * Annual Energy (Consumption	kWh/year	kWh/year	62.544 kWh/year						
Display resolution	on* : Me	gapixels								
Print Speed *	: 25 Images	s per minute								
Default time to e	enter energy sav	ve mode: 1 minutes								
P9.2* Infor	mation about th	ne energy save functio	n is provided with th	ne product.				\boxtimes		
ENE		the energy requiremer version: 1.1 Tier: 2 Pro			n/s:					
	ssions									
P10.1 Mod		Declared according to lode description	150 9296	Declared		Dooloro	d A woights	d		
				A-weighted		Declared A-weighted sound pressure level L_{pAm} (dB)			3)	
				sound power	-				, ositions	_
				level L_{WAd} (B)	Opera	tor position				
					0	r Desk side	(only if			
Idle	*	Stand-by		* 3.5	-		opera 19.1	ator att	ended)	
	Operation * Operating Mode			* 6.6	49.5					
	er mode	• • • • • • • •								
Mea	sured accordin	~	ECMA-74 (only if not covered	by ECMA-74 wit	h L _{pAm} r	neasurement	distance	m)	
P10.2 The							Angel			

Model nur	nber *	MP 2553SP					
Issue date	*	29 July 2013	Logo	nas	shu	ate	C
			•				
							met
Item					Yes	No	n.a.
	Chemica	al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify: RAL	-UZ171		\boxtimes		
P10.4	Typical e	emission rate (print phase) is (mg/h):					\square
	Dust 0.4	4 Ozone Imit of detection Styrene 0.18 Benzene Imit of detection TVOC	2.67				
P10.5		al emission requirements of the following voluntary program/s are met for:					
	Dust 🔀	Ozone 🔀 🛛 Styrene 🔀 Benzene 🔀 TVOC 🔀	Blue	Angel	\boxtimes		
			Nordic S	Swan			\boxtimes
	Electron	nagnetic emissions					_
P10.6		er display meets the requirement for low frequency electromagnetic fields of the fol	lowing volu	ntary			
1 10.0	program		iowing void	intary			
P11		able materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see F	P4.3).	\square		
P11.2*	Paper co	ontaining post-consumer recycled fibers can be used, provided that it meets the	he requirer	ments of		Π	
	EN1228						
P11.3*		(duplex) printing/copying is an integrated product function.			\square		
P12		nics for computing products					
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.				\boxtimes
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					\mathbb{X}
P13	Packagi	ng and documentation					
P13.1*	Product	packaging material type(s): Corrugated Paper weight (kg): 12.3					
		packaging material type(s): <i>Plastic</i> weight (kg): 0.901					
D40.0*		packaging material type(s): weight (kg):					
P13.2*		plastic packaging is free from PVC.			\boxtimes		
P13.3*							
		ic 🔀, Paper 🔀, Other 🗌					_
P13.4*		er user and product documentation, please specify contained percentage of post-co	onsumer re	cycled			\boxtimes
Rev.	fiber: %	b I product documentation do not contain chlorine bleached paper					
Rev. P13.5	User and	a product documentation do not contain chionne pleached paper			\boxtimes		
P14	Addition	nal information (See ^{Note} B ⁴)					
		his product is designed to utilise recycled plastic materials wherever available	le.				

^{Note} B⁴: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19