

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	-
Contact information *	Ricoh Europe Plc 20 Triton Street, London NW1 3BF, United Kingdom emo@ricoh-europe.com	nashuatec
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product * Copier					
Commercial name *	MP 3053				
Model number *	MP 3053				
Issue date *	29 July 2013				
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model nu	umber *	MP 3053				
Issue da	te *	29 July 2013	Logo	ashi	1at	PO
			110	asttu		
D						
	t environ	mental attributes - Legal requirements		Require Yes		
Item P1	Hazarda	ous substances and preparations		res	No	n.a.
P1.1*	Products	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexav	valent chromium	۱, 🔀		
	0.1% po	lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (Se	ee legal	', 🔼		
	referenc	e and <sup>Note</sup> B <sup>1</sup> )				
P1.2*		s do not contain Asbestos (see legal reference).		$\square$		
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
		pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.	naximum			
P1.4*		s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polych	alorinated			
Г 1.4		/l (PCT) in preparations (see legal reference).	nonnaleu	$\bowtie$		
P1.5*	Products	s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 car	bon atoms in the	e 🖂		
		intaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho	osphate (TRIS),			$\square$
		ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference	ce).			
		nt: Legal reference has no maximum concentration values.				
P1.7*		and leather parts with direct skin contact do not contain more than 0.003% Azo colo	orants that split			$\boxtimes$
P1.8*		c amines. (See legal reference and Note B1)				
P1.0		parts do not contain arsenic and chromium as a wood preservation treatment as w lorophenol and derivatives (see legal reference).	veir as			$\boxtimes$
		nt: Legal reference has no maximum concentration values.				
P1.9*		th direct and prolonged skin contact do not release nickel in concentrations above (	0.5	$\square$		
		am/cm <sup>2</sup> /week (see legal reference).				
		nt: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):	$\square$		
	emo@r	icoh-europe.com				
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, it is labeled with the disposal symbol ar		$\square$		
		an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea				
		with the chemical symbol for the metal concerned, Hg or Pb. Information on proper	disposal is			
P2.2*		I in user manual. (See legal reference) rells used in the product do not contain more than 2% by weight of mercury. Other t	natteries or	$\square$		
1 2.2		lators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See la				
P2.3*		s and accumulators are easily removable by either users or service providers (as de				
		of the product). Exception: Batteries that are permanently installed for safety, perfor				
	or data i	ntegrity reasons do not have to be "easily removable". (See legal reference)				
P3		EMC connection to the telephone network and labeling				
P3.1*		duct complies with legally required safety standards as specified (see legal reference	,	$\bowtie$		
P3.2*	The pro	duct complies with legally required standards for electromagnetic compatibility (see	legal reference	). 🔀		
P3.3*	If produc	ct is intended for connection to a public telecom network or contains a radio transm	itter, it complies	$\overline{\times}$		Π
	0	ally required standards for radio and telecommunication devices (see legal reference	/			
P3.4*	The pro	duct is labeled to show conformance with applicable legal requirements (see legal r	reference).	$\square$		
P4		nable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma	ax 0.01% (see	$\boxtimes$		
D4 ct	0	erence and Note B1).				
P4.2*		her is used in the product, it does not contain cadmium max 0.1% by weight (see leg				
P4.3*		/toner formulation/preparation is classified as hazardous according to applicable re		$\boxtimes$		
		packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with	n these			
P5		nents is available (see legal reference).				
P5.1*		t <b>packaging</b> ng and packaging components do not contain more than 0.01% lead, mercur	v cadmium an	d 🕅		
1 0.1		ent chromium by weight of these together.	y, caunium an	d 🔀		
P5.2*		backaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).			
P5.3*		duct packaging material is free from ozone depleting substances as specified		 al	+	
1 0.0		(see legal reference).				
		nt: Legal reference has no maximum concentration values.				
		*				

Note B<sup>1</sup>: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	MP 3053		
Issue date *	29 July 2013	Logo	nashuatec

		equire		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		╞	- 🕂
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		⊢	$\dashv$
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		-	<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	_님
-			<u> </u>	<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives	57		
			ᆜ	<u> </u>
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years	$\square$		
<u> </u>	Material and substance requirements			
P7.11*	Product cover/housing material type:			
P7.12	Material type:         PC+ABC         Material type:         PC+PS         Material type:           Electrical cable insulation materials of power cables are PVC free.         Material type:         Material type:         Material type:			
P7.12	Electrical cable insulation materials of signal cables are PVC free	<u> </u>	<u> </u>	<u> </u>
P7.13	•	<u> </u>	<u> </u>	<u> </u>
	All cover/housing plastic parts >25g are free from chlorine and bromine.	<u> </u>	<u> </u>	<u> </u>
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B <sup>2</sup> )			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%. [pls see P14 for additional information]			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries			
P8.1*	Battery chemical composition: Manganese dioxide lithium			
P8.2	Batteries meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i> criteria (2002/687/EC & 2001/686/EC)			$\boxtimes$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MP 3053		
Issue date *	29 July 2013	Logo	nashuatec

Product environmental attributes - Market requirements (continued) Requirement met						met	
Item						Yes No	n.a.
P9 Energy consump							
9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for energy	
Operating Mode	W	W	637 W				
Ready Mode	W	W	152 W				
Sleep Mode	W	W	0.57 W				
	W	W	W				
	W	W	W				
	W	W	W				
EPS No-load	W	W	W				$\square$
(External power supply / charger plugged in the wall outlet but disconnected from the product.)							
PTEC * Typical Energy Consumption	W	W	W				
TEC * Typical Energy Consumption	kWh/week	kWh/week	2.084 kWh/we	ek			
ETEC * Annual Energy Consumption	kWh/year	kWh/year	<b>100.032</b> kWh/y	/ear			
Display resolution* : M	egapixels						
Print Speed * : 30 Imag	es per minute						
Default time to enter energy sa	ave mode: <b>1</b> minutes						
P9.2* Information about	the energy save functio	n is provided with th	e product.		I		
	s the energy requirement version: 1.1 Tier: 2 Pro			n/s:			$\square$
P10 Emissions	Declared according to	160 0206					
	<ul> <li>Declared according to Mode description</li> </ul>	150 9296	Declared	1	Declared A-weighte	d	
			A-weighted		sound pressure level $L_{pA}$		
			sound power level $L_{ m WAd}$ (B)	Ope	rator position Bystar Desktop (only if	nder positions	
Idle	* Stand-by	3	* 3.5		19.2		
Operation	* Operating Mode	•	* 6.7		49.8		
Other mode							
Measured accordi	·	ECMA-74 (only if not covered	by ECMA-74 wit	h L <sub>pAn</sub>	n measurement distance	m)	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: Blue Angel							

Model nu	nber *	MP 3053					
Issue date	<b>*</b>	29 July 2013	Logo	nas	shu	ate	n.
Dusdust							
Item	environn	nental attributes - Market requirements (continued)		Re	equire Yes	No No	
Item					res	INO	n.a.
D40.0*		al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL	UZ171		$\boxtimes$		
P10.4	•••	emission rate (print phase) is (mg/h):					$\boxtimes$
		Ozone < <i>limit of detection</i> Styrene 0.18 Benzene 0.01 TVOC 3.36					
P10.5		al emission requirements of the following voluntary program/s are met for:			_	_	_
	Dust 🔀	Ozone 🔀 🛛 Styrene 🔀 Benzene 🔀 TVOC 🔀		e Angel		$\bowtie$	
			Nordic	Swan			$\square$
	Flectron	nagnetic emissions					
P10.6		er display meets the requirement for low frequency electromagnetic fields of the fol	lowing volu	untary			$\square$
	program						
P11		hable materials for printing products					
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally req	uired (see	P4.3).	$\square$		
P11.2*	Paper c	ontaining post-consumer recycled fibers can be used, provided that it meets t	he require	ments of			
	EN1228	1.					
P11.3*	2-sided (	(duplex) printing/copying is an integrated product function.			$\boxtimes$		
P12		mics for computing products					
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display technological section of the section o	ogies.				$\boxtimes$
P12.2*	The phy:	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					$\boxtimes$
P13		ing and documentation					
P13.1*		packaging material type(s): Corrugated Paper weight (kg): 12.4					
		packaging material type(s): <i>Plastic</i> weight (kg): 0.901					
D12.0*	Product	packaging material type(s): weight (kg): plastic packaging is free from PVC.					
P13.2*					$\boxtimes$		
P13.3*		media for user and product documentation (tick box):					
		ic 🔀, Paper 🔀, Other 🗌					
P13.4*		er user and product documentation, please specify contained percentage of post-co	onsumer re	ecycled			$\boxtimes$
Dav	fiber: %						
Rev. P13.5	User and	d product documentation do not contain chlorine bleached paper			$\boxtimes$		
P13.5	Addition	nal information (See <sup>Note</sup> B <sup>4</sup> )					
		his product is designed to utilise recycled plastic materials wherever availab	le				

<sup>&</sup>lt;sup>Note</sup> B<sup>4</sup>: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19