

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *	Ricoh Europe Plc	
	20 Triton Street, London NW1 3BF, United Kingdom emo@ricoh-europe.com	nashua <u>tec</u>
Internet site *	www.ricoh.com	·
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product * Printer					
Commercial name *	SP 204SFN				
Model number *	SP 204SFN				
Issue date *	29 July 2013				
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model nu					
Issue dat	te * 29 July 2013 Logo	nash	บลา	ec	
Product	environmental attributes - Legal requirements	Require	mont	mot	
Item	environmental attributes - Legal requirements	Yes	No	n.a.	
P1	Hazardous substances and preparations	100	110	n.a.	
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromi 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and <sup>Note</sup> B <sup>1</sup> )	ium, 🔀			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	3),			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that spl aromatic amines. (See legal reference and Note B1)	it 🗌		$\square$	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	$\boxtimes$			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): emo@ricoh-europe.com	$\square$			
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contain more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference	e)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on design of the product). Exception: Batteries that are permanently installed for safety, performance, med or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal referen	ice). 🔀			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it compli with legally required standards for radio and telecommunication devices (see legal reference).	ies 🔀			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (se legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference)	). 🛛 🔀			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	•			
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium hexavalent chromium by weight of these together.	and 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Mont Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	treal 🔀			

 $<sup>^{</sup>Note}$  B<sup>1</sup>: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	SP 204SFN		
Issue date *	29 July 2013	Logo	nashuatec

Product	duct environmental attributes - Market requirements - Environmental conscious design				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\square$			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	$\square$			
P7.2*	Plastic materials in covers/housing have no surface coating.		Π		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Π		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\square$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\boxtimes}$			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$			
P7.9.	Spare parts are available after end of production for: 7 years	$\boxtimes$			
P7.10	Service is available after end of production for: 7 years	$\boxtimes$			
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type:PC+ABCMaterial type:Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.				
P7.13	Electrical cable insulation materials of signal cables are PVC free				
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See $^{Note} B^2$ )				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #:				
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:				
	Comment: No legal limits exist, this is a market requirement.         1. Chemical name:       , CAS #:         2. Chemical name:       , CAS #:         3. Chemical name:       , CAS #:         Alt. 2       Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,				
<b>D7</b> 63	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.				
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is 0%. Light sources are free from mercury				
F1.22	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batteries				
P8.1*	Battery chemical composition: Lithium-ion				
P8.2	Batteries meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i> criteria (2002/687/EC & 2001/686/EC)			$\boxtimes$	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * Issue date *	SP 204SI 29 July 2					Logo	na	ahr	iate	
							IIa	5110	lau	50
	Product environmental attributes - Market requirements (continued) Requirement met									
Item								Yes	No	n.a.
	y consumpt									
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC		ence / Ses and test r	Standard method *	for e	energy	
Operating Mode		W	W	387 W						
Ready Mode		W	W	<b>49.6</b> W						
Off/Sleep Mode		W	W	3.1 W						
		W	W	W						
		W	W	W						
		W	W	W						
EPS No-load (External power su charger plugged ir outlet but disconne the product.)	the wall	W	W	W						
PTEC * Typical Energy Co	nsumption	W	W	W						$\boxtimes$
TEC * Typical Energy Co	nsumption	kWh/week	kWh/week	1.3 kWh/week						
Етес * Annual Energy Co	nsumption	kWh/year	kWh/year	62.4 kWh/year						
Display resolution	: Me	gapixels								
Print Speed *	: 22 Image	s per minute								
Default time to ent	er energy sa	ve mode: 1 minutes								
P9.2* Inform	ation about th	ne energy save functio	n is provided with th	ne product.				$\square$		
ENER		the energy requirement version: 1.1 Tier: 2 Properties 2			n/s:					$\square$
P10 Emiss										
P10.1 Mode		Declared according to lode description	150 9296	Declared		Declared A		4		
	IV			A-weighted	soun	d pressure l			)	
				sound power level $L_{WAd}$ (B)	Operator p		Bystar			1
				Ever <i>L</i> <sub>WAd</sub> (D)		esktop				
					or Des	sk side 🗌	only if (	oroduct		
Idle	*	Stand-by		* 3.1		16	6.7	itor all	onaca)	
Opera Other		Operating Mode		* 6.6		50	6			
	ired accordin	g to: 🔀 ISO7779 📃	ECMA-74							-
			(only if not covered	by ECMA-74 wit	h L <sub>pAm</sub> meas	urement dis	stance	m)		
P10.2 The pi	oduct meets	the acoustic noise req				Blue Ar				

Model nur	nber *	SP 204SFN					
Issue date *		29 July 2013	Logo	nas	shu	ate	č
						_	
Product environmental attributes - Market requirements (continued) Requirement							met
Item					Yes	No	n.a.
	Chemica	al emissions from printing products					
P10.3*	0.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ171						
P10.4	Typical e	emission rate (print phase) is (mg/h):					X
	Dust 1.6	Ozone <limit (<="" 0.25="" <limit="" benzene="" detection="" of="" styrene="" td="" tvoc=""><td>).<b>93</b></td><td></td><td></td><td></td><td></td></limit>	). <b>93</b>				
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for:					
	Dust 🔀	Ozone 🔀 🛛 Styrene 🔀 Benzene 🔀 TVOC 🔀	Blue	e Angel		$\boxtimes$	
			Nordic \$	Swan			$\boxtimes$
	Flectron	nagnetic emissions					
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following the follo	owina volu	untarv			X
	program		5	,			
P11	Consum	nable materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see	P4.3).	$\boxtimes$		
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	ne require	ments of	$\square$		
P11.3*	2-sided (	(duplex) printing/copying is an integrated product function.				$\square$	
P12		nics for computing products					
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.				$\mathbb{X}$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.					$\boxtimes$
P13	Packagi	ng and documentation					
P13.1*	Product	packaging material type(s): Corrugated Paper weight (kg): 2.27					
		packaging material type(s): <i>Plastic</i> weight (kg): <i>0.432</i> packaging material type(s): weight (kg):					
P13.2*		plastic packaging is free from PVC.			$\square$		
P13.3*							
F 13.3	Specify media for user and product documentation (tick box):						
P13.4*		er user and product documentation, please specify contained percentage of post-co	onsumer re	ecycled			$\square$
	fiber: %			-			
Rev.	User and product documentation do not contain chlorine bleached paper						
	P13.5						
P14		nal information (See <sup>Note</sup> B <sup>4</sup> )					
		his product is designed to utilise recycled plastic materials wherever available	e.				

<sup>&</sup>lt;sup>Note</sup> B<sup>4</sup>: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19