

ecma 🖉 IT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo	
Company name *	RICOH Company Ltd.	1 (
Contact information	Ricoh Europe Plc 20 Triton Street, London NW1 3BF, United Kingdom emo@ricoh-europe.com	nashuatec	
Internet site *	www.ricoh.com		
Issue date *	14 May 2012		
Intended market *	Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	\boxtimes	
QC2 *			

Compan	y environmental profile - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	ement	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	\boxtimes		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	\boxtimes		
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of X The Global Reporting Initiative D Other as specified in C6	\boxtimes		
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	\square		
C6	Additional information			

Product environmental attributes – THE ECO DECLARATION

	used on product specification or test results based obtained from sample testing), that the product ts given in this declaration.					
Type of product *	of product * Printer nercial name * SP 3510DN					
Commercial name *	mmercial name * SP 3510DN					
Model number *	Aficio SP 3510DN					
Issue date *	14 May 2012					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio SP 3510DN		
Issue date *	14 May 2012	Logo	nashua <u>tec</u>

Product	environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1			
P1.2*	Products do not contain Asbestos (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>). Comment: Legal reference has no maximum concentration values.			
P1.4* Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphe (PCT) max 0.005% by weight (<i>REACH, Annex XVII</i>).				
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (<i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (<i>REACH, Annex XVII and Note B1</i>).			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (<i>REACH, Annex XVII</i>). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

Model nu		Aficio SP 3510DN	_	_		
Issue dat	te *	14 May 2012	Logo	nashı	lat	ec
					_	
Produc	ct enviro	nmental attributes - Market requirements - Environmental conscious	design	Require	ment	met
Item	*=manda	atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (2002/96/EC WEEE directive).		\boxtimes		
P7	Design					
		mbly, recycling				
P7.1*		t have to be treated separately are easily separable		\square		
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available too	ols. 🔀		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9.		arts are available after end of production for: 7 years			Ħ	Ē
P7.10		s available after end of production for: 7 years			Ħ	H
		and substance requirements				
P7.11*		cover/housing material type:				
		type: PC + ABS Material type: PC + PS Materia	al type:			
P7.12	Electrica	I cable insulation material of power cables are PVC free.				
P7.13	Electrica	l cable insulation materials of signal cables are PVC free.				
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printe note B2)	d circuit boards (without components) >25g are halogen free, as defined in IEC612	249-2-21 <i>(s</i> e	e 🗌		
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: ,	ents): CAS #:			
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) > 3-4:	25g accord	ing		
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/prepara ations above 0.1%: ht: No legal limits exist, this is a market requirement.	tions in			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	Alt. 2 Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R40 regulatio	arts>25g are free from flame retardant substances/preparations above 0.1% classi 6, R48, R50, R51, R53, R60, R61 and any combination of these <i>(see note B3)(EC n on classification, labeling and packaging CLP)</i>	No. 1272/20	008		
P7.20		plastic parts' weight >25g, recycled material content is 0% [pls see P14 for addition	nal informati	ion]		
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	If mercur	Irces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batterie					
P8.1*		hemical composition (2006/66/EC Battery and accumulators Directive): No batter	•			
P8.2		meet the requirements of the following voluntary program/s: <i>European eco-label</i> (2001/687/EC & 2001/686/EC)	(EU Flowe	r)		

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Aficio SP 3510DN		
Issue date *	14 May 2012	Logo	nashuatec
			Hashua

-	<mark>t environmenta</mark>	l attribut	tes - Market requ	irements (c	ontinu	ied)			Re	quire		met
Item										Yes	No	n.a.
P9	Energy consum	-										
9.1	For the product t	he followir	ng power levels or er	nergy consum	nptions h	<u>nave been</u>	measured:					
Energy n	node *		Power level at 100 V AC	Power level 115 V A		Power lev 230 V			e / Standard nd test metho		ərgy	
Maximu	m Energy Consu	mption	W	W		850 W						
Operatii	ng Mode		VV	VV		480.41	W					
Ready N	lode		VV	W		67.9 V	V					
Off/Slee	p Mode		W	VV		3.6 W						
			W	W		V	V					
			VV	W		V	V					
plugged disconne	load I power supply / ch in the wall outlet b acted from the prod	ut	W	W			N					
PTEC * Typical E	Energy Consumption	on	W	W		W						
TEC * Typical E	Energy Consumption	on	kWh/week	kWh/	week	1.739 kW	/h/week					
ETEC * Annual E	Energy Consumption	on	kWh/year	kWh/	/year	83.472 k	Wh/year					
Display r	resolution * :	dpi										
	eed *: 28 pages	•	te									
-	ime to enter energ	-										
P9.2*	-	-	gy save function is p	provided with	the proc	luct				\boxtimes		
P9.3*			ergy requirements of				n/s·					
1 0.0			1.1 Tier: 2 Produ			i y program						
P10	Emissions											
		- Declare	ed according to ISO	9296								
P10.1	Mode	Mode de			De	clared		Declared	A-weighted			
						eighted	sour	nd pressure	e level L_{pAm}	(dB)		
						d power			Bystander			-
					level	L_{WAd} (B)	Operator p		only if p			
							or Des	esktop		tor atte		
	Idle	* Stand-	by		* 3.7		01 Des		30.9			
		otana			0.1				00.0			
	Operation	* Operat	ting Mode		* 6.5				59.7			
	Other mode											
	Measured accore	ding to:										-
P10.2	The product mee	ts the acc	Other (only oustic noise requirem	if not covered				arement dis	stance	m)		
1 10.2			distic hoise requirem		nowing	voluntary	program/s.		lue Angel Iordic Swan			
D10.2*			n printing products									
P10.3*			to ECMA-328 (ISO/I	EC 28360) st	andard	, other	specify: RAL	UZ		\boxtimes		
P10.4			t phase) is (mg/h): of detection Styre	ne 023 Ben	7000	limit of de	tection TVO					
P10.5	Chemical emissi	on require	ments of the followir	ng voluntary p	program	/s are me	t for :	ic				
			ie 🔀 Benzene 🔀 1						lue Angel	\square		
								Ν	lordic Swan			\bowtie
	Electromagneti	c emissio	ns									
P10.6	Computer displa		e requirement for lo	w frequency e	electrom	nagnetic fie	elds of the fo	llowing vol	untary			\boxtimes
	program/s:											

Model number *	Aficio SP 3510DN		
Issue date *	14 May 2012	Logo	nashua <u>tec</u>

Produc	t environmental attributes - Market requirements (continued)	Require	ment	met
ltem		Yes	No	n.a
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\square		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 2.0 Product packaging material type(s): Plastic weight (kg): 1.15 Product packaging material type(s): weight (kg): 1.25			
P13.2*	Product plastic packaging is free from PVC	\square		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber.			\geq
P14	Additional information			
	This product is designed to utilise recycled plastic materials wherever available			