

## ecma 🖉 IT-Företagen

## Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information	Ricoh Europe Plc 20 Triton Street, London NW1 3BF, United Kingdom emo@ricoh-europe.com	nashuatec
Internet site *	www.ricoh.com	
Issue date *	14 May 2012	
Intended market *	🔲 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas	Other
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	$\square$	
QC2 *	* The company is a member of an eco declaration system that enforces regular independent quality control.		

Compan	y environmental profile - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	ement	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	$\boxtimes$		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	$\boxtimes$		
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of 🛛 The Global Reporting Initiative 🗌 Other as specified in C6	$\square$		
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	$\square$		
C6	Additional information			

## Product environmental attributes – THE ECO DECLARATION

	used on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Multifunction
Commercial name *	SP 3510SF
Model number *	Aficio SP 3510SF
Issue date *	14 May 2012

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio SP 3510SF		
Issue date *	14 May 2012	Logo	nashua <u>tec</u>

Product	environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1			
P1.2*	Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight ( <i>REACH, Annex XVII</i> ).	$\square$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% ( <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i> ).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>REACH, Annex XVII</i> ). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.7* Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight ( <i>REACH, Annex XVII and Note B1</i> ).				$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives ( <i>REACH, Annex XVII</i> ). Comment: Legal reference has no maximum concentration values.			$\square$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week ( <i>REACH, Annex XVII</i> ). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).	$\square$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

Model nu		Aficio SP 3510SF		_		
Issue dat	te *	14 May 2012	Logo	nasht	lat	ec
Broduk	ot onviro	nmontal attributes. Market requirements. Environmental conscious	docian	Poquir	mon	mot
Item	*-monde	tory to fill in Additional information regarding each item may be found under D14	uesign	Require Yes	No	n.a.
P6				Tes	INU	II.d.
P6.1*						
P7						
F <i>1</i>		mbly, recycling				
P7.1*						
P7.2*					╞	╞
					<u> </u>	<u> </u>
P7.3*						
P7.4*	-			$\square$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	g can be done using commonly available tools			Ē	Ē
P7.9.					┢	⊢∺
P7.10					+	<u> </u>
F7.10						
P7.11*						
P7.12			ar type.			
		•			<u> </u>	<u> </u>
P7.13		-				
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printe note B2)	d circuit boards (without components) >25g are halogen free, as defined in IEC612	249-2-21 (see			
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemica		ents): CAS #:			
	ISO 1043		25g according	g 🗌		
P7.18	Treatment information    11  Information for recyclers/Iteatment facilities is available (2002/96/EC WEEE directive).    Design  Disassembly, recycling    12  Parts that have to be treated separately are easily separable    21  Parts that have to be treated separately are easily separable materials.    32  Plastic materials in covers/housing have no surface coating.    34  Plastic parts >250 pave material codes according to ISO 11469 referring ISO 1043.    5  Plastic parts 252 pave material codes according to ISO 11469 referring ISO 1043.    6*  Labels are easily separable. (This requirement does not apply to safety/regulatory labels).    Product lifetime					
	2. Chem	ical name: , CAS #:				
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R40 regulatio	6, R48, R50, R51, R53, R60, R61 and any combination of these (see note B3)(EC n on classification, labeling and packaging CLP)	No. 1272/200			
P7.20			nal information	ן ו		
P7.21						
P7.22			mg		Ш	
P8			-			
P8.1*	Battery c	hemical composition (2006/66/EC Battery and accumulators Directive): Lithium-i	on			
P8.2			(EU Flower)			
·						

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Aficio SP 3510SF		
Issue date *	14 May 2012	Logo	nashua <u>tec</u>

	t environmenta	al attribut	t <mark>es - Market requ</mark>	<mark>irements (c</mark>	ontinu	ied)			Re	quire		met
Item	_									Yes	No	n.a.
P9	Energy consum											
9.1	For the product t	ne tollowir	ng power levels or ei	nergy consum	<u>iptions</u>	nave been	measured:					
Energy r	node *		Power level at 100 V AC	Power level 115 V A		Power le 230 V			ce / Standard and test metho		ergy	
Maximu	m Energy Consu	mption	W	VV		<mark>895</mark> W						
Operati	ng Mode		W	VV		482.86	W					
Ready N	lode		W	VV		76.3 V	V					
Off/Slee	p Mode		VV	VV		6.8 W						
			W	VV		١	N					
			VV	VV		V	V					
EPS No-			W	W		۱ ۱	N					$\boxtimes$
(Externa	I power supply / cl	narger										
disconne	in the wall outlet b ected from the pro-	out duct.)										
PTEC *			W	W		W						$\square$
	Energy Consumpti	on				0.400114						
TEC * Typical E	Energy Consumpti	on	kWh/week	kWh/	/week	<b>2.480</b> kW	/h/week					
ETEC *			kWh/year	kWh/	/year	<b>119.04</b> k	Wh/year					
	Energy Consumpti-											
	esolution .	dpi	to									
	ime to enter energ	-										
P9.2*	P9.2*  Information about the energy save function is provided with the product.  Image: Comparison of the product meets the energy requirements of the following voluntary program/s:    P9.3*  The product meets the energy requirements of the following voluntary program/s:    ENERGY STAR® version 1.1  Tier: 2  Product category: Multifunction  Image: Comparison of the product category: Multifunction											
P9.3*							n/s:					
	Others specify:			ici calegory.	wununu	icuon				A	H	
P10	Emissions											
FIV		– Declare	ed according to ISO	9296								
P10.1	Mode	Mode de		0200	De	clared		Declare	d A-weighted			
1 10.1	mode	inicae ac	oonplion		A-w	eighted	sour		e level $L_{pAm}$	(dB)		
						d power			-			
					level	$L_{WAd}$ (B)	Operator p		Bystander (only if p			
								esktop		tor atte		
	1.01.	* 0 ( 1	h		* • • •		or Des	k side 🔄				
	Idle	* Stand-	бу		* 3.9				31.5			
	Operation	* Operat	ting Mode		* 6.5				58.5			
	Other mode											-
	Measured accor	ding to: 📐	ISO7779 📃 ECM/	A-74								
			Other (only	if not covered	d by ECI	MA-74 with	n L <sub>pAm</sub> measu	urement d	stance	m)		
P10.2	The product mee	ets the acc	oustic noise requiren	nents of the fo	ollowing	voluntary	program/s:				_	_
									Blue Angel Nordic Swan		Ц	
Dia at			n printing products							<u> </u>		
P10.3*			to ECMA-328 (ISO/I	EC 28360) st	andard	, other	specify: RAL	UZ		$\boxtimes$		
P10.4	0.4  Typical emission rate (print phase) is (mg/h):    Dust 0.94  Ozone     Imit of detection  Styrene 0.23    Benzene   Imit of detection    TVOC 1.7  Imit of detection											
P10.5	Chemical emissi	on require	ments of the following	ng voluntary r	rogram	/s are me	t for :					
1 10.0			$\approx  imes$ Benzene $ imes$			,		F	Blue Angel	$\boxtimes$		
				· - • 🖂					Nordic Swan	ñ	Ц	$\overline{\boxtimes}$
												×
P10.6	Electromagneti			w froqueses	olootror		olde of the f-	llowing	lunton			
P10.6	program/s:	y meets tr	ne requirement for lo		election	aynelle fie	ะเนอ บา เกษ 10	nowing vo	iui ital y			$\square$

Model number *	Aficio SP 3510SF		
Issue date *	14 May 2012	Logo	nashua <u>tec</u>

Produc	t environmental attributes - Market requirements (continued)	Require	nent	met
Item		Yes	No	n.a.
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\boxtimes$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	$\boxtimes$		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\boxtimes$		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\square$
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paper  weight (kg): 2.5    Product packaging material type(s): Plastic  weight (kg): 1.11    Product packaging material type(s):  weight (kg): 1.11			
P13.2*	Product plastic packaging is free from PVC	$\square$		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber.			$\square$
P14	Additional information			
	This product is designed to utilise recycled plastic materials wherever available			