



Product environmental attributes - THE ECO DECLARATION

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	madanatas
Contact information *		nashuatec
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Type of product * FAX				
Commercial name *	FAX 3320L				
Model number *	FAX 3320L				
Issue date *	14 March 2008				
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	FAX 3320L		
Issue date *	14 March 2008	Logo	

Product 6	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\square		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	FAX 3320L				
Issue date *	14 March 2008	Logo	nasl	nuatec	

Product	t environmental a					
Item	*=mandatory to f	•		Yes	No	n a
P7	Design		anon regarding odon nominal sector and an activities	. 55	- 110	
P7.1*				\boxtimes		
P7.2*						
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			\boxtimes		
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.		\blacksquare	
P7.6*	Labels are easily	separable. (This requi	irement does not apply to safety/regulatory labels).		$\overline{\Box}$	
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools				\Box	
P7.9.						
P7.10						H
			<u> </u>			
P7.11*			-			
			Material type: PC + PS Material type:			
P7.12*	Electrical cable in	nsulation material of po	ower cables are halogen free (including PVC)		\boxtimes	
P7.13*	Electrical cable in	nsulation material of sign	gnal cables are halogen free (including PVC)	\boxtimes		
P7.14	All cover/housing	plastic parts >25g are	e halogen free			
P7.15	All printed circuit	boards (without compo	onents) >25g are halogen free	X	币	
P7.16	Chemical specific	cations of flame retarda	ants in cover / housing plastic parts >25g according ISO 1043-4:			
	Cover/ housing:	FR (40)		\boxtimes		
P7.17	**mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n. a. **Design Disassembly, recycling Prats that have to be treated separately are easily separable Plastic materials in covershousing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Upgrading can be done using commonly available tools Spare parts are available after end of production for: 7 years Service is available after end of production for: 7 years Service is available after end of production for: 7 years Material and substance requirements Product cover/housing material type: Material type: PC + ABS Material and substance requirements Product cover/housing material type: Material and substance requirements Product cover/housing plastic parts > 25g are halogen free (including PVC) All cover/housing plastic parts > 25g are halogen free All printed circuit boards (without components) > 25g are halogen free All printed circuit boards (without components) > 25g are halogen free All printed circuit boards: FR (17) Weight of recycled material in plastic parts is <10% Plastic parts = 25g are free from flame retardants in printed circuit boards (without components) > 25g according ISO 1043-4: Cover/housing; FR (40) Chemical specifications of flame retardants ubustances/preparations above 0.1% classified as R45/46, R505153 and R60/61 (67/54/EEC) Batteries Product does not contain batteries defined as hazardous according to 91/15/EEC Batteries Batteries Product does not contain batteries defined as hazardous according to 91/15/EEC Batteries Batteries The product the following power levels or energy consumption Prover level at Time (a) t					
	Design Disassembly, recycling Disassembly, recycling Plastic materials in covers/housing have no surface coating. Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, remory, cards or drives Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done e.g. with processor, remory, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g. with processor, cards or drives Upgrading can be done e.g					
D= 40						
P7.18 P7.19						
P7.19		\boxtimes	Ш	Ш		
P7.20				\square	П	
			amps: and max. mercury content per lamp: mg			
P8						
P8.1*	Product does not	t contain batteries defir		\square		
P8.2*						
P8.3			following voluntary program/s: European eco-label (EU Flower)			\boxtimes
	criteria (2001/68	7/EC & 2001/686/EC)				
P9	Energy consum	ption				
9.1			els or energy consumptions have been measured:			
Mode		Time (s) to <mode></mode>	Mode description			n.a.
			* 11 5 0 "	Standard	d	
On-max						$\sqcup \!\!\! \perp$
On- normal	* 331.8 W	300 to LPM	* Operating Mode	*		
On-idle	24 1 W	to	* Ready Mode	*		
Save 1		.0		*		H
Save 2		to		*		┝╬═
	VV		sieep wode	*		
Off 1	10/		*			<u> </u>
Off 2		TO				
No load	* VV			*		
TEC	* 53.2 kWh/y T	ypical Energy Consum	l '	*		
P9.2*	Information abou	t the energy save func	tion is provided with the product.			Ħ
P9.3		• • • • • • • • • • • • • • • • • • • •	·			
	ENERGY STAR		.	\boxtimes		
	GEEA			$\overline{\boxtimes}$		
	Others specify:					

Model no		FAX 3			1.		1	
Issue da	ate * 14 March 2008 Logo na				nas	shua <u>tec</u>		
Product	environm	ental at	tributes - Market requirements (co	ntinued) Requirement m	net			
Item			fill in. Additional information regarding				Yes No	n.a.
P10	Emissio	ns						
	Noice o	mission	ı – Declared according to ISO 9296					
	Noise e	111155101	- Declared according to 13O 9290					
P10.1	Mode		Mode description	Declared	Declared	d A-weighte	ed	
				A-weighted	sound pressu	re level Lp.	_{Am} (dB)	
				sound power level L _{WAd} (B)	Operator position Bystander positions			
				ICVCI LWAd (D)		(only if r	oroduct is not	
					Desktop		tor attended)	
	Idle		* Stand-by	* 4.1	or Deskside	26.8		
	luie		Stand-by	4.7		20.0		$ \sqcup $
	Operation	n	* Operating Mode	* 6.4		52.7		
	Other m	ode	Full System	N/A		N/A		
	Measure	ed accor	ding to: SO 7779 ECMA-74	l				
				covered by ECMA-74 with	n L _{pAm} measurement	distance	m)	
P10.2	The prod	duct me	ets the acoustic noise requirements of					
						TCO		
					В	ue Angel		
				Eι	uropean eco.label (El	J Flower)		\boxtimes
					Nor	dic Swan		
	Chemic	al emis	sions from printing products					
P10.3*			according to ECMA-328 standard	, other specify: RAL UZ	122			
	The test covers: Dust \(\subseteq \) Ozone \(\subseteq \) Styrene \(\subseteq \) Benzene \(\subseteq \) TVOC \(\subseteq \)							
P10.4	The prod	duct me	ets the chemical emission requireme	nts of the following volunt				
						TCO		
					В	ue Angel		
					Nor	dic Swan		
	Electron	nagneti	c emissions					
P10.5	Compute		y meets the requirement for low freq	uency electromagnetic fie	elds of the following v	oluntary		
P11	Consun	nable m	aterials for printing products					
P11.1*	(see P4.	3).	y Data Sheet (MSDS) is available for			equired		
P11.2*			g recycled fibres that meets the requi		be used.			
P11.3*	2-sided	(duplex)	printing/copying is an integrated pro	duct function.				
P12			r computing products					
P12.1*			ystem meets the ergonomic requirem 06-2 for flat panel displays.	nents of EN 29241-3, -7, -	8 for CRT displays			
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.							
P12.3*	The computer input device meets the requirements of ISO 9241-9.							

NOTE

P13

P13.1*

P13.2*

P13.3*

P13.4*

P14

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

weight (kg): 3.77 weight (kg): 0.625

weight (kg):

Packaging and documentation

Product packaging material type(s):

Additional information

Product packaging material type(s): Corrugated Paper Product packaging material type(s): Plastic

Product plastic packaging is halogen free (including PVC)

User and product documentation contain recycled paper

User and product documentation do not contain chlorine bleached paper

 \boxtimes