

ecma 🔬 IT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo	
Company name *	RICOH Company Ltd.		4
Contact information		nas	huatec
Internet site *	www.ricoh.com		
Issue date *			
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas	Other	
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Item Yes QC1 * The company enforces an internal quality control system to ensure the correctness of this eco declaration Image: Control system to ensure the correctness of this eco declaration	nt met
	No
QC2 * The company is a member of an eco declaration system that enforces regular independent quality control.	

Compan	y environmental profile - Legal requirements	Requir	ement	t met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	emen	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	\square		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	\boxtimes		
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of \square The Global Reporting Initiative \square Other as specified in C6			
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.			
C6	Additional information			

Product environmental attributes – THE ECO DECLARATION

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	GelsPrinter
Commercial name *	GXe3300N
Model number *	Aficio GXe3300N
Issue date *	1 June 2009

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio GXe3300N		
Issue date *	1 June 2009	Logo	nashuatec

Product	Require	emen	t met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% (2002/95/EC ROHS Directive).			
P1.2*	Products do not contain Asbestos (amendment 1999/77/EC). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (amendment 89/677/EEC).	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (<i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (76/769/EEC Marketing and Use Directive). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (amendment 2003/3/EC).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (76/769/EEC Marketing and Use Directive). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (amendment 94/27/EEC). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Diractive)			
P3	Directive). Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage	\square		
P3.2*	<i>Directive).</i> The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New			
P3.3*	<i>EMC Directive).</i> If product is intended for connection to a public telecom network or contains a radio transmitter, it complies			
	with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (76/769/EEC Marketing and Use Directive, REACH Regulation 1907/2006).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (1999/45/EC Dangerous Preparations Directive, 2001/58/EC Directive on Safety Data Sheets).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Annex A & B of ECMA-370 3rd edition, December 2008 Page 2 (2) © Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means.

	del number * Aficio GXe3300N					
Issue dat	:e *	1 June 2009	Logo	iashi	late	ec
Produc		nmental attributes - Market requirements - Environmental conscious	design	Require	ement	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6.1*		nt information on for recyclers/treatment facilities is available (2002/96/EC WEEE directive).				
P7	Design					
	Disasse	mbly, recycling				
P7.1*		t have to be treated separately are easily separable		\square		
P7.2*		aterials in covers/housing have no surface coating.		\square		
P7.3*	-	arts >100g consist of one material or of easily separable materials.		\square		
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		\square		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools				
P7.9.		arts are available after end of production for: 7 years				
P7.10		s available after end of production for: 7 years		\square		
D7.44	Material					
P7.11*		cover/housing material type: https://www.acci.acci.acci.acci.acci.acci.acci.a				
P7.12	Material type:PC + ABSMaterial type:Material type:Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)					
P7.13				╞	╞	
P7.14		l cable insulation material of signal cables are halogen free (including PVC). (See N /housing plastic parts >25g are halogen free. (See Note 1)			╞	╞
P7.15				╞	╞	
P7.16		d circuit boards (without components) >25g are halogen free. (See Note 2) tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			╞	╞
	Flame retarded plastic parts >25g in covers / nousings are marked according ISO 1043-4: Marking: <i>FR (40)</i>					
P7.17		I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: ,	nts): CAS #:			
		I specifications of flame retardants in printed circuit boards (without components) > 3-4: FR (17)	25g according			
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/prepara ations above 0.1%: it: No legal limits exist, this is a market requirement.	tions in			
	2. Chemi 3. Chemi	cal name:,CAS #:cal name:,CAS #:cal name:,CAS #:			_	_
_	FR (40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		lastic parts' weight >25g, recycled material content is 0% [pls see P14 for addition	al information]			
P7.20 P7.21		astic parts' weight >25g, biobased material content is 0%. arces are free from mercury				
1 1.21		y is used specify: Number of lamps: and max. mercury content per lamp:	mg	\square		
P8	Batteries	3				
P8.1*	-	hemical composition (2006/66/EC Battery and accumulators Directive): Lithium-io				
P8.2		meet the requirements of the following voluntary program/s: <i>European eco-label</i> 2001/687/EC & 2001/686/EC)	(EU Flower)			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	Aficio GXe3300N			
Issue date *	1 June 2009	Logo	nas	huatec

Produc	t environmenta	attribut	tes - Market ree	quirements (c	ontinued)			Re	quiren	nent	met
Item									Yes	No	n.a.
P9 9.1	Energy consum		ng power levels or		ntions have been	meas	sured:				
Energy r			Power level at 100 V AC	Power level at 115 V AC	- -		Reference / Star		rgy moc	des	
Maximu	m Energy Consu	mption	W	W	N/A						
Operatii	ng Mode		VV	W	33.66 W						
Ready N	lode		VV	W	7.2 W						
Off/Slee	p Mode		VV	VV	2.4 W						
			VV	W	W						
			VV	W	W						
plugged	load I power supply / ch in the wall outlet b ected from the proc	ut	W	W	W						
PTEC * Typical E	Energy Consumpti	on	W	W	W						
TEC *					kWh/week						
	Energy Consumption		kWh/week	kWh/week							
Default time to enter energy save mode: 5 minutes P9.2* Information about the energy save function is provided with the product.											
P9.2*				-	•	- 1-			\boxtimes		
P9.3*	ENERGY STAR Others specify:		ergy requirements 1.1 Tier: 2	of the following	voluntary program	n/s:					
P10	Emissions										
P10.1	Mode	– Declare Mode de	d according to IS	0 9296	Declared	1	Declared	A-weighted			1
1 10.1	modo	mode de	oonplion		A-weighted sound power		sound pressure	-	(dB)		
					level L_{WAd} (B)	Ope	erator position \boxtimes	Bystander	position	s 🗌	
					WAG C /		Desktop	(only if p operat	roduct is tor atten		
	Idle	* Stand-	by		* 3		or Desk side	16.7		,	
	Operation	* Operat	ing Mode		* 6.3			52.5			
	Operation	Operat	ing wode		0.5			52.5			
	Other mode										
	Measured accord	ding to: 🔀		MA-74	by ECMA-74 wit	bl.	n measurement di	stance	m)		
P10.2	The product mee	ets the aco	justic noise requir					Starioe	,		۱ <u>ـــــ</u>
								lue Angel ordic Swan	\square		\square
Dia at			n printing produc								
P10.3* P10.4			to ECMA-328 (ISO		indard, other	speci	fy: RAL-UZ		\boxtimes		
P10.4	Dust Ozone		t phase) is (mg/h) Benzene TV		e P14 for addition	nal inf	ormation1				
P10.5	Chemical emissi	on require	ments of the follo	wing voluntary p							
	Dust 🔀 Ozone	X Styren	e 🔀 Benzene 🛛	TVOC 🔀				ue Angel ordic Swan	\square		\square
	Electromagneti				-	_					
P10.6	Computer displate program/s:	y meets th	e requirement for	low frequency e	lectromagnetic fie	elds o	f the following volu	untary			\square

Annex A & B of ECMA-370 3rd edition, December 2008 Page 4 (4 © Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means.

Model number *	Aficio GXe3300N		
Issue date *	1 June 2009	Logo	nashuatec

Produc	Requirer	nent	met		
Item		Yes	No	n.a.	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes			
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s):Corrugated Paperweight (kg):2.97Product packaging material type(s):Product packaging material type(s):weight (kg):0.77Product packaging material type(s):weight (kg):weight (kg):				
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes			
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other C				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber.	led			
P14	Additional information	•			
	This product is designed to utilise recycled plastic materials wherever available. Dust : Not measured (Inkjet printer is out of this item) Ozone: Not measured (Inkjet printer is out of this item) Styrene: Limit value of detection Benzene: Limit value of detection				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.