



## Company environmental profile - THE ECO DECLARATION

| Brand                  | RICOH  | Logo              |
|------------------------|--|-------------------|
| Company name *         | RICOH Company Ltd.                                   | madhratas         |
| Contact information    |  | nashua <u>tec</u> |
| Internet site *        | www.ricoh.com  |                   |
| Issue date *           |  |                   |
| Intended market *      | ☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas | Other             |
| Additional information |  |                   |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

| Quality of | control   | Requiremen  | nt met |
|------------|---|-------------|--------|
| Item       |   | Yes         | No     |
| QC1 *      | The company enforces an internal quality control system to ensure the correctness of this eco declaration | $\boxtimes$ |        |
| QC2 *      | The company is a member of an eco declaration system that enforces regular independent quality control.   |             |        |

| Compan | y environmental profile - Legal requirements  | Require | ement | met  |
|--------|---|---------|-------|------|
| Item   |   | Yes     | No    | n.a. |
| C1     | Product recycling   |         |       |      |
| C1.1*  | The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).                                |         |       |      |
| C2     | Battery recycling   |         |       |      |
| C2.1*  | The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required. |         |       |      |
| C3     | Packaging recycling   |         |       |      |
| C3.1*  | The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)   |         |       |      |

| Compa | any environmental profile - Market requirements  | Requir      | emen | t met |
|-------|--|-------------|------|-------|
| Item  |  | Yes         | No   | n.a.  |
| C4    | Environmental policy and environmental management  |             |      |       |
| C4.1* | The company has a documented environmental policy approved by the management.  | $\boxtimes$ |      |       |
| C4.2* | The company has an environmental management system covering:  Product development  Manufacturing  If so certified according to: ISO 14001 Other as specified in C6 | $\boxtimes$ |      |       |
| C4.3  | The company regularly publishes an environmental report.  If so, it meets the recommendations of The Global Reporting Initiative Other as specified in C6          | $\boxtimes$ |      |       |
| C5    | Recycling  |             |      |       |
| C5.1* | Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.                                     |             |      |       |
| C6    | Additional information   |             |      |       |
|       |  |             |      |       |
|       |  |             |      |       |

## Product environmental attributes – THE ECO DECLARATION

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |                  |  |  |  |
|--|------------------|--|--|--|
| Type of product * GelsPrinter  |                  |  |  |  |
| Commercial name *  | GXe5550N         |  |  |  |
| Model number *   | Aficio GXe5550N  |  |  |  |
| Issue date *   | 15 December 2009 |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Model number * | Aficio GXe5550N  |      |           |
|----------------|------------------|------|-----------|
| Issue date *   | 15 December 2009 | Logo | nashuatec |

| Product        | Product environmental attributes - Legal requirements   |             |          |             |  |  |
|----------------|---|-------------|----------|-------------|--|--|
| Item           |   | Yes         | No       | n.a.        |  |  |
| P1             | Hazardous substances and preparations   |             |          |             |  |  |
| P1.1*          | Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% (2002/95/EC ROHS Directive) see note B1  |             | Ш        |             |  |  |
| P1.2*          | Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value.  |             |          |             |  |  |
| P1.3*          | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.   |             |          |             |  |  |
| P1.4*          | Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (REACH, Annex XVII).  |             |          |             |  |  |
| P1.5*          | Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002).   |             |          |             |  |  |
| P1.6*          | Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (REACH, Annex XVII). Comment: Legal reference has no maximum concentration values.   |             |          |             |  |  |
| P1.7*          | Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (REACH, Annex XVII and Note B1).  |             |          |             |  |  |
| P1.8*          | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives ( <i>REACH, Annex XVII</i> ). Comment: Legal reference has no maximum concentration values.  |             |          | $\boxtimes$ |  |  |
| P1.9*          | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week ( <i>REACH</i> , <i>Annex XVII</i> ). Comment: Max limit in legal reference when tested according to EN1811:1998.   |             |          |             |  |  |
| P1.10*         | REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)   |             |          |             |  |  |
| P2             | Batteries Control of the Control of |             | _        |             |  |  |
| P2.1*          | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).   |             | Ш        |             |  |  |
| P2.2*          | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).  |             |          |             |  |  |
| P2.3*          | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).  |             |          |             |  |  |
| P3             | Safety, EMC connection to the telephone network and labeling  |             |          |             |  |  |
| P3.1*          | The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).  | $\boxtimes$ |          |             |  |  |
| P3.2*          | The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).  |             |          |             |  |  |
| P3.3*          | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).  |             |          |             |  |  |
| P3.4*          | The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)   |             |          |             |  |  |
| P4             | Consumable materials  |             | _        |             |  |  |
| P4.1*          | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).   |             | <u> </u> |             |  |  |
| P4.2*          | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).  |             | <u>Ц</u> |             |  |  |
| P4.3*          | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).  |             |          |             |  |  |
| P5             | Product packaging   | <u> </u>    | _        |             |  |  |
| P5.1*          | Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).  |             |          |             |  |  |
| P5.2*<br>P5.3* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).  The product packaging material is free from except depleting substances as specified in the Montreal  |             |          |             |  |  |
| 73.3           | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.  |             |          |             |  |  |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

| Model number * | Aficio GXe5550N  |      |                   |
|----------------|------------------|------|-------------------|
| Issue date *   | 15 December 2009 | Logo | nashua <u>tec</u> |

| Produc         | ct environmental attributes - Market requirements - Environmental conscious design   | Require     | ement     | met            |
|----------------|--|-------------|-----------|----------------|
| Item           | *=mandatory to fill in. Additional information regarding each item may be found under P14.   | Yes         | No        | n.a.           |
| P6             | Treatment information  |             |           |                |
| P6.1*          | Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive).   |             | Ш.        |                |
| P7             | Design Disassembly, recycling  |             |           |                |
| P7.1*          | Parts that have to be treated separately are easily separable  |             |           |                |
| P7.2*          | Plastic materials in covers/housing have no surface coating.   |             | ∺         | $\dashv$       |
| P7.3*          | Plastic parts >100g consist of one material or of easily separable materials.  |             | ∺         | ∺              |
| P7.4*          | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.  |             | $\dashv$  | $\dashv$       |
| P7.5           | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   |             | ╫         | +              |
| P7.6*          | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  |             | $\dashv$  | +              |
| 17.0           | Product lifetime   |             |           |                |
| P7.7*          | Upgrading can be done e.g. with processor, memory, cards or drives   |             |           |                |
| P7.8*          | Upgrading can be done using commonly available tools   |             | +         | +              |
| P7.9.          | Spare parts are available after end of production for: 7 years   |             | ╬         | #              |
| P7.10          | Service is available after end of production for: 7 years  |             | ∺         | +              |
| 1 7.10         | Material and substance requirements  |             | <u> Ш</u> |                |
| P7.11*         | Product cover/housing material type:   |             |           |                |
|                | Material type: <b>PC + ABS</b> Material type: <b>PC + PS</b> Material type:  |             |           |                |
| P7.12          | Electrical cable insulation material of power cables are PVC free.   | $\boxtimes$ |           |                |
| P7.13          | Electrical cable insulation materials of signal cables are PVC free.   | $\boxtimes$ |           |                |
| P7.14          | All cover/housing plastic parts >25g are free from chlorine and bromine.   | $\boxtimes$ |           | $\blacksquare$ |
| P7.15          | All printed circuit boards (without components) >25g are halogen free, as defined in IEC61249-2-21 (see  |             | 市         | $\overline{}$  |
|                | note B2)   |             |           |                |
| P7.16          | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:<br>Marking: FR (40)  |             | Ш         | Ш              |
| P7.17          | Alt. 1   |             |           |                |
|                | Chemical specifications of flame retardants in printed circuit boards >25g (without components):   |             |           |                |
|                | TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:   |             |           |                |
|                | Alt. 2   |             |           |                |
|                | Chemical specifications of flame retardants in printed circuit boards (without components) >25g according  | $\boxtimes$ |           |                |
|                | ISO 1043-4: FR (17)  |             |           |                |
| P7.18          | Alt. 1   |             |           |                |
|                | Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:  |             |           |                |
|                | Comment: No legal limits exist, this is a market requirement.  |             |           |                |
|                |  |             |           |                |
|                | 1. Chemical name: , CAS #: 2. Chemical name: , CAS #:  |             |           |                |
|                | 3. Chemical name: , CAS #:   |             |           |                |
|                | ,  |             |           |                |
|                | Alt. 2   | $\boxtimes$ |           |                |
|                | Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR (40)  |             |           |                |
| P7.19          | Plastic parts>25g are free from flame retardant substances/preparations above 0.1% classified as R45,  |             |           |                |
|                | R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (see note B3)(EC No. 1272/2008   |             |           |                |
|                | regulation on classification, labeling and packaging CLP)  |             |           |                |
| P7.20          | Of total plastic parts' weight >25g, recycled material content is <b>0%</b> [pls see P14 for additional information] Of total plastic parts' weight >25g, biobased material content is <b>0%</b> . |             |           |                |
| P7.21<br>P7.22 | Light sources are free from mercury  |             |           |                |
| 1.22           | If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg   |             | Ш         |                |
| P8             | Batteries  |             |           |                |
| P8.1*          | Battery chemical composition (2006/66/EC Battery and accumulators Directive): Lithium-ion  |             |           |                |
| P8.2           | Batteries meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i>  |             |           |                |
|                | criteria (2001/687/EC & 2001/686/EC)   |             |           |                |

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | Aficio GXe5550N  |      |                   |
|----------------|------------------|------|-------------------|
| Issue date *   | 15 December 2009 | Logo | nashua <u>tec</u> |

| Produc                    | Product environmental attributes - Market requirements (continued) Requirement met   |  |                                       |             |           |                                 |                       |                | met                         |               |        |             |
|---------------------------|--|--|---------------------------------------|-------------|-----------|---------------------------------|-----------------------|----------------|-----------------------------|---------------|--------|-------------|
| Item                      | _  |  |                                       |             |           |                                 |                       |                |                             | Yes           | No     | n.a.        |
| P9                        | Energy consum  | -  | <del> </del>                          |             |           | <u> </u>                        |                       |                |                             |               |        |             |
| 9.1                       | For the product t  | he followin  | g power levels or en                  | ergy consum | nptions i | nave been                       | measured              | <u>):</u>      |                             |               |        |             |
| Energy n                  | node *   |  | Power level at 100 V AC               | Power level |           | Power lev                       |                       |                | Standard for<br>test method |               | /      |             |
| Maximu                    | m Energy Consu   | mption   | VV                                    | W           |           | 38 W (n<br>frame) 60<br>option) |                       |                |                             |               |        |             |
| Operatir                  | ng Mode  |  | W                                     | W           |           | 36.63 V                         | V                     |                |                             |               |        |             |
| Ready N                   | /lode  |  | W                                     | VV          |           | 7.2 W                           |                       |                |                             |               |        |             |
| Off/Slee                  | p Mode   |  | W                                     | W           |           | 3.2 W                           |                       |                |                             |               |        |             |
| Stand-b                   | у  |  | W                                     | W           |           | <b>0.45</b> W                   |                       |                |                             |               |        |             |
|                           |  |  | W                                     | W           |           | ١                               | V                     |                |                             |               |        |             |
| plugged                   | load<br>I power supply / chin the wall outlet bected from the proceed  | ut   | W                                     | W           |           |                                 | W                     |                |                             |               |        |             |
| PTEC *                    | Energy Consumpti   |  | W                                     | W           |           | W                               | ı                     |                |                             |               |        |             |
|                           | Energy Consumpti   | on   | kWh/week                              | kWh         | /week     |                                 | Vh/week               |                |                             |               |        |             |
|                           | Energy Consumpti   | kWh/year kWh/year kWh/year / Consumption   |                                       |             |           |                                 |                       | $\boxtimes$    |                             |               |        |             |
| Display resolution *: dpi |  |  |                                       |             |           |                                 |                       |                |                             |               |        |             |
|                           | eed * : <b>18.5</b> page   |  |                                       |             |           |                                 |                       |                |                             |               |        |             |
|                           | ime to enter energ   | -  |                                       |             |           |                                 |                       |                |                             |               |        |             |
| P9.2*                     |  |  | gy save function is p                 |             |           |                                 |                       |                |                             | $\boxtimes$   |        |             |
| P9.3*                     | ENERGY STAR  |  | rgy requirements of 1.1 Tier: 2 Produ |             |           |                                 | n/s:                  |                |                             | $\boxtimes$   |        |             |
| D40                       | Others specify:  |  |                                       |             |           |                                 |                       |                |                             |               |        | $\boxtimes$ |
| P10                       | Emissions  | _ Declare  | d according to ISO 9                  | 1206        |           |                                 |                       |                |                             |               |        |             |
| P10.1                     | Mode   | Mode de  |                                       | 200         | Dec       | clared                          |                       | Declared       | A-weighted                  |               |        |             |
|                           |  |  |                                       |             | A-we      | eighted<br>d power              | so                    | ound pressure  | -                           | (dB)          |        |             |
|                           |  |  |                                       |             |           | $L_{WAd}$ (B)                   | Operato               |                |                             | der positions |        |             |
|                           |  |  |                                       |             | ICVCI 1   | WAd (D)                         |                       | Desktop        | (only if p                  | roduct        | is not |             |
|                           |  |  |                                       |             |           |                                 |                       | esk side       | operat                      | or atter      | nded)  |             |
|                           | Idle   | * Stand-   | by                                    |             | * 3       |                                 |                       |                | 16.6                        |               |        |             |
|                           | Operation  | * Operat   | ing Mode                              |             | * 6.5     |                                 |                       | ,              | 54.5                        |               |        |             |
|                           | Other mode   |  |                                       |             |           |                                 |                       |                |                             |               |        |             |
|                           | Measured accord  | ding to:   |                                       |             | d by EC   | MA-74 witl                      | h L <sub>pAm</sub> me | asurement di   | stance                      | m)            |        |             |
| P10.2                     | The product mee  | ets the aco  | ustic noise requirem                  |             |           |                                 |                       | :              |                             |               |        |             |
|                           |  |  |                                       |             |           |                                 |                       |                | lue Angel<br>ordic Swan     |               |        |             |
|                           |  |  | printing products                     |             |           |                                 |                       |                |                             |               |        |             |
| P10.3*                    | i out perfermed decorating to Lemmit else (to enless lesses) etambles appearly: The lesses are lesses and lesses are lesses and lesses are less |  |                                       |             |           |                                 |                       |                |                             |               |        |             |
| P10.4                     |  |  |                                       |             |           |                                 | $\boxtimes$           |                |                             |               |        |             |
| P10.5                     | Chemical emissi  | Ozone Styrene Benzene TVOC L K mission requirements of the following voluntary program/s are met for : |                                       |             |           |                                 |                       |                |                             |               |        |             |
|                           | Dust Ozone   | Styren   | e 🔀 Benzene 🔀 T                       | VOC 🔀       |           |                                 |                       |                | ue Angel<br>ordic Swan      |               |        | $\square$   |
|                           | Electromagneti   |  |                                       |             |           |                                 |                       |                |                             |               |        |             |
| P10.6                     | Computer displa program/s:   | y meets th   | e requirement for lov                 | v frequency | electrom  | agnetic fie                     | elds of the           | following volu | untary                      |               |        |             |

| Model number * | Aficio GXe5550N  |      |           |
|----------------|------------------|------|-----------|
| Issue date *   | 15 December 2009 | Logo | nashuatec |

| Product environmental attributes - Market requirements (continued) |  | Requirement met |    |             |
|--|--|-----------------|----|-------------|
| Item   |  | Yes             | No | n.a.        |
| P11  | Consumable materials for printing products   |                 |    |             |
| P11.1*   | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).   | $\boxtimes$     |    |             |
| P11.2*   | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.  |                 |    |             |
| P11.3*   | 2-sided (duplex) printing/copying is an integrated product function.   |                 |    |             |
| P12  | Ergonomics for computing products  |                 |    |             |
| P12.1*   | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  |                 |    | $\boxtimes$ |
| P12.2*   | The physical input device meets the requirements of ISO 9995 and ISO 9241-410.   |                 |    | $\boxtimes$ |
| P13  | Packaging and documentation  |                 |    |             |
| P13.1*   | Product packaging material type(s): Corrugated Paper Product packaging material type(s): Plastic Product packaging material type(s): Weight (kg): 0.862 Product packaging material type(s): Weight (kg): |                 |    |             |
| P13.2*   | Product plastic packaging is free from PVC   | $\boxtimes$     |    |             |
| P13.3*   | Specify media for user and product documentation (tick box):  Electronic Paper Other   |                 |    |             |
| P13.4*   | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber.   |                 |    |             |
| P14  | Additional information   |                 |    |             |
|  | This product is designed to utilise recycled plastic materials wherever available  |                 |    |             |