



Product environmental attributes – THE ECO DECLARATION

Brand *	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information *		nasnuatec
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Copier			
Commercial name *	MP 171			
Model number *	Aficio MP 171			
Issue date *	04 March 2009			
Intended market *	🗌 Global 🔀 Europe 📃 Japan 📃 U.S. 🔄 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	Aficio MP 171		
Issue date *	04 March 2009	Logo	nashua <u>tec</u>

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	\bowtie		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\times		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No.</i> 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\square		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU</i> 76/769/EEC)			\square
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU</i> 76/769/ <i>EEC</i> , amendment 2003/3/ <i>EC</i>			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC	\boxtimes		
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)	\boxtimes		
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	\square		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)	\square		
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\times		
P4	Consumable materials			
P4.1*	If a photo cond uctor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\square		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information	N		
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\bowtie		

Model number *	Aficio MP 171		
Issue date *	04 March 2009	Logo	nashuatec

Product	t environmental a					
Item	*=mandatory to f	ill in. Additional information	regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	ecycling				
P7.1*	Parts that have to	b be treated separately are	easily separable	\boxtimes		
P7.2*	Plastic materials	in covers/housing have no	surface coating.			
P7.3*	Plastic parts >10	t have to be treated separately are easily separable taterials in covers/housing have no sufface coating. arts >20g have material codes according to ISO 11469 referring ISO 1043. arts are free from metal inlays or have inlays that can be removed with commonly available tool re easily separable. (This requirement does not apply to safety/regulatory labels). lifetime g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g can be done e.g. with processor, memory, cards or drives g and substance requirements zover/housing material by performance of production for: 7 years and substance requirements zover/housing plastic parts lype: PC + PS Material type: [cable insulation material of power cables are halogen free (including PVC) /housing plastic parts >25g are halogen free d circuit boards (without components) >25g are halogen free l specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: using: <i>FR</i> (40) I specifications of flame retardant substances/preparations above 0.1% classified as R45/3 3 and R60/61 (<i>G7/540/EEC</i>) rores are free from flame retardant substances/preparations above 0.1% classified as R45/3 3 and R60/61 (<i>G7/540/EEC</i>) rores are free from flames retardant substances/preparations above 0.1% classified as R45/3 3 and R60/61 (<i>G7/540/EEC</i>) rores are free from flame retardant substances/preparations above 0.1% classified as R45/3 3 and R60/61 (<i>G7/540/EEC</i>) rores are free from flame r				Π
P7.4*	Plastic parts >25	g have material codes acco	rding to ISO 11469 referring ISO 1043.		Π	Π
P7.5	Plastic parts are	free from metal inlays or ha	we inlays that can be removed with commonly available tools.		Ħ	
P7.6*	Labels are easily	Requirement met tory to fill in. Additional information regarding each item may be found under P14. mbly, recycling thave to be treated separately are easily separable aterials in covers/housing have no surface coating. trts >100g consist of one material or of easily separable materials. trts are free from metal inlays or have inlays that can be removed with commonly available to e easily separable. (This requirement does not apply to safety/regulatory labels). iffetime g can be done e.g. with processor, memory, cards or drives g can be done using commonly available tools rts are refer do production for: 7 years and substance requirements over/housing material type: ype: $PC + ABS$ Material type: PC + PS waterial of power cables are halogen free d circuit boards (without components) >25g are halogen free d circuit boards (without components) >25g are halogen free g and R60/61 (67/548/EEC) researe free from filame retardants in printed circuit boards (without components) >25g according ISO 1043- specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043- specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043- <td>Π</td> <td></td>			Π	
	Product lifetime)				
P7.7*	Upgrading can b	e done e.g. with processor,	memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be	e done using commonly ava	ailable tools	\boxtimes		
P7.9.	Spare parts are a	available after end of produc	ction for: 7 years			
P7.10	Service is available	ole after end of production for	or: 7 years			
				÷		
P7.11*	Product cover/ho Material type: PC		terial type: PC + PS Material type:			
P7.12*			cables are halogen free (including PVC)	\boxtimes		
P7.13*	Electrical cable ir	nsulation material of signal of	cables are halogen free (including PVC)		$\overline{\mathbf{X}}$	
P7.14	All cover/housing	plastic parts >25g are halo	ogen free		Π	Π
P7.15	All printed circuit	boards (without component	ts) >25g are halogen free		Ē	Π
P7.16	Chemical specific Cover/ housing:		in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	Chemical specific ISO 1043-4:	cations of flame retardants i	in printed circuit boards (without components) >25g according			
		ards: <i>FR (17)</i>		\boxtimes		
P7.18	Weight of recycle	ed material in plastic parts is	s <10%	\boxtimes		
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46 R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries					
P8.1*	Product does not		-			
P8.2*						\square
P8.3	Batteries meet the requirements of the following voluntary program/s: European eco-label (EU Flower)					
P9	Energy consum	ption				
9.1						
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	·	Referen Standar		n.a.
On-max	< 900 W			*		
On- normal	* 362 W	to	* Operating Mode	*		
On-idle	73.5 W	to	* Ready Mode	*		
Save 1	* 21.6 W	60 to LPM	* Low Power Mode	*		
Save 2	W	to	*	*		
Off 1	* 0.6 W	60 to Off/Sleep Mode	* Off/Sleep Mode	*		
Off 2	W	to	*	*		
No load	* W			*		
TEC	* 37.06 kWh/y T	ypical Energy Consumption		*		
P9.2*			s provided with the product.	\boxtimes		H
P9.3			of the following voluntary program/s:			
	ENERGY STAR					
	Others specify:					\bowtie

Model nu	umber *	Aficio	MP 171						
Issue da	Logo nas					ash	uate	ec	
	environm	ental at	tributes - Market requirements (contin fill in. Additional information regarding ea	nued) Requirement n	net		Yes	No	n 0
Item P10	Emissio		ini in. Additional information regarding ea	ach item may be round	a under P14.		res	INO	n.a.
	Noise e	missior	- Declared according to ISO 9296						
5151					i				
P10.1						clared A-weighte	ure level L _{pAm} (dB)		
				sound power		Operator position Bystander positions			;
				level L _{WAd} (B)					
					Desktop	(only if			
					or Deskside		ator atte	enueu)	
	Idle		* Stand-by	* 4.1		28.2			
	Operatio	on	* Operating Mode	* 6.5		53.5			
	Other m	ode							
	Measure	ed accor	ding to: 🔀 ISO 7779 🗌 ECMA-74						
	modour			ered by ECMA-74 with	h L _{pAm} measure	ment distance	n	n)	
P10.2	The pro	duct me	ets the acoustic noise requirements of th					/	
						TCO			\boxtimes
						Blue Angel	\boxtimes		
				E	uropean eco.lab	el (EU Flower)			\boxtimes
						Nordic Swan		\boxtimes	
	Chemic	al emis	sions from printing products						
P10.3*				ther specify: RAL UZ			\boxtimes		
	The test	covers:	Dust 🔀 Ozone 🔀 Styre	ene 🔀 🛛 Benzene	e 🔀 🛛 TVOC				
P10.4	The pro	duct me	ets the chemical emission requirements	of the following volunt	ary program/s:	TOO			
						TCO			\square
						Blue Angel		Ц	Ц
						Nordic Swan		\boxtimes	
	Electro	magneti	c emissions						
P10.5			y meets the requirement for low frequen	cy electromagnetic fie	elds of the follow	ving voluntary			
	program			· -					
P11 P11.1*			aterials for printing products y Data Sheet (MSDS) is available for the	ink/toner preparation	even if not lea	ally required			
1 1 1 . 1	(see P4				i, even in hot leg				
P11.2*	Paper c	ontaining	g recycled fibres that meets the requirem	nents of EN12281 can	be used.		\boxtimes		
P11.3*									
P12	Ergonomics for computing products								
P12.1*			ystem meets the ergonomic requirement 06-2 for flat panel displays.	s of EN 29241-3, -7, -	8 for CR I displa	ays			\boxtimes
P12.2*			board meets the requirements of ISO 99	995 and EN 29241-4.					\boxtimes
P12.3*									
P13			documentation						
P13.1*			ng material type(s): Corrugated Paper	weight (kg):			\boxtimes		
			ng material type(s): <i>Plastic</i> ng material type(s):	weight (kg): 0 weight (kg):	.705				
P13.2*			backaging is halogen free (including PVC				\boxtimes		
P13.3*		· ·	ct documentation do not contain chlorine					Π	Ē
P13.4*	User an	d produc	ct documentation contain recycled paper						
P14	Additional information								
P14	Additio	nal info	rmation						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.