

Product environmental attributes - IT Eco Declaration 2003

Brand	RICOH	Logo
Manufacturer	Ricoh Company Ltd.	
Manufacturer's	Name: Ilja FG Siebert	
representative	e-mail: emo@ricoh-europe.com	nashuatec
Contact person	Name:	Hashuaitt
	e-mail:	
Postal address		
Postal code /City/ Country		
Telephone	+	
(incl. country code)		
Mobile phone	+	
(incl. country code)		
Fax (incl. country code)	+	
Internet site		
	www.ricoh-europe.com	
Additional information		

This declaration covers the below listed Information Technology product categories* with specified product identity (ID) such as type/model number.					
Computer system unit CPU	Mobile/portable computer	Server			
Display/ monitor	☐ Keyboard	Digital Projector Camera			
Printer Copier Fax	Multifunction product Scanner	Other IT product, specify:			
⊠ Black/white □ Colour Pages ¡	Black/white ☐ Colour Pages per minute: 20				
Aficio MP2000					
Issue date 10 Augustus 2006					
Guideline document					
(Version of Guideline document used for completion of this declaration (month, year))					

This IT Eco Declaration consists of three documents:

- Company environmental profile: Divided into two sections, legal and market requirements
- Product environmental attributes: Divided into two sections, legal and market requirements
- Guideline document with extensive clarifications comments and references.

The latest version of all these documents can be downloaded from: www.itecodeclaration.org

Notes:

Voluntary vs. compulsory requirements: Items marked V are voluntary to answer, all other items must be answered.

The latest version of the Guideline document must be used. Specify in table above according to which version of the guideline document this declaration has been completed.

This version of the IT Eco Declaration is adjusted to the document "Product-related Environmental Attributes", issued by the European Association for Standardizing Information and Communication Systems (ECMA), TR/70, version 1999.

This version of the IT Eco Declaration meets the basic principles of ISO14021:1999, Environmental labels and declarations - Selfdeclared environmental claims (Type II environmental labelling).

When references are given to standards like ISO, IEC and EN, the latest version should always be referred to.

For telecommunication products, use eco declaration for telecommunication products.

This IT Eco Declaration version can be used from October 1st 2003 and shall be used for products announced after December 1st 2003.

The IT Eco Declaration is a system for declaration of environmental aspects of IT and telecom products, developed by the Nordic IT organisations, IT-Företagen in Sweden, ITB in Denmark, IKT-Norge in Norway and TTK ry in Finland.

This IT Eco Declaration may only be used after having signed a contract with at least one of these organisations.









Finnish Association of Office Technology Traders

Product identity	Aficio MP2000		
Issue date	10 Augustus 2006	Logo	nashuatec

Product environmental attributes - <u>Legal requirements</u>			Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P1	Environmental conscious design				
P1.1	Product parts are free from, i.e. less than 0.1% by weight (b.w.), CFCs & HCFCs, asbestos, PCB & PCT (3093/94/EEC, 76/769/EEC, 6th amendment, 99/77/EEC, 82/828/EEC)	\boxtimes			
P1.2	Components are free from, i.e. less than 0.1% b.w. mercury (Hg), except for small amounts of mercury which are allowed in light sources. (SE SFS 1998:944)	\boxtimes			
P1.3	Cadmium (Cd) content of colorants, stabilizers, and surface treatments does not exceed, 0.01% b.w. as specified in 76/769/EEC, 10th amendment, 1991/338/EEC.	\boxtimes			
P1.4	Paints are free from lead (Pb), i.e. less than 0.1% b.w. (76/769/EEC, 8th amendment, 89/677/EEC)	\boxtimes			
P1.5	Paints, coatings, plastics, rubbers and seals are free from flame retardants and/or plasticizers containing Short Chain Chlorinated Paraffines (SCCPs) with more than 0,1% by weight, 10-13 carbon atoms, minimum 48% chlorine by weight, CAS number 63449-39-8 (NO MVD regulation 1544, 2000.12.13 and FI 416/2003).				
P1.6	If the product is intended for direct and prolonged skin contact, the surfaces do not release nickel (Ni) above levels specified in (76/769/EEC, 8th amendment, 94/27/EEC)			\boxtimes	
P2	Batteries				
P2.1	If hazardous batteries are used in the product, they are labelled. (93/86/EEC).	\boxtimes			
P2.2	If batteries are used in the product they are free (<0.0005% by weight) from mercury (Hg) (98/101/EC)	$\overline{\boxtimes}$			
P3	Electrical safety, EMC and connection to the telephone network				
P3.1	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes			
P3.2	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC)	\boxtimes			
P3.3	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes			
P3.4	The product is CE-marked (93/68/EEC)	\boxtimes			
P4	Consumable materials				
P4.1	If a photo conductor (drum, belt etc.) is used in the product, it is free (<0.01% by mass) from cadmium (Cd) (76/769/EEC and 91/338/EEC)	\boxtimes			
P4.2	If an ink is used in the product, it is free (<0.01% by mass) from cadmium (Cd) (91/338/EEC)			\boxtimes	
P4.3	If toner/ink (or corresponding) are used in the product, they are classified and if required labelled in accordance with EU directives	\boxtimes			
P5	Packaging materials				
P5.1	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0.01% by weight (100 ppm). (94/62/EC).				
P5.2	The product packaging material is free from CFC/HCFC.	\boxtimes			
This was don't want about listed land and was visuous at			_		
inis proc	luct meets above listed legal requirements	\boxtimes			

Version June 2004 Page 2 (2)

Product Identity	Aficio MP2000		
Issue date	10 Augustus 2006	Logo	nashuatec

Product	environmental attributes - <u>Market requirements</u>	Requirement met
	= Voluntary to answer. Additional information regarding each item may be found under P14.	Yes No n.a.
P6	Environmental conscious design	
DC 4	Disassembly, recycling Gluing/welding of different material has been avoided.	
P6.1		
P6.2	Plastic materials in covers/housing are free from surface coating.	
P6.3	Mechanical plastic parts >100g, consist of one material or of easily separable materials.	
P6.4	Plastic parts >25g have material codes according to ISO 11469.	
P6.5 V	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	
P6.6	If labels are required they should be separable. (This requirement does not apply to safety labels).	
	Product lifetime	
P6.7	Upgrading of the product can be done with commonly available tools	
P6.8	Processor, memory and cards of various types can be changed/upgraded.	
P6.9	Hard disk, CD/DVD drives and / or floppy drive can be changed/upgraded.	
P6.10 V	Spare parts are available after end of production for: 7 years	3 📗
5 0.44	Material requirements	
P6.11	Plastic parts >25g are free from PBB/PBDE, i.e. less than 0.1% b.w.	
P6.12 V	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/52/53 and R60/61 (67/548/EEC)	
P6.13	Chemical specification of flame retardants in plastic parts >25g according to ISO 1043-4 declared below:	
	Product cover/ housing: FR (40)	
.,	Printed circuit boards: FR (17)	
	Other plastic parts: FR (40)	
P6.14	Product cover/housing material type, specified according to ISO 1043-1 Material type PC + ABS Material type PC + PS Material type	
P6.15	Electrical cable insulation material specification	
P6.16 V	Light sources are free from mercury, i.e. less than 0.1% b.w.	
D0 47 V	If mercury is used specify: Number of lamps & max. Mercury per lamp mg	
P6.17 V	Mechanical plastic parts > 25g are free from lead (Pb), i.e. less than 0.1% b.w.	
P6.18 V	Product parts are free from beryllium (Be) and beryllium oxide (BeO), i.e. less than 0.1% b.w.	
P7	Batteries (24/457/750)	
P7.1	Product is free from batteries defined as hazardous (91/157/EEC)	
P7.2 V	Batteries are used that meet the European eco-label (EU Flower) criteria (2001/687/EC & 2001/686/EC)	
P8	Energy consumption	
P8.1 V	n.a. n.a. Naximum power W V Operation 448.9 W	
•		
	Low power mode 110 W	
	Sleep mode W Deep sleep mode W	
	Low power mode in min Sleep mode in min Sleep mode in min	
V	Deep sleep mode in 1 min	
P8.2	2-sided printing/copying (duplex) from 1-sided originals is an integrated product function.	\Box
P8.3	Information about the energy save function is given in the user documentation.	
1 0.5	(Not applicable when no instruction is needed to operate the energy save function, i.e. the energy save function cannot be adjusted or inhibited by the user.)	
P8.4	The product meets the requirements of ENERGY STAR®. Evidence on www.eu-energystar.org	\square
P8.5 V	The product meets the requirements of GEEA.	
P8.6 V	Display meets the energy save requirements of the European eco-label (EU Flower) (2001/686/EC &	
	2001/687/EC).	
V	Desktop or portable computer meets the energy save requirements of the European eco-label (EU Flower) (2001/686/EC & 2001/687/EC)	

Version June 2004 Page 3 (3)

Product Identity	Aficio MP2000		
Issue date	10 Augustus 2006	Logo	nashuatec

Produc	t environmental attributes - Market requirements (continued)	Require	ment	met
	/ = Voluntary to answer. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P9	Noise characteristics (Measured and declared according to ISO 7779 and ISO 9296)			
P9.1	Declared A-Weighted Sound Power Level, LWAd (1B = 10 dB) Operating mode: L_{WAd} : 6.2 B Idling mode: L_{WAd} : 3.6 B			
P9.2 V	The product meets the acoustic noise requirement of: TCO		\boxtimes	
	Blue Angel	\boxtimes		
	European eco-label (EU Flower)			\boxtimes
	Nordic Swan	\boxtimes		
P9.3 V	Declared A-Weighted Sound Pressure Level, LpAm			
	(measured at the operator position if applicable; otherwise measured at the 1m bystander positions). Operating mode: L _{pAm} : 49.2 dB Idling mode: L _{pAm} : 19.6 dB			
	Test position: L_{pAm} : 49.2 dB L_{pAm} : Operator position \square By stander positions			
	Test position for PC tower L_{pAm} : Table top Floor standing			
P10	Emissions			
P10.1	Chemical emission test performed according to RAL-UZ , other standard , specify:	\square	П	П
	The test covers: Dust Ozone Styrene TVOC Benzene			_
P10.2 V	The product meets the requirement for chemical emission in:			
	TCO	\boxtimes		
	Blue Angel	\boxtimes		
	Nordic Swan	\square		
P10.3	Display/monitor/portable computer meets the requirement for low frequency electromagnetic fields in: MPR-II			
	TCO	님	H	X
	prEN50279- A □, -B □, -C □	H	H	X
P11	Consumable materials		<u> Ш</u>	
P11.1	The photo conductor is free from selenium.			
P11.2	If the photo conductor contains selenium there is a system for waste recovery.		一	
P11.3 V	Safety Data Sheet/Material Safety Data Sheet (SDS/MSDS) is available for toner/ink (99/45/EC &	$-\Box$	H	
	2001/58/EC)		Ш	
P11.4 V	Paper containing recycled fibres and meeting requirements of ENV12281 can be used in the product.	\boxtimes		
P12	Ergonomics			
P12.1	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO 13406-2 for flat panel displays.		Ш	\bowtie
P12.2	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.			\boxtimes
P12.3	The computer input device meets the requirements of ISO 9241-9.			\boxtimes
P13	Packaging and documentation			
P13.1	Product packaging: Material type(s): Corrugated paper Weight (kg): 7.5 Plastic Weight (kg): 0.47			
P13.2 V	Plastic packaging material is marked according to DIN 6120, ISO 11469 or ISO 1043, 1-4.	\boxtimes		
P13.3 V	Product plastic packaging is free from chlorine		Ī	
P13.4 V	User and product documentation are free from chlorine bleached paper	$\overline{\boxtimes}$	百	一
P14	Additional information			

Version June 2004 Page 4 (4)