



## Product environmental attributes – THE ECO DECLARATION

| Brand *                | RICOH              | Logo      |
|------------------------|--------------------|-----------|
| Company name *         | RICOH Company Ltd. |           |
| Contact information *  |                    | nasnuatec |
| Internet site *        | www.ricoh.com      |           |
| Additional information |                    |           |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |
|--|--|--|--|--|
| Type of product *  | Digital Copier                           |  |  |  |
| Commercial name *  | MP 5000                                  |  |  |  |
| Model number *   | Aficio MP 5000                           |  |  |  |
| Issue date *   | 13 January 2010                          |  |  |  |
| Intended market *  | 🗌 Global 🔀 Europe 📃 Japan 📃 U.S. 📃 Other |  |  |  |
| Additional information   |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

| Quality C | ontrol Requirement met  |             |    |
|-----------|---|-------------|----|
| Item      | Additional information regarding each item may be found under P14.  | Yes         | No |
| QC1 *     | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | $\boxtimes$ |    |
| QC2 *     | The company is a member of an eco declaration system that enforces regular independent quality control    | $\boxtimes$ |    |
|           | such as organized by IT-Företagen (see www.itecodeclaration.org).   |             |    |

| Model number * Aficio MP 5000   |                         |  |                    |             |      |             |  |  |
|---|-------------------------|--|--------------------|-------------|------|-------------|--|--|
| Issue date *  |                         | 13 January 2010  | Logo               | ashu        | late | C           |  |  |
|   |                         |  |                    |             | _    |             |  |  |
| Product environmental attributes - Legal requirements Requirement met |                         |  |                    |             |      |             |  |  |
| Item  |                         | atory to fill in. Additional information regarding each item may be found under P14.   |                    | Yes         | No   | n.a.        |  |  |
| P1  | Hazardo                 | ous substances and preparations  |                    | -           |      |             |  |  |
| P1.1*   | Products                | s do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated big   | ohenyl (PBB)       | $\boxtimes$ |      |             |  |  |
|   |                         | brominated diphenyl ether (PBDE) as specified in EU 2002/95/EC and its amendm  | ents               |             |      |             |  |  |
| P1.2*   | Products                | s do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)  |                    | $\square$   |      |             |  |  |
| P1.3*   |                         | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),  |                    | $\boxtimes$ |      |             |  |  |
|   |                         | omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach   |                    | _           |      |             |  |  |
|   | trichloroe              | ethane, methyl bromide (EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/20   | 00)                |             |      |             |  |  |
| P1.4*   |                         | s do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (  |                    | $\square$   |      |             |  |  |
| P1.5*   |                         | s do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the   |                    | $\boxtimes$ |      |             |  |  |
|   |                         | 48% per mass of chlorine in the SCCP as specified in Norwegian regulation relating   | g to restrictions  |             |      |             |  |  |
| D1 6*   |                         | se of certain dangerous chemicals 20.12.2002   | anhata (TDIC)      |             |      |             |  |  |
| P1.6*   |                         | nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho<br>ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>EU 76/769/EEC)</i> | sphale (TRIS),     |             |      | $\bowtie$   |  |  |
| P1.7*   |                         | nd leather parts with direct skin contact do not contain Azo colourants that split aro   | matic amines as    |             |      | $\boxtimes$ |  |  |
|   | specified               | in EU 76/769/EEC, amendment 2003/3/EC  |                    |             |      |             |  |  |
| P1.8*   |                         | parts do not contain arsenic and chromium as a wood preservation treatment as w  | ell as             |             |      | $\boxtimes$ |  |  |
|   |                         | orophenol and derivatives (EU 76/769/EEC)  |                    |             |      |             |  |  |
| P1.9*   |                         | th direct and prolonged skin contact do not release nickel in concentrations higher t<br>EEC, amendment 94/27/EEC  | nan specified in   | $\boxtimes$ |      |             |  |  |
| P2  | Batterie                | •  |                    |             |      |             |  |  |
| P2.1*   |                         | o<br>lous batteries (as defined in 91/157/EEC) are used in the product they are easily re  | movable and        | $\square$   |      |             |  |  |
|   | labelled                | with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)   |                    |             |      |             |  |  |
| P2.2*   | If batterie<br>91/157/E | es are used in the product they do not contain mercury in concentrations higher the  | an specified in    | $\boxtimes$ |      |             |  |  |
| P2.3*   |                         | es are permanently installed in the product, information on the environmentally haz  | ardous             | $\square$   |      |             |  |  |
|   |                         | ces and safe removal method is listed in the user manual (91/157/EEC)  |                    |             |      |             |  |  |
| P3  |                         | al safety, EMC and connection to the telephone network   |                    |             |      |             |  |  |
| P3.1*   | The proc                | duct meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC  | & 93/68/EEC)       | $\boxtimes$ |      |             |  |  |
| P3.2*   | The proc                | duct meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC   | / 2004/108/EEC     | $\square$   |      |             |  |  |
|   |                         | ne, 20 <sup>th</sup> 2007  |                    |             |      |             |  |  |
| P3.3*   |                         | t is intended for connection to a public telecom network or contains a radio transmi   | tter, it meets the | $\boxtimes$ |      |             |  |  |
| P3.4*   |                         | TE Directive (1999/5/EC)<br>duct is CE-marked and a Declaration of Conformity is available (93/68/EEC)   |                    | N7          |      |             |  |  |
| _   |                         | · · · · · ·  |                    |             |      |             |  |  |
| P4.1*   | If a photo              | nable materials  |                    | N7          |      |             |  |  |
| F4.I  |                         | um, belt etc.) is used in the product, it does not contain cadmium in concentrations   | higher than        | $\bowtie$   |      |             |  |  |
|   |                         | I in (76/769/EEC and 91/338/EEC)   | nghor than         |             |      |             |  |  |
| P4.2*   |                         | er is used in the product, it does not contain cadmium in concentrations higher that   | n specified in     | $\square$   |      |             |  |  |
|   | (76/769/                | EEC and 91/338/EEC)  | -                  |             |      |             |  |  |
| P4.3*   |                         | /toner formulation/preparation is classified as hazardous according to EU Directive  |                    | $\boxtimes$ |      |             |  |  |
|   |                         | mended, the product/packaging is labelled and a Material Safety Data Sheet (MSD  | )S) in             |             |      |             |  |  |
| DC  |                         | nce with (99/45/EC & 2001/58/EC) is available.   |                    |             |      |             |  |  |
| P5.1*   |                         | packaging<br>of the concentration levels of lead, cadmium, mercury, and hexavalent chromium  | present in         |             |      |             |  |  |
| F J. I  |                         | ng or packaging components does not exceed 0,01% by weight (94/62/EC).   |                    | $\boxtimes$ |      |             |  |  |
| P5.2*   |                         | ackaging material is marked according to ISO 11469 referring ISO 1043.(97/129/E  | EC)                | $\boxtimes$ |      |             |  |  |
| P5.3*   |                         |  |                    |             |      | ╞           |  |  |
| P6  | •                       | ent information  |                    |             |      |             |  |  |
| P6.1*   |                         | ion for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.   |                    |             |      |             |  |  |
|   | monnau                  |  |                    | $\square$   |      |             |  |  |

| Model nu      |   | Aficio             | D MP 5000                                      |   |                |                       |          |          |
|---------------|---|--------------------|--|---|----------------|-----------------------|----------|----------|
| Issue dat     | Issue date * 13   |                    | nuary 2010                                     |   | Logo           | nashu                 | late     | C        |
| Product       | Product environmental attributes - Market requirements - Environmental conscious design<br>Requirement met                                  |                    |  |   |                |                       |          |          |
| Item          | *=manda   | atory to f         |  | ation regarding each item may be found under P14.   |                | Yes                   | No       | n.a.     |
| P7            | Design  |                    |  |   |                |                       |          |          |
| P7.1*         | Disasse   | mbly, re           | <b>cycling</b><br>b be treated separately      | v are easily separable  |                |                       |          |          |
| P7.2*         |   |                    | in covers/housing have                         |   |                |                       | ╞        | ─────    |
| P7.3*         |   |                    |  | rial or of easily separable materials.  |                |                       | ⊢⊢       |          |
| P7.4*         |   |                    | -  | according to ISO 11469 referring ISO 1043.  |                |                       | ⊢⊢       |          |
| P7.5          | -   |                    | -  | or have inlays that can be removed with commonly a  | wailable tools |                       | ╞        |          |
| P7.6*         |   |                    |  | rement does not apply to safety/regulatory labels).   |                |                       | ╞        | <u> </u> |
| F7.0          | Product   |                    |  | rement does not apply to salety/regulatory labels).   |                |                       |          |          |
| P7.7*         |   |                    |  | ssor, memory, cards or drives   |                |                       |          |          |
| P7.8*         |   | -                  | e done using commonl                           |   |                |                       | H        | ⊢⊢       |
| P7.9.         |   | -                  | available after end of p                       |   |                |                       |          | ⊢⊢       |
| P7.10         |   |                    | ble after end of product                       | •   |                |                       |          | ⊢⊢       |
|               |   |                    | stance requirements                            |   |                | ÷                     |          |          |
| P7.11*        |   |                    | using material type:                           |   |                |                       |          |          |
|               | Material  |                    |  | Material type: PC + PS Materia  | al type:       |                       |          |          |
| P7.12*        |   |                    |  | ower cables are halogen free (including PVC)  |                |                       | Ц        |          |
| P7.13*        |   |                    |  | gnal cables are halogen free (including PVC)  |                |                       | <u>Ц</u> | <u> </u> |
| P7.14         |   | -                  | plastic parts >25g are                         | -   |                |                       |          |          |
| P7.15         | -   |                    |  | onents) >25g are halogen free   |                | $\square$             |          |          |
| P7.16         | Cover/h   | ousing: <b>F</b>   | FR (40)  | ants in cover / housing plastic parts >25g according I  |                | $\boxtimes$           |          |          |
| P7.17         | ISO 1043<br>Printed c   | 3-4:<br>circuit bo | ards: <i>FR (17)</i>                           | ants in printed circuit boards (without components) >   | 25g according  | $\boxtimes$           |          |          |
| P7.18         |   |                    | ed material in plastic pa                      |   |                |                       |          |          |
| P7.19         | Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC) |                    |  | fied as R45/46,   |                |                       |          |          |
| P7.20         | If mercur   | y is use           | e free from mercury<br>d specify: Number of la | imps: and max. mercury content per lamp:  | mg             |                       |          |          |
| P8.1*         | Batteries   | -                  | antoin bottorion dofir                         | and an homoredup apporting to 01/157/FFC  |                |                       |          |          |
| P8.2*         | Product   | uoes not           | contain batteries denr                         | ned as hazardous according to 91/157/EEC<br>Battery chemical composition: Lithium-ion battery |                | $\square$             |          |          |
| P8.3          |   |                    | e requirements of the 7/EC & 2001/686/EC)      | following voluntary program/s: European eco-label (I  |                |                       |          |          |
| P9            | Energy  | consum             | ption  |   |                |                       |          |          |
| 9.1           |   |                    | he following power leve                        | els or energy consumptions have been measured:  |                |                       |          |          |
| Mode          | Power le<br>*220-240  | <b>Volts</b>       | Time (s) to <mode></mode>                      | Mode description  |                | Reference<br>Standard |          | n.a.     |
| On-max        | <b>1.5</b> kW   |                    |  | * Maximum Energy Consumption  |                | *                     |          |          |
| On-<br>normal | * <b>896.4</b> \  |                    | to   | * Operating Mode  |                | *                     |          |          |
| On-idle       | <b>148</b> W  |                    | to   | * Ready Mode  |                | *                     |          |          |
| Save 1        |   | W                  | to   | *   |                | *                     |          |          |
| Save 2        |   | W                  | to   | *   |                | *                     |          |          |
| Off 1         |   | W                  | 60 to off mode                                 | *   |                | *                     |          |          |
| Off 2         |   | W                  | to   | *   |                | *                     |          |          |
| No load       |   | W                  |  | External power supplies/charger plugged in but dis<br>from the product                        | connected      | *                     |          |          |
| TEC           |   |                    | ypical Energy Consum                           |   |                | *                     |          |          |
| P9.2*         |   |                    | •.   | tion is provided with the product.  |                | $\boxtimes$           |          |          |
| P9.3          | The prod<br>ENERGY<br>GEEA<br>Others s  | Y STAR®            |  | ents of the following voluntary program/s:  |                |                       |          |          |

| Model nu                     | umber *  | Aficio MP 5000   |  |                               |                       |  |  |  |
|------------------------------|--|--|--|-------------------------------|-----------------------|--|--|--|
| Issue date * 13 January 2010 |  | Logo   | nashua <u>tec</u>                                      |                               |                       |  |  |  |
|                              |  | · · · · · · · · · · · · · · · · · · ·  |  |                               |                       |  |  |  |
| Item                         | Product environmental attributes - Market requirements (continued) Requirement met   Item *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. |  |  |                               |                       |  |  |  |
| P10                          | Emissio  |  | ang cach tern may be found                             |                               | 103 NO 11.a.          |  |  |  |
|                              |  |  |  |                               |                       |  |  |  |
|                              | Noise e  | mission – Declared according to ISO 929  | 96   |                               |                       |  |  |  |
| P10.1                        | Mode   | Mode description   | Declared   | Declared A-w                  | eighted               |  |  |  |
|                              |  |  | A-weighted   | sound pressure lev            |                       |  |  |  |
|                              |  |  | sound power<br>level L <sub>WAd</sub> (B)              | Operator position E           | Bystander positions   |  |  |  |
|                              |  |  |  |                               | nly if product is not |  |  |  |
|                              |  |  |  |                               | operator attended)    |  |  |  |
|                              | Idle   | * Stand-by   | * 3.9  | 20                            |                       |  |  |  |
|                              |  | -  |  |                               |                       |  |  |  |
|                              | Operatio   | on * Operating Mode  | * 7.1  | 53                            |                       |  |  |  |
|                              | Other m  | ode  |  |                               |                       |  |  |  |
|                              |  |  |  |                               |                       |  |  |  |
|                              | Measure  | ed according to: 🔀 ISO 7779 🗌 ECMA-  | 74   |                               |                       |  |  |  |
| 5/0.0                        | <u> </u>   |  | not covered by ECMA-74 with                            |                               | nce m)                |  |  |  |
| P10.2                        | The proc   | duct meets the acoustic noise requiremen   | ts of the following voluntary p                        |                               | rco 🗌 🗌 🖂             |  |  |  |
|                              |  |  |  | Blue A                        |                       |  |  |  |
|                              |  |  | Ε.   |                               |                       |  |  |  |
|                              |  |  | EL   | Iropean eco.label (EU Flor    |                       |  |  |  |
|                              | _  |  |  | Nordic S                      | wan 🔀 🗌 🗌             |  |  |  |
| P10.3*                       |  | al emissions from printing products  |  |                               |                       |  |  |  |
| F 10.3                       |  | formed according to ECMA-328 standard  |  |                               |                       |  |  |  |
| P10.4                        |  | covers: Dust X Ozone X   | Styrene Benzene  |                               |                       |  |  |  |
| 1 10.1                       | ine prot   |  |  |                               |                       |  |  |  |
|                              |  |  |  | Blue A                        | ngel 🛛 🗍              |  |  |  |
|                              |  |  |  | Nordic S                      | wan 🛛 🗍               |  |  |  |
|                              | Electror   | nagnetic emissions   |  |                               |                       |  |  |  |
| P10.5                        |  | er display meets the requirement for low f   | requency electromagnetic fie                           | lds of the following volunt   | ary                   |  |  |  |
|                              | program/s:   |  |  |                               |                       |  |  |  |
| P11<br>P11.1*                |  | nable materials for printing products<br>al Safety Data Sheet (MSDS) is available                              | for the ink/toner preparation                          | even if not legally require   | ed 🛛 🗌                |  |  |  |
|                              | (see P4.   | c)   |  | , even in not legally require |                       |  |  |  |
| P11.2*                       |  | ontaining recycled fibres that meets the re  |  | be used.                      |                       |  |  |  |
| P11.3*                       |  | (duplex) printing/copying is an integrated   | product function.                                      |                               |                       |  |  |  |
| P12                          |  | mics for computing products  |  |                               |                       |  |  |  |
| P12.1*                       |  | nputer system meets the ergonomic requir<br>ISO13406-2 for flat panel displays.                                | ements of EIN 29241-3, -7, -8                          | DIOLOKI DISPLAYS              |                       |  |  |  |
| P12.2*                       |  | duct keyboard meets the requirements of  | ISO 9995 and EN 29241-4.                               |                               |                       |  |  |  |
| P12.3*                       | The computer input device meets the requirements of ISO 9241-9.  |  |  |                               |                       |  |  |  |
| P13                          |  | ng and documentation   |  |                               |                       |  |  |  |
| P13.1*                       | Product  | packaging material type(s): Corrugated I<br>packaging material type(s): Plastic<br>packaging material type(s): | Paper weight (kg): 1<br>weight (kg): 0<br>weight (kg): |                               |                       |  |  |  |
| P13.2*                       | Product plastic packaging is halogen free (including PVC)  |  |  |                               |                       |  |  |  |
| P13.3*                       | User and product documentation do not contain chlorine bleached paper  |  |  |                               |                       |  |  |  |
| P13.4*                       | User and product documentation contain recycled paper  |  |  |                               |                       |  |  |  |
| P14                          | Additio  | nal information  |  |                               |                       |  |  |  |
|                              |  |  |  |                               |                       |  |  |  |
|                              |  |  |  |                               |                       |  |  |  |

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.