

ecma 🔬 IT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo	
Company name *	RICOH Company Ltd.		
Contact information		nas	huatec
Internet site *	www.ricoh.com		
Issue date *			
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas	Other	
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

uality control		
Item	Yes	No
QC1 * The company enforces an internal quality control system to ensure the correctness of this eco declaration	\boxtimes	
QC2 * The company is a member of an eco declaration system that enforces regular independent quality control.		

Compan	iy environmental profile - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	emen	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	\square		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	\boxtimes		_
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of $igsquire$ The Global Reporting Initiative $igsquire$ Other as specified in C6			
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.			
C6	Additional information			

Product environmental attributes – THE ECO DECLARATION

	used on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Copier
Commercial name *	MP6001
Model number *	Aficio MP6001
Issue date *	18 June 2009

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio MP6001		
Issue date *	18 June 2009	Logo	nashuatec

Product	environmental attributes - Legal requirements	Requir	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% (2002/95/EC ROHS Directive).			
P1.2*	Products do not contain Asbestos (amendment 1999/77/EC). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight <i>(amendment 89/677/EEC)</i> .	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (<i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (76/769/EEC Marketing and Use Directive). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (amendment 2003/3/EC).			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (76/769/EEC Marketing and Use Directive). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (amendment 94/27/EEC). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries	•		
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).	\square		
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (76/769/EEC Marketing and Use Directive, REACH Regulation 1907/2006).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (1999/45/EC Dangerous Preparations Directive, 2001/58/EC Directive on Safety Data Sheets).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Annex A & B of ECMA-370 3rd edition, December 2008 Page 2 (2) © Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means.

Model nu		Aficio MP6001				
Issue dat	e *	18 June 2009	Logo	nashu	ate	ec
					1000	
Produc	t enviro	nmental attributes - Market requirements - Environmental conscious	design	Require	ment	met
Item			accigii	Yes	No	n.a.
P6	is * 18 June 2009 Logo ct environmental attributes - Market requirements - Environmental conscious design *-mandatory to fill in. Additional information regarding each item may be found under P14. Treatment information Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive). Design Disassembly, recycling Plasts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tool Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Upgrading can be done using commonly available tools Spare parts are available after end of production for: 7 years Service is available fatter end of production for: 7 years Service is available fatter end of production for: 7 years Material and substance requirements Product cover/housing material of signal cables are halogen free (including PVC). (See Note 1) All cover/housing plastic parts >25g are halogen free. (See Note 1) All cover/housing plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR (40) Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparat				·	
P6.1*	Informati	on for recyclers/treatment facilities is available (2002/96/EC WEEE directive).		\boxtimes		
P7				-		
P7.1*					<u> </u>	<u> </u>
P7.2*						<u> </u>
P7.3*						
P7.4*				\square		
P7.5			vailable tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
P7.7*						
P7.8*	Upgradir	g can be done using commonly available tools		\square		
P7.9.	Spare pa	nts are available after end of production for: 7 years		\boxtimes		
P7.10	Service i	s available after end of production for: 7 years		\boxtimes		
	Material	and substance requirements				
P7.11*		a 31				
D7.40	Material	type: PC + ABS Material type: PC + PS Materia				
P7.12						
P7.13			Note 1)			
P7.14				\square		
P7.15				\square		
P7.16	Marking:					
P7.17	Chemica					
	Chemica		25g according			
P7.18	Flame re concentr	ations above 0.1%:	tions in			
	2. Chemi 3. Chemi	cal name: , CAS #:			_	_
DT (0)	Chemica FR (40)					
P7.19 P7.20			al information	I		
P7.20		inces are free from mercury				
		y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batteries	3 · · · · · · · · · · · · · · · · · · ·				
P8.1*	lithium l					
P8.2		meet the requirements of the following voluntary program/s: <i>European eco-label</i> 2001/687/EC & 2001/686/EC)	(EU Flower)			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	Aficio MP6001			
Issue date *	18 June 2009	Logo	nash	uatec

	t environmenta	attribut	tes - Market re	quirements (co	ontinued)		Require		
Item P9	- Energy concurr	ntion					Yes	No	n.a.
9.1	Energy consum For the product t	-	ng power levels o	r energy consum	otions have been	measured:			
Energy n			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		dard for energy mo	odes	
Maximu	m Energy Consu	mption	W	W	1900 W				
Operatir	ng Mode		W	W	1162 W				
Ready N	-		W	W	308 W				Ħ
Low Por	wer Mode		VV	W	190 W				
Off/Slee	p Mode		VV	VV	8.7 W				
			VV	VV	W				
(External plugged	I power supply / ch in the wall outlet b	out	W	W	W				
PTEC * Typical E	Energy Consumpti	on	W	W	W				
TEC * Typical E	Energy Consumpti	on	kWh/week	kWh/week	7.3 kWh/wee	k			
Default ti	ime to enter energ	y save mo	de: 1 minutes						
P9.2*	Information about	it the energ	gy save function i	s provided with th	ne product.				
P9.3*				of the following	voluntary progran	n/s:			
P10	Emissions								
P10.1				O 9296	Doclarad	Declared	A weighted		i –
F 10.1	Mode	Noue de	scription		A-weighted				
					•		*		
					level L_{WAd} (B)				
						or Desk side	operator atte	nded)	
	Idle	* Stand-	by		* 5.1		36.3		
	Operation	* Operat	ing Mode		* 7.1		52.5		
	Other mode								
	Measured accord	dina to: 🔀	ISO7779 EC	MA-74					_
					by ECMA-74 wit	h L _{pAm} measurement dis	tance m)		
P10.2	The product mee	ets the aco	oustic noise requir	ements of the fol	lowing voluntary				
									\square
	Chemical emiss	sions from	n printing produc	cts					
P10.3*	Test performed a	according t	to ECMA-328 (IS	O/IEC 28360) sta	ndard 📃, other	specify: RAL-UZ	\boxtimes		
P10.4						2			
P10.5									
	W W W W PS No-load W W W W Ugged in the wall outlet but isconnected from the product.) W W W W TFEC - ' W W W W W Picel Energy Consumption W W W W EC - ' Ypical Energy Consumption kWh/week KWh/week Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save function is provided with the product. Important the energy save functis provided with the product is provided with the provid								
_							· · · · · · · · · · · · · · · · · · ·		
P10.6	Computer display	y meets th	e requirement for	low frequency e	lectromagnetic fie	elds of the following volu	ntary		\boxtimes

Annex A & B of ECMA-370 3rd edition, December 2008 Page 4 (4 © Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means.

Model number *	Aficio MP6001		
Issue date *	18 June 2009	Logo	nashuatec

Produc	t environmental attributes - Market requirements (continued)	Requirer	ment	met
ltem		Yes	No	n.a
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\square
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s):Corrugated Paperweight (kg):14.99Product packaging material type(s):Pasticweight (kg):1.41Product packaging material type(s):weight (kg):1.41			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber.			\boxtimes
P14	Additional information			
	This product is designed to utilise recycled plastic materials wherever available			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.