

ecma IT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo		
Company name *	RICOH Company Ltd.			
Contact information	Ricoh Europe Plc	nashuatec		
	20 Triton Street, London NW1 3BF, United Kingdom	Hashuatoo		
	emo@ricoh-europe.com			
Internet site *	www.ricoh.com			
Issue date *	14 June 2012			
Intended market *	Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.		

Compan	y environmental profile - Legal requirements	Requir	ement	met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	emen	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	\boxtimes		
C4.2* The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6				
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of A The Global Reporting Initiative D Other as specified in C6	\square		
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	\boxtimes		
C6	Additional information			

Product environmental attributes – THE ECO DECLARATION

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.					
Type of product *						
Commercial name *	MP 7502					
Model number *	Aficio MP 7502					
Issue date *	14 June 2012					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio MP 7502		
Issue date *	14 June 2012	Logo	nashua <u>tec</u>

Product	environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1			
P1.2*	Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4* Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terpher (PCT) max 0.005% by weight (<i>REACH, Annex XVII</i>).				
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (<i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (<i>REACH, Annex XVII and Note B1</i>).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (<i>REACH, Annex XVII</i>). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).	\square		
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).	\boxtimes		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.	\boxtimes		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

		Aficio MP 7502				
Issue dat	date 14 June 2012 duct environmental attributes - Market requirements - Environmental consoic "=mandatory to fill in. Additional information regarding each item may be found under P: Treatment information Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive). Design Disassembly, recycling Plastic materials in covers/housing have no surface coating. Plastic parts >100 g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commor Labels are easily separable. (This requirement does not apply to safety/regulatory labels Product Inferime Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools Spare parts are available after end of production for: 7 years Bervice is available after end of production for: 7 years Material and substance requirements Product cable insulation materials of signal cables are PVC free. All cover/housing plastic parts >25g are free from chlorine and bromine. All printed circuit boards (without components) >25g are halogen free, as defined in IEC note 82) Flame retarded plastic parts >25g contain the following flame retardant substances/prep concentrations above 0.1%: Comment: No lega	Logo	nasht	ıate	C	
	sue date * 14 June 2012 Logo I Product environmental attributes - Market requirements - Environmental conscious design ************************************					
			design	Require		
Item				Yes	No	n.a.
P6.1*		14 June 2012 Logo 1 environmental attributes - Market requirements - Environmental conscious design -mandatory to fill in. Additional information regarding each item may be found under P14. reatment information formation for recyclers/treatment facilities is available (2002/96/EC WEEE directive). esign isassembly. recycling ars that have to be treated separately are easily separable lastic parts >25g have material codes according to ISO 11469 referring ISO 1043. lastic parts >25g have material codes according to ISO 11469 referring ISO 1043. lastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. abels are easily separable. (This requirement does not apply to safety/regulatory labels). roduct lifetime pgrading can be done e.g. with processor, memory, cards or drives pgrading can be done using commonly available tools pare parts are available after end of production for: 7 years laterial and substance requirements roduct cover/housing material type: laterial on substance requirements roduct cover/housing plastic parts >25g are free from chlorine and bromine. II printed circuit boards (without components) >25g are halogen free, as defined in IEC61249-2-21 (see of 82) Iaterial specifications of flame reta				
P7						
F7	Disasse					
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\square		
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tool			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				Ē
	Product	lifetime				
P7.7*				\square		
P7.8*	Upgradin	g can be done using commonly available tools				Ē
P7.9.	Spare pa	ints are available after end of production for: 7 years			Ē	Ē
P7.10					H	H
P7.11*						
			al type:			
P7.12						
P7.13	Electrica	l cable insulation materials of signal cables are PVC free.				
P7.14	All cover,	/housing plastic parts >25g are free from chlorine and bromine.				
P7.15		d circuit boards (without components) >25g are halogen free, as defined in IEC612	249-2-21 (see	;		
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	*-mandatory to fill in. Additional information regarding each item may be found under P14. Treatment information Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools Labels are easily separable. Upgrading can be done using commonly available tools Spare parts are available after end of production for: 7 years Service is available after end of production for: 7 years Material and substance requirements Product Unosing material type: Material type: PC Material type: PC Material type: Intervention material of power cables are PVC free. Electrical cable insulation materials of signal cables are PVC free. All printed circuit boards (without components) >25g are free from chlorine and bromine. All printed circuit boards (without components) >25g are marked according ISO 1043-4: Marking: At: 1 Chemical specifications of flame retardan					
	Chemica ISO 1043	mandatory to fill in. Additional information regarding each item may be found under P14. freatment information nformation for recyclers/treatment facilities is available (2002/96/EC WEEE directive). Design Bisassembly, recycling Plastic materials in covers/housing have no surface coating. Plastic materials in covers/housing have no surface coating. Plastic parts >25g have material code saccording to ISO 11469 referring ISO 1043. Plastic parts zef free from metal inlays or have inlays that can be removed with commonly available toc abels are easily separable. Product lifetime Apgrading can be done e.g. with processor, memory, cards or drives Apgrading can be done using commonly available tools Spare parts are available after end of production for: 7 years Toduct cover/housing material type: Material type: PC Material type: PC Material type: PC Material type: Indiction material of power cables are PVC free. Ul cover/housing plastic parts >25g in covers / housings are marked according ISO 1043-4: Material specifications of flame retardants in printed circuit boards (without components): BBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: Nt. 1 Chemical specifications of flame retardan				
P7.18	Flame re concentr	ations above 0.1%:	tions in			
	2. Chemi 3. Chemi Alt. 2	ical name: , CAS #: ical name: , CAS #:				
P7.19	R40, R46	5, R48, R50, R51, R53, R60, R61 and any combination of these (see note B3)(EC		08		
P7.20			nal informatio	n]		
P7.21	Of total p	lastic parts' weight >25g, biobased material content is 0%.		-		
P7.22			ma	\boxtimes		
P8	Disasembly, recycling 1 Parts than have to be treated separately are easily separable [2] 2 Plastic materials in covers/housing have no surface coating. [2] 31 Plastic parts >100g consist of one material or of easily separable materials. [3] 41 Plastic parts 25g have material codes according to ISO 11469 referring ISO 1043. [6] 5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. [6] 6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). [7] 7* Upgrading can be done e.g. with processor, memory, cards or drives [8] 9. Spare parts are available after end of production for: 7 years [8] 10 Service is available after end of production for: 7 years [8] 11 Product cover/housing material type: Material type:: [8] 12 Electrical cable insulation material of power cables are PVC free. [8] 13 Electrical cable insulation material or power cables are PVC free. [8] 14 All cover/housing plastic parts >25g in covers / housings are marked according ISO 1043-4: [8] 14<					
P8.1*			se dioxide lit	hium		
P8.2			(EU Flower)			

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Aficio MP 7502		
Issue date *	14 June 2012	Logo	nashua <u>tec</u>

Produc	t environmenta	al attribut	tes - Market requi	irements (c	ontinu	ied)			Re	quire	nent	met
Item										Yes	No	n.a.
P9	Energy consum											
9.1	For the product t	he followir	ng power levels or en	ergy consum	nptions h	nave been	measured:					
Energy n	node *		Power level at 100 V AC	Power level 115 V A		Power le 230 \			nce / Standa modes and		thod	
Maximu	m Energy Consu	mption	VV	W		1900 V	V	*				
Operatii	ng Mode		W	W		1350 V	V					
Ready N	lode		W	W		308 W	I					
Low Por	wer Mode		VV	W		189 W						
Off/Slee	p Mode		VV	W		6.9 W						
			W	W		,	W					
plugged disconne	load I power supply / cl in the wall outlet b acted from the prod	out	W	W			W					
PTEC * Typical E	Energy Consumpti	on	W	W		W	1					
TEC * Typical E	Energy Consumpti	on	kWh/week	kWh	/week	8.083 kW	/h/week					
ETEC * Annual E	Energy Consumpti	on	kWh/year	kWh	/year	387.984	kWh/year					
Display r	resolution * : dpi		I					1				\square
Print Spe	eed * : 75 pages	per minut	e									
Default ti	ime to enter energ	y save mo	ode: 1 minutes									
P9.2*	Information about	it the ener	gy save function is p	rovided with	the proc	luct.				\boxtimes		
P9.3*	The product mee ENERGY STAR Others specify:	ets the ene ® version	rgy requirements of 1.1 Tier: 2 Produ	the following ct category:	volunta Copier	ry progran	n/s:					
P10	Emissions											
	Noise emission	- Declare	d according to ISO 9	9296								
P10.1	Mode	Mode de	scription		A-we	clared eighted d power			A-weighted level $L_{p\text{Am}}$	(dB)		
					level	L_{WAd} (B)	Operator pos		Bystander (only if p			
							Desk or Desk s			tor atter		
	Idle	* Stand-	by		* 5.2		UI DESK S		37.7			
	Operation	* Operat	ing Mode		* 7.3				55.2			
	•											
	Other mode											
	Measured accor	ding to: 🔀										
P10.2	The product may	te the acc	Other (only oustic noise requirem				h L _{pAm} measure	ement dis	stance	m)		
F 10.2	The product mee				nowing	voluntary	program/s.		lue Angel ordic Swan			
	Chemical emiss	sions fron	printing products									
P10.3*	Test performed a	according	to ECMA-328 (ISO/IE	EC 28360) st	andard	, other	specify: RAL-U	IZ		\square		
P10.4			t phase) is (mg/h): Styrene <limit c<="" of="" td=""><td>lotoction P</td><td>007000</td><td>0.02 T</td><td>VOC 0.61</td><td></td><td></td><td></td><td></td><td></td></limit>	lotoction P	007000	0.02 T	VOC 0.61					
P10.5			ments of the followin									
	Dust 🔀 Ozone	Styrer	e 🔀 Benzene 🔀 T						ue Angel ordic Swan	\square		
D40.5	Electromagneti											
P10.6	Computer displa program/s:	y meets th	e requirement for lov	w trequency e	electrom	agnetic fie	eids of the follow	wing volu	untary			\bowtie

Model number *	Aficio MP 7502		
Issue date *	14 June 2012	Logo	nashuatec

Produc	t environmental attributes - Market requirements (continued)	Require	ment	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\square		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\square
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 14.99 Product packaging material type(s): Plastic weight (kg): 1.41 Product packaging material type(s): weight (kg): 1.41			
P13.2*	Product plastic packaging is free from PVC	\square		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. %			\boxtimes
P14	Additional information			
	This product is designed to utilise recycled plastic materials wherever available			