



## Product environmental attributes - THE ECO DECLARATION

Brand *	RICOH	Logo		
Company name *	RICOH Company Ltd.			
Contact information *		nas	nua <u>tec</u>	
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Colour Copier			
Commercial name *	MP C2030			
Model number *	Aficio MP C2030			
Issue date *	15 December 2009			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Aficio MP C2030		
Issue date *	15 December 2009	Logo	<u>nashuatec</u>

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU</i> : Regulation ( <i>EC</i> ) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	X		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	X	П	
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June. 20 <sup>th</sup> 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo cond uctor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	Aficio MP C2030		
Issue date *	15 December 2009	Logo	nashuatec

Product environmental attributes - Market requirements - Environmental conscious design  Requirement met								
Item	*=mandatory to f		egarding each item may be found under P14.	Yes	No	n.a.		
P7	Design							
	Disassembly, re							
P7.1*		o be treated separately are e			Щ			
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			$\boxtimes$				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			$\boxtimes$				
P7.5	Plastic parts are	free from metal inlays or have	ve inlays that can be removed with commonly available tools.	$\boxtimes$				
P7.6*	Labels are easily	separable. (This requirement	nt does not apply to safety/regulatory labels).	$\boxtimes$				
	Product lifetime							
P7.7*		e done e.g. with processor, r		$\boxtimes$				
P7.8*		e done using commonly avai		$\boxtimes$				
P7.9.	Spare parts are	available after end of product	tion for: 7 years					
P7.10	Service is availal	ble after end of production fo	r: 7 years					
		bstance requirements		•				
P7.11*		ousing material type:						
D7.40*	Material type: PC		erial type: PC + PS Material type:					
P7.12*			rables are halogen free (including PVC)		<u>Ц</u>			
P7.13*			ables are halogen free (including PVC)		<u>Ц</u>			
P7.14		g plastic parts >25g are halog		$\boxtimes$				
P7.15		boards (without components		$\boxtimes$				
P7.16			n cover / housing plastic parts >25g according ISO 1043-4:					
	Cover/ housing:			$\boxtimes$	Ш			
P7.17	Chemical specifical ISO 1043-4:	cations of flame retardants in	n printed circuit boards (without components) >25g according					
	Printed circuit bo	oards: FR (17)		$\boxtimes$				
P7.18		ed material in plastic parts is	<10%					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,							
	R50/51/53 and R60/61 (67/548/EEC)							
P7.20		e free from mercury		$\boxtimes$				
P8	Batteries	d specify: Number of lamps:	and max. mercury content per lamp: mg	·				
P8.1*		t contain batteries defined as	s hazardous according to 91/157/EEC		$\overline{\Box}$			
P8.2*	Battery chemical composition: Manganese dioxide Lithium							
P8.3	Batteries meet the requirements of the following voluntary program/s: European eco-label (EU Flower)							
1 0.0		7/EC & 2001/686/EC)	ing voluntary programmo. Europour odo labor (Eo Flower)		ш			
	<u> </u>	,						
P9	Energy consum		and the second s					
9.1 Mode			energy consumptions have been measured:  Mode description	Referen	00/	n.a.		
Wode	* <b>230</b> Volts	Time (s) to cinodes	iviode description	Standard		II.a.		
On-max	1680 W		* Maximum Energy Consumption	*	-			
On-	* <b>563</b> W	900 to OM	* Operating Mode	*				
normal			,					
On-idle	165 W	900 to Ready Mode	* Ready Mode	*				
Save 1	* <b>126</b> W	60 to LPM	* Low Power Mode	*				
Save 2	W	to	*	*				
Off 1	* 4.7 W	1200 to Off/Sleep mode	* Off/Sleep mode	*				
Off 2	W	to	*	*				
No load	* W		External power supplies/charger plugged in but	*				
TEC	disconnected from the product  * 106.2 kWh/y Typical Energy Consumption per year  *							
P9.2*	•	It the energy save function is			$\overline{}$	+		
P9.3			of the following voluntary program/s:					
1 3.3	ENERGY STAR	• • •	or the following voluntary program/s.	$\square$				
	GEEA			Ħ	H	H		
	Others specify:				Ħ	$\overline{\boxtimes}$		

Model number *	Aficio MP C2030		
Issue date *	15 December 2009	Logo	nashua <u>tec</u>

Product environmental attributes - Market requirements (continued) Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a						
P10	Emissions						
	Mata and a	Destar de constitue de 100 0000					
	Noise emission	n – Declared according to ISO 9296					
P10.1	Mode	Mode description	Declared	Declared A-weight	ed		
		·	A-weighted	sound pressure level L			
	sound power Operator position Bystander position				nder positions		
			level L <sub>WAd</sub> (B)	(anly if	product is not		
				2000p	ator attended)		
	Idle	* Stand-by	* 4	or Deskside 21.4		-	
	Operation	* Operating Mode	* 6.6	48.2		<b>├</b>	
	Орегация	Operating wode	0.0	40.2			
	Other mode						
	Measured accor	ding to: X ISO 7779 ECMA-74					
			d by ECMA-74 with	h L <sub>pAm</sub> measurement distance	m)		
P10.2	The product me	ets the acoustic noise requirements of the fo		program/s:			
				TCO		$\boxtimes$	
				Blue Angel	$\square$		
			Ει	uropean eco.label (EU Flower)			
				Nordic Swan			
	Chemical emiss	sions from printing products					
P10.3*	Test performed	according to ECMA-328 standard 🔲, other	specify: RAL UZ				
	The test covers:		_				
P10.4	The product me	ets the chemical emission requirements of the	ne following volunt				
				Blue Angel			
	Nordic Swan 🔲 🔲						
D40.5	Electromagneti						
P10.5	program/s:	ay meets the requirement for low frequency of	electromagnetic fle	eids of the following voluntary			
P11	Consumable m	aterials for printing products					
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						
P11.2*		g recycled fibres that meets the requirement	s of EN12281 can	be used.			
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.			Ħ	
P12	Ergonomics for	r computing products					
P12.1*		ystem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays		$\boxtimes$	
P12.2*	The product key	board meets the requirements of ISO 9995	and EN 29241-4.			$\boxtimes$	
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.			X	
P13		documentation					
P13.1*	Product packaging material type(s): Corrugated Paper Product packaging material type(s): Plastic  Weight (kg): 12.2 Weight (kg): 1.463						
P13.2*	Product packaging material type(s):  Product plastic packaging is halogen free (including PVC)						
P13.3*	User and product documentation do not contain chlorine bleached paper					$\forall$	
P13.4*	User and product documentation contain recycled paper				$\forall$		
P14	Additional information						

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.