

ecma 🖉 IT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo		
Company name *	RICOH Company Ltd.			
Contact information	Ricoh Europe Plc 66 Chiltern Street, London W1U 4AG, United Kingdom emo@ricoh-europe.com	nashuatec		
Internet site *	www.ricoh.com			
Issue date *	12 January 2011			
Intended market *	Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.	\square	

Compan	y environmental profile - Legal requirements	Require	ement	t met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	ement	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	\boxtimes		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	\boxtimes		
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of A The Global Reporting Initiative D Other as specified in C6	\boxtimes		
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	\square		
C6	Additional information			

Product environmental attributes – THE ECO DECLARATION

	used on product specification or test results based obtained from sample testing), that the product ts given in this declaration.						
Type of product *	pe of product * Multifunction product						
Commercial name *	MP C2051						
Model number *	Aficio MP C2051						
Issue date *	12 January 2011						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio MP C2051		
Issue date *	12 January 2011	Logo	nashuatec

Product	environmental attributes - Legal requirements	Requir	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1			
P1.2*	Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (<i>REACH, Annex XVII</i>).	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (<i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (<i>REACH, Annex XVII and Note B1</i>).			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (<i>REACH, Annex XVII</i>). Comment: Max limit in legal reference when tested according to EN1811:1998.	\square		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators			
50	Directive).			
P3 P3.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (2006/95/EC Low Voltage			
P3.2*	Directive). The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New	\square		
P3.3*	<i>EMC Directive).</i> If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).	\boxtimes		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

Model nu		Aficio MP C2051	-				
Issue dat	te *	12 January 2011	Logo n	ashi	ate	3 C	
Dradu	ot onviro	nmentel attributes. Market requirements. Environmental conscious	decian	Doguin		t maat	
Item		nmental attributes - Market requirements - Environmental conscious itory to fill in. Additional information regarding each item may be found under P14.	design	Require Yes	No	n.a.	
P6		nt information		163	NO	n.a.	
P6.1*		on for recyclers/treatment facilities is available (2002/96/EC WEEE directive).					
P7	Design Disasse	mbly, recycling					
P7.1*		t have to be treated separately are easily separable					
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			Ħ	Ħ	
P7.3*		arts >100g consist of one material or of easily separable materials.			H	Ħ	
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			H	H	
P7.5							
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	H	
-	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgradir	g can be done using commonly available tools			Ħ	Ħ	
P7.9.	Spare pa	Its are available after end of production for: 7 years			Ē	Ē	
P7.10		s available after end of production for: 7 years			H	H	
		and substance requirements					
P7.11*		cover/housing material type:					
	Material	type: PC + ABS Material type: PC + PS Materia	al type:				
P7.12		cable insulation material of power cables are PVC free.		\square			
P7.13		cable insulation materials of signal cables are PVC free.		\square			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		\square			
P7.15	note B2)	d circuit boards (without components) >25g are halogen free, as defined in IEC612	249-2-21 <i>(see</i>	\boxtimes			
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR</i> (40)		\square			
P7.17		I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: ,	ents): CAS #:				
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) > 3-4: <i>FR (17)</i>	25g according				
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/prepara ations above 0.1%: t: No legal limits exist, this is a market requirement.	tions in				
	2. Chem	ical name:,CAS #:ical name:,CAS #:ical name:,CAS #:					
	Alt. 2 Chemica <i>FR (40)</i>	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	R40, R40 regulatio	arts>25g are free from flame retardant substances/preparations above 0.1% classi 6, R48, R50, R51, R53, R60, R61 and any combination of these <i>(see note B3)(EC</i> <i>n on classification, labeling and packaging CLP)</i>	No. 1272/2008				
P7.20	0 Of total plastic parts' weight >25g, recycled material content is 0% [pls see P14 for additional information]						
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is 0%. Light sources are free from mercury						
	If mercur	y is used specify: Number of lamps: and max. mercury content per lamp:	mg				
P8	Batterie		a diavida litkin				
P8.1*		hemical composition (2006/66/EC Battery and accumulators Directive): Manganes					
P8.2		meet the requirements of the following voluntary program/s: <i>European eco-label</i> 2001/687/EC & 2001/686/EC)	(EU Flower)				

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Aficio MP C2051		
Issue date *	12 January 2011	Logo	nashuatec
			Hashuatee

Produc	t environmenta	l attribu	tes - Market requi	rements (c	ontinu	ied)			R	equire	ment	met
Item	_	-								Yes	No	n.a.
P9	Energy consum		ng power levels or en		untiona		magguradi					
9.1	-				1	-						· —
Energy r			Power level at 100 V AC	Power level 115 V A		Power le 230 \	/ AC		e / Standard		ergy	
Maximu	m Energy Consu	mption	VV	W		1680 V	V					
Operati	ng Mode		W	W		514 W						
Ready I	Mode		W	W		119 W						
Off/Slee	ep Mode		VV	W		1.1 W						
			VV	W		, ,	N					Ē
			VV	W		, ,	N					
plugged	-load Il power supply / ch in the wall outlet b ected from the proo	ut	W	W			W					
PTEC * Typical I	Energy Consumption		W	W		W						
	Energy Consumption	on	kWh/week	kWh	/week	0.985 kW						
ETEC * Annual E	Energy Consumption	on	kWh/year	kWh	/year	47.28 kW	/h/year					
	resolution * : dpi											\square
	eed *: 20 pages	-										
Default t P9.2*	time to enter energ	-		rovidod with t	the prod	luct						<u> </u>
P9.2*			gy save function is prereased of the second se							\boxtimes		
	ENERGY STAR Others specify:		1.1 Tier: 2 Produc				1/3.					
P10	Emissions		· · · · · · · · · · · · · · · · · · ·									
P10.1	Mode		ed according to ISO 9 scription	1290	A-w	clared eighted	sour		A-weighted e level L_{pArr}	(dB)		
						d power $L_{W\!Ad}$ (B)	Operator p	oosition 🔀	Bystander (only if p	positior	is not	-
	Idle	* Stand-	by		* 3.6				19.5			
	Operation	* Operat	ting Mode		* 6.6				48.6			
	Other mode											-
	Measured accord	ding to: 📐	ISO7779 🗌 ECMA	-74								
D 10.0	The survey doubt use a s			if not covered				urement di	stance	m)		
P10.2			oustic noise requirem	ents of the fo	nowing	voluntary	program/s:		lue Angel lordic Swan			
P10.3*			n printing products	-C 20200) at		ath an						
P10.4	Typical emission Dust (monochror	rate (prin ne <limit< td=""><td>to ECMA-328 (ISO/IE t phase) is (mg/h): of detection colour 0.7) Benzene (monor</td><td><limit dete<="" of="" td=""><td>ection)</td><td>Ozone (m</td><td></td><td><limit de<="" of="" td=""><td></td><td>our 0.62</td><td></td><td>ene</td></limit></td></limit></td></limit<>	to ECMA-328 (ISO/IE t phase) is (mg/h): of detection colour 0.7) Benzene (monor	<limit dete<="" of="" td=""><td>ection)</td><td>Ozone (m</td><td></td><td><limit de<="" of="" td=""><td></td><td>our 0.62</td><td></td><td>ene</td></limit></td></limit>	ection)	Ozone (m		<limit de<="" of="" td=""><td></td><td>our 0.62</td><td></td><td>ene</td></limit>		our 0.62		ene
P10.5	Dust 🔀 Ozone	Styrer	ments of the followin le 🔀 Benzene 🔀 T		orogram	/s are met	t for :		lue Angel lordic Swan			
D10.0	Electromagnetic			u froqueres		ognotie f	do of the f		untor (
P10.6	program/s:	y meets tr	ne requirement for lov	w irequency e	electron	agnetic fie	eius of the fo	nowing vol	untary			\mathbf{X}

	umber *	Aficio MP C2051		- 1			
Issue da	ate *	12 January 2011	Logo	nashua	a <u>tec</u>		
Produc	t enviro	nmental attributes - Market requirements (continued)		Require	ment m	et	
Item				Yes		1.a.	
P11		able materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	ired (see P4.3)). 🛛 🔀			
P11.2*	Paper co EN1228	\boxtimes]			
P11.3*	2-sided	duplex) printing/copying is an integrated product function.		\square		Τ	
P12	Ergonomics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.			$\overline{\mathbf{X}}$	
P12.2*	The phy				록		
P13	Packagi	ng and documentation					
P13.1*	Product	packaging material type(s): Corrugated Paper weight (kg): 11.6 packaging material type(s): Plastic weight (kg): 1.38 packaging material type(s): weight (kg):					
P13.2*	Product	plastic packaging is free from PVC		\square			
P13.3*	Specify I Electron	nedia for user and product documentation (tick box): c 🔀 Paper 🖾 Other 🗌					
P13.4*	For pape fiber.	er user and product documentation, please specify contained percentage of post-cor %	nsumer recycl	ed		\ge	
P14		nal information					
	This pro	duct is designed to utilise recycled plastic materials wherever available					