

🔴 ecma 🛛 \land IT-Företagen

Company environmental profile - THE ECO DECLARATION

| Brand | RICOH | Logo | |
|------------------------|--|-----------|--|
| Company name * | RICOH Company Ltd. | | |
| Contact information | Ricoh Europe Plc 66 Chiltern Street, London W1U 4AG, United Kingdom emo@ricoh-europe.com | nashuatec | |
| Internet site * | www.ricoh.com | | |
| Issue date * | 15 November 2010 | | |
| Intended market * | Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other | | |
| Additional information | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

| Quality | control | Requireme | ent met |
|---------|---|-------------|---------|
| Item | | Yes | No |
| QC1 * | The company enforces an internal quality control system to ensure the correctness of this eco declaration | \boxtimes | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality control. | | |

| Compan | y environmental profile - Legal requirements | Require | ement | t met |
|--------|---|---------|-------|-------|
| Item | | Yes | No | n.a. |
| C1 | Product recycling | | | |
| C1.1* | The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive). | | | |
| C2 | Battery recycling | | | |
| C2.1* | The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required. | | | |
| C3 | Packaging recycling | | | |
| C3.1* | The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste) | | | |

| Compa | ny environmental profile - Market requirements | Requir | ement | t met |
|-------|--|-------------|-------|-------|
| Item | | Yes | No | n.a. |
| C4 | Environmental policy and environmental management | | | |
| C4.1* | The company has a documented environmental policy approved by the management. | \boxtimes | | |
| C4.2* | The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6 | \boxtimes | | |
| C4.3 | The company regularly publishes an environmental report. If so, it meets the recommendations of A The Global Reporting Initiative D Other as specified in C6 | \square | | |
| C5 | Recycling | | | |
| C5.1* | Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format. | \boxtimes | | |
| C6 | Additional information | | | |
| | | | | |

Product environmental attributes – THE ECO DECLARATION

| | ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration. |
|-------------------|---|
| Type of product * | Multifunction product |
| Commercial name * | MP C300 |
| Model number * | Aficio MP C300 |
| Issue date * | 15 November 2010 |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Model number * | Aficio MP C300 | | |
|----------------|------------------|------|-----------|
| Issue date * | 15 November 2010 | Logo | nashuatec |

| Product | environmental attributes - Legal requirements | Requir | emen | t met |
|---------|---|-------------|------|-------------|
| Item | | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1 | \boxtimes | | |
| P1.2* | Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value. | \boxtimes | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values. | | | |
| P1.4* | Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (<i>REACH, Annex XVII</i>). | \boxtimes | | |
| P1.5* | Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (<i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>). | | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values. | | | \boxtimes |
| P1.7* | Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (<i>REACH, Annex XVII and Note B1</i>). | | | |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values. | | | |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (<i>REACH, Annex XVII</i>). Comment: Max limit in legal reference when tested according to EN1811:1998. | \square | | |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII) | \boxtimes | | |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive). | | | |
| P2.2* | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive). | \boxtimes | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive). | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | |
| P3.1* | The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive). | \boxtimes | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive). | \boxtimes | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive). | \square | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive) | | | |
| P4 | Consumable materials | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive). | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII). | \square | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II). | | | |
| P5 | Product packaging | | | |
| P5.1* | Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste). | | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials). | | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values. | \square | | |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

| Model nu | umber * | Aficio MP C300 | | | | |
|----------------|---|--|------------------|-------------|------|-----------|
| Issue da | te * | 15 November 2010 | Logo | nashı | late | <u>)C</u> |
| Produ | ct enviro | nmental attributes - Market requirements - Environmental conscious | design | Requir | emer | t met |
| Item | | | | Yes | No | n.a. |
| P6 | | 15 November 2010 Logo nvironmental attributes - Market requirements - Environmental conscious design mandatory to fill in. Additional information regarding each item may be found under P14. sature information momation for recyclers/treatment facilities is available (2002/96/EC WEEE directive). isign momation for recyclers/treatment facilities is available (2002/96/EC WEEE directive). isign momation for recyclers/treatment facilities is available (2002/96/EC WEEE directive). isign satic parts concerptions of the set of th | | | | |
| P6.1* | | on for recyclers/treatment facilities is available (2002/96/EC WEEE directive). | | | | |
| P7 | Disasse | | | | | |
| P7.1* | | | | \square | | |
| P7.2* | Plastic m | aterials in covers/housing have no surface coating. | | \boxtimes | | |
| P7.3* | Plastic p | arts >100g consist of one material or of easily separable materials. | | \boxtimes | | |
| P7.4* | Plastic p | arts >25g have material codes according to ISO 11469 referring ISO 1043. | | \square | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly a | available tools. | | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | | | Ē | Ē |
| | | | | | | |
| P7.7* | Upgradir | ig can be done e.g. with processor, memory, cards or drives | | \boxtimes | | |
| P7.8* | Upgradir | g can be done using commonly available tools | | | Ē | |
| P7.9. | Spare pa | irts are available after end of production for: 7 years | | | Ē | Ē |
| P7.10 | | | | | Ħ | -H |
| | | | | | | |
| P7.11* | | | | | | |
| | | | al type: | | | |
| P7.12 | | • | | \square | | |
| P7.13 | Electrica | cable insulation materials of signal cables are PVC free. | | \boxtimes | | |
| P7.14 | All cover | /housing plastic parts >25g are free from chlorine and bromine. | | \boxtimes | | |
| P7.15 | All printe note B2) | | 49-2-21 (see | \boxtimes | | |
| P7.16 | | | | \boxtimes | | |
| P7.17 | | | , | | | |
| | ISO 1043 | | 25g according | | | |
| P7.18 | Flame re concentr | ations above 0.1%: | tions in | | | |
| | 2. Chem | ical name: , CAS #: | | | | |
| | FR (40) | | | | | |
| P7.19 | R40, R40 regulatio | 6, R48, R50, R51, R53, R60, R61 and any combination of these (see note B3)(EC i n on classification, labeling and packaging CLP) | No. 1272/2008 | | | |
| P7.20 | | | al information] | | | |
| P7.21 P7.22 | | | | | | |
| | If mercur | y is used specify: Number of lamps: and max. mercury content per lamp: | mg | | | |
| P8 | 2* Plastic materials in covers/housing have no surface coating. Image: Constant of the image: Const | | | | | |
| P8.1* | ct environmental attributes - Market requirements - Environmental conscious design | | | | | <u> </u> |
| P8.2 | | | (EU Flower) | | | |

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | Aficio MP C300 | | |
|----------------|------------------|------|-------------------|
| Issue date * | 15 November 2010 | Logo | nashua <u>tec</u> |

| Produc | t environmenta | al attribut | tes - Market requi | irements (c | ontinu | ed) | | | Re | quirem | nent n | net |
|---------------------|--|--------------|--|------------------------|-----------|------------------------------|------------------------|--------------------------|------------------------------|-----------------------|---------|-----------|
| Item | | | | | | | | | | Yes | No | n.a. |
| P9 | Energy consum | | · · · | | | | | | | | | |
| 9.1 | For the product I | the followir | ng power levels or en | ergy consum | ptions h | nave been | measured: | | | | | |
| Energy n | node * | | Power level at 100 V AC | Power level 115 V A | | Power lev 230 V | | | / Standard fo test method | | у | |
| Maximu | m Energy Consu | mption | VV | W | | 1650 V | V | | | | | |
| Operatir | ng Mode | | VV | VV | | 679 W | | | | | | |
| Ready N | Mode | | VV | W | | 168 W | | | | | | |
| Low Pou | wer Mode | | VV | VV | | 104 W | | | | | | |
| Off/Slee | ep Mode | | VV | W | | 1.8 W | | | | | | |
| | | | VV | W | | | N | | | | | |
| plugged disconne | -load I power supply / cl in the wall outlet b ected from the pro | out | W | W | | | N | | | | | |
| PTEC * Typical E | Energy Consumpti | on | W | W | | W | | | | | | \square |
| TEC * Typical E | Energy Consumpti | ion | kWh/week | kWh | /week | <mark>3.039</mark> kW | /h/week | | | | | |
| ETEC * Annual E | Energy Consumpti | on | kWh/year | kWh | /year | 145.872 | (Wh/year | | | | | |
| Display r | resolution * : dpi | | | | | | | | | | | \square |
| Print Spe | eed *: 30 pages | per minut | e | | | | | | | | | |
| Default ti | ime to enter energ | y save mo | ode: 11 minutes | | | | | | | | | Ħ |
| P9.2* | Information about | ut the ener | gy save function is p | rovided with f | the prod | uct. | | | | \square | | Ħ |
| P9.3* | | | ergy requirements of 1.1 Tier: 2 Produ | | | | n/s: | | | | | |
| P10 | Emissions | | | | | | | | | | | |
| | | – Declare | ed according to ISO 9 | 296 | | | | | | | | |
| P10.1 | Mode | Mode de | scription | | A-we | clared eighted d power | SO | Declared und pressure | A-weighted level $L_{p Am}$ | , (dB) | | |
| | | | | | | L _{WAd} (В) | Operato | r position🔀 | Bystander | | | |
| | | | | | | | | Desktop | | product ator atter | | |
| | Idle | * Stand- | by | | * 4.2 | | Of D | esk side | 29.2 | | | |
| | | | | | | | | | | | | |
| | Operation | * Operat | ing Mode | | * 6.5 | | | | 54.8 | | | |
| | Other mode | | | | | | | | | | | |
| | Measured accor | ding to: 🔀 | | -74 if not covered | d by EC | MA-74 witł | n L _{pAm} mea | surement dis | tance | m) | | |
| P10.2 | The product mee | ets the acc | oustic noise requirem | | | | | | | <u> </u> | | |
| | | | | | | | | | ue Angel ordic Swan | \square | | |
| | Chemical emiss | sions fron | n printing products | | | | | | | | | |
| P10.3* | | | to ECMA-328 (ISO/IE | EC 28360) sta | andard | , other s | specify: RA | L-UZ | | \square | | |
| P10.4 | Dust (monochro | me 1 colo | t phase) is (mg/h): ur 1.1) Ozone (mono | | | | | | | | r 0.072 | 2) |
| P10.5 | | | imit of detection col ments of the followin | | | | | 1118 3.7 COIOU | 1 4. 7) | | | |
| 1 10.0 | | | ie 🛛 Benzene 🕅 T | | i ograin, | | | | ue Angel ordic Swan | \square | | \square |
| | Electromagneti | c emissio | ns | | | | | | | | | |
| P10.6 | Computer displa | | e requirement for lov | w frequency e | electrom | agnetic fie | lds of the f | ollowing volu | ntary | | | |
| 1 | program/s: | | | | | | | | | | | |

| Model number * | Aficio MP C300 | | |
|----------------|------------------|------|-----------|
| Issue date * | 15 November 2010 | Logo | nashuatec |

| Produc | t environmental attributes - Market requirements (continued) | Require | ment | met |
|--------|--|-------------|------|-----------|
| Item | · · · · | Yes | No | n.a |
| P11 | Consumable materials for printing products | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | \boxtimes | | |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. | \square | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | \boxtimes | | |
| P12 | Ergonomics for computing products | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | | | \times |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | \times |
| P13 | Packaging and documentation | | | |
| P13.1* | Product packaging material type(s):Corrugated Paperweight (kg):9.6Product packaging material type(s):Plasticweight (kg):0.914Product packaging material type(s):weight (kg):weight (kg): | | | |
| P13.2* | Product plastic packaging is free from PVC | \square | | |
| P13.3* | Specify media for user and product documentation (tick box): Electronic Paper Other Other | | | |
| P13.4* | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. % | | | \square |
| P14 | Additional information | | | |
| | This product is designed to utilise recycled plastic materials wherever available | | | |