

## 🔴 ecma 🛛 \land IT-Företagen

## Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information	Ricoh Europe Plc 66 Chiltern Street, London W1U 4AG, United Kingdom emo@ricoh-europe.com	nashua <u>tec</u>
Internet site *	www.ricoh.com	
Issue date *	10 November 2010	
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas	Other
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *			

Compan	y environmental profile - Legal requirements	Require	ement	t met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	C1.1* The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	ement	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	$\boxtimes$		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	$\boxtimes$		
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of A The Global Reporting Initiative D Other as specified in C6	$\boxtimes$		
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	$\boxtimes$		
C6	Additional information			

## Product environmental attributes – THE ECO DECLARATION

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.					
Type of product *						
Commercial name *	MP C3501					
Model number *	Aficio MP C3501					
Issue date *	10 November 2010					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio MP C3501		
Issue date *	10 November 2010	Logo	nashuatec

Product	duct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1			
P1.2*	Products do not contain Asbestos ( <i>REACH, Annex XVII</i> ). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> ). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight ( <i>REACH, Annex XVII</i> ).	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% ( <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i> ).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>REACH, Annex XVII</i> ). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight ( <i>REACH, Annex XVII and Note B1</i> ).			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives ( <i>REACH, Annex XVII</i> ). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week ( <i>REACH, Annex XVII</i> ). Comment: Max limit in legal reference when tested according to EN1811:1998.	$\square$		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).	$\square$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).	$\square$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	$\bowtie$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

Model n		Aficio MP C3501				
Issue da	ite *	10 November 2010	Logo	nashi	ıate	<u>)</u>
Brodu	ot onviro	nmental attributes - Market requirements - Environmental conscious	dooign	Requir	omoní	tmot
Item		atory to fill in. Additional information regarding each item may be found under P14.	uesign	Yes	No	n.a.
P6		nt information		100	110	11.0.
P6.1*	Informati	on for recyclers/treatment facilities is available (2002/96/EC WEEE directive).				
P7	Design Disasse	mbly, recycling				
P7.1*		t have to be treated separately are easily separable		$\square$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			Ē	Ē
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.				Ē
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	Ē
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9.	Spare pa	arts are available after end of production for: 7 years				
P7.10	Service i	s available after end of production for: 7 years			Ē	Ē
	Material	and substance requirements				
P7.11*	Product	cover/housing material type:				
D7.40		type: PC + ABS Material type: PC + PS Materia	al type:			
P7.12		I cable insulation material of power cables are PVC free.			_Ц_	Ц.
P7.13		I cable insulation materials of signal cables are PVC free.			_Ц	<u>Ц</u>
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	note B2)		249-2-21 (see			
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR</i> (40)				
P7.17		additive) , TBBPA (reactive) , Other; chemical name: ,	ents): CAS #:			
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) > 3-4: <i>FR (17)</i>	25g according			
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/prepara ations above 0.1%: nt: No legal limits exist, this is a market requirement.	tions in			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #: CAS #:				
	FR (40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R4 regulatio	arts>25g are free from flame retardant substances/preparations above 0.1% classi 6, R48, R50, R51, R53, R60, R61 and any combination of these (see note B3)(EC n on classification, labeling and packaging CLP)	No. 1272/2008			
P7.20		plastic parts' weight >25g, recycled material content is 0% [pls see P14 for addition	al information]			
P7.21 P7.22		plastic parts' weight >25g, biobased material content is 0%.				
	If mercu	y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
<b>P8</b> P8.1*	Batterie		n			
P8.2	-	hemical composition (2006/66/EC Battery and accumulators Directive): Lithium-io meet the requirements of the following voluntary program/s: European eco-label				╞
P0.2		(2001/687/EC & 2001/686/EC)	(EU Flower)			

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Aficio MP C3501		
Issue date *	10 November 2010	Logo	nashuatec

Produc	t environmenta	al attribu	tes - Market requi	rements (c	ontinu	ed)			R	equire	ment	met
Item			tes - market requi		ontinu	cuj				Yes	No	n.a.
P9	Energy consum	ption										
9.1	For the product t	he followir	ng power levels or er	ergy consum	nptions h	nave been	measured	<u>1:</u>				
Energy n	node *		Power level at 100 V AC	Power level 115 V A		Power le 230 \		Reference / modes and			у	
Maximu	m Energy Consu	mption	W	VV		<b>1700</b> V	V					
Operatir	ng Mode		VV	W		<b>637.6</b> V	V					
Ready N	<i>lode</i>		VV	W		178 W						F
Low Por	wer Mode		VV	W		<mark>95</mark> W						Ē
Off/Slee	p Mode		VV	W		1.4 W						
			VV	VV		``	N					
EPS No-	load		W	W			W					$\overline{\boxtimes}$
plugged disconne	I power supply / cl in the wall outlet b acted from the pro-	out										
PTEC * Typical E	Energy Consumpti	on	W	W		W						
TEC * Typical E	Energy Consumpti	on	kWh/week	kWh	/week	1.840 kW	/h/week					
ETEC * Annual E	Energy Consumpti	on	kWh/year	kWh	/year	88.32 kW	/h/year					
Display r	resolution * : dpi											$\square$
Print Spe	eed * : <b>35</b> pages	per minut	е									
	ime to enter energ											
P9.2*			gy save function is p		•					$\boxtimes$		
P9.3*			ergy requirements of <b>1.1</b> Tier: <b>2</b> Produ				1/s:			$\boxtimes$		
P10	Emissions											
			ed according to ISO 9	9296	I							
P10.1	Mode	Mode de	scription		A-we	clared eighted d power	sc	Declared ound pressure	A-weighted level $L_{p\text{Am}}$	ı (dB)		
						L <sub>WAd</sub> (B)	Operato	r position 🔀	Bystander			
								Desktop	only if p) opera	broduct tor atte		
	Idle	* Stand-	by		* 4.2		0.0		26.1			
	Operation	* Operat	ting Mode		* 6.7				49.8			
	Other mode											-
	Measured accor		Other (only	if not covered				asurement di	stance	m)		
P10.2	The product mee	ets the acc	oustic noise requirem	ents of the fo	llowing	voluntary	program/s		ue Angel			
									ordic Swan		Н	$\square$
	Chemical emiss	sions fron	n printing products									
P10.3*			to ECMA-328 (ISO/IE	EC 28360) sta	andard	, other	specify: R	AL-UZ		$\bowtie$		
P10.4	Dust (monochron detection colour	me <mark>0.43</mark> co	t phase) is (mg/h): blour <b>0.79)</b> Ozone (m nzene (monochrome									
P10.5	3.53) Chemical emissi	on require	ments of the followin	g voluntarv n	rogram	s are met	t for :					
			ie 🛛 Benzene 🖂 T		- 3				ue Angel ordic Swan	$\square$		$\square$
	Electromagneti	c emissio	ns									
P10.6	Computer displa program/s:	y meets th	ne requirement for low	w frequency e	electrom	agnetic fie	elds of the	following volu	Intary			$\boxtimes$

Model number *	Aficio MP C3501		
Issue date *	10 November 2010	Logo	nashuatec

Produc	t environmental attributes - Market requirements (continued)	Require	ment	met
tem		Yes	No	n.a
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\square$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	$\square$		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\boxtimes$		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paperweight (kg): 10.52Product packaging material type(s): Plasticweight (kg): 0.875Product packaging material type(s):weight (kg):			
P13.2*	Product plastic packaging is free from PVC	$\boxtimes$		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. %			$\boxtimes$
P14	Additional information			
	This product is designed to utilise recycled plastic materials wherever available			