

🔴 ecma 🛛 \land IT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo		
Company name *	RICOH Company Ltd.	1		
Contact information	Ricoh Europe Plc 66 Chiltern Street, London W1U 4AG, United Kingdom emo@ricoh-europe.com	nas	huatec	
Internet site *	www.ricoh.com			
Issue date *	12 October 2010			
Intended market *	Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	C2 * The company is a member of an eco declaration system that enforces regular independent quality control.		

Compan	y environmental profile - Legal requirements	Require	ement	t met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	ement	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	\boxtimes		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	\boxtimes		
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of 🛛 The Global Reporting Initiative 🗌 Other as specified in C6	\boxtimes		
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	\boxtimes		
C6	Additional information			

Product environmental attributes – THE ECO DECLARATION

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.					
Type of product *	pe of product * Wide Format - Multifunction					
Commercial name *	MP W7140					
Model number *	Aficio MP W7140					
Issue date *	12 October 2010					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio MP W7140		
Issue date *	12 October 2010	Logo	nashua <u>tec</u>

Product	duct environmental attributes - Legal requirements			
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1			
P1.2*	Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (<i>REACH, Annex XVII</i>).	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (<i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (<i>REACH, Annex XVII and Note B1</i>).			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (<i>REACH, Annex XVII</i>). Comment: Max limit in legal reference when tested according to EN1811:1998.	\square		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).	\square		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

Model nu	ımber *	Aficio MP W7140				
Issue dat	te *	12 October 2010	Logo	nashı	iat <u>e</u>	<u>c</u>
Drodu	ot onviro	nmental attributes - Market requirements - Environmental conscious	dooign	Boquir		tmat
Item		atory to fill in. Additional information regarding each item may be found under P14.	uesign	Require Yes	No	n.a.
P6		nt information		100	110	11.0.
P6.1*	Informati	on for recyclers/treatment facilities is available (2002/96/EC WEEE directive).				
P7	Design Disasse	mbly, recycling				_
P7.1*		at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*		ng can be done using commonly available tools		\boxtimes		
P7.9.		arts are available after end of production for: 7 years		\boxtimes		
P7.10	Service i	s available after end of production for: 7 years		\boxtimes		
		and substance requirements				
P7.11*		cover/housing material type: type: BC + ABC				
P7.12		type: PC + ABS Material type: PC + PS Materia I cable insulation material of power cables are PVC free.	ai type.			
P7.12		I cable insulation materials of signal cables are PVC free.			╶╞┤	╞
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			╞	╞
P7.15		d circuit boards (without components) >25g are halogen free, as defined in IEC612	249-2-21 (see		-	╞
	note B2)					
P7.16	Marking:	starded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR (40)				
P7.17		al specifications of flame retardants in printed circuit boards >25g (without compone (additive), TBBPA (reactive), Other; chemical name: ,	ents): CAS #:			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) > 3-4: <i>FR (17)</i>	25g according			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/prepara ations above 0.1%: nt: No legal limits exist, this is a market requirement.	tions in			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	Alt. 2 Chemica <i>FR (40)</i>	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R40 regulatio	arts>25g are free from flame retardant substances/preparations above 0.1% classif 6, R48, R50, R51, R53, R60, R61 and any combination of these <i>(see note B3)(EC i</i> <i>n on classification, labeling and packaging CLP)</i>	No. 1272/2008			
P7.20		plastic parts' weight >25g, recycled material content is 0% [pls see P14 for addition	al information]			
P7.21 P7.22		blastic parts' weight >25g, biobased material content is 0%.				
	If mercu	ry is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batterie					
P8.1*		chemical composition (2006/66/EC Battery and accumulators Directive): Lithium-io				<u> </u>
P8.2	Batteries criteria	meet the requirements of the following voluntary program/s: <i>European eco-label</i> (2001/687/EC & 2001/686/EC)	(EU Flower)			

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Aficio MP W7140		
Issue date *	12 October 2010	Logo	nashuatec

Produc	t environmenta	al attribut	tes - Market requi	rements (c	ontinu	ied)			Re	auire	ment	met
Item										Yes	No	n.a.
P9												
9.1	For the product t	he followir	ng power levels or en	ergy consum	ptions I	nave been	measured	<u>l:</u>				
Energy n	node *		Power level at 100 V AC								у	
Maximu	m Energy Consu	mption	W	W		3000 V	V					
Ready N	<i>lode</i>		VV	W		638 W						
Low Por	wer Mode		\vee	W		180 W						
Off/Slee	p Mode		W	W		10.4 W						
			\vee	W		N	N					
(Externa plugged	I power supply / ch in the wall outlet b	out	W	W			W					
PTEC * Typical E	Energy Consumpti	on	W	W		W						
TEC * Typical E	Energy Consumpti	on	kWh/week	kWh	/week	k	Wh/week					
ETEC * Annual E	Energy Consumpti	on	kWh/year	kWh	/year	k۷	Vh/year					
Display r	resolution * : dpi					1						
		-										
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions have been measured: Energy mode* Power level at 100 V AC Power level at 230 V AC Reference / Standard for energy modes and test method* Maximum Energy Consumption W W 3000 W Image: Consumption with the constraint of the constrai												
			•••		•					\square		
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version 1.1 Tier: 2 Product category: Wide format Image: Comparison of the following voluntary program/s: Others specify: Image: Comparison of the following voluntary program of the following												
P10												
D10.1	Others specify: Image: Constraint of the specify of											
P10.1	Mode	wode de	scription		-		so		-	(dB)		
						•			•			
					level	L _{WAd} (B)		_				
								· =				
	Idle	* Stand-	by		* 5.8		0.0		42.2			
	Operation	* Operat	ing Mode		* 7.3				58.5			
	Other mode											
	Measured accord	ding to: 🔀			d by EC	MA-74 wit	h L _{nam} me	asurement di	stance	m)		
P10.2	The product mee	ets the aco										
												\boxtimes
	Chemical emiss	sions from	n printing products									
				EC 28360) sta	andard	, other	specify: R	AL-UZ		\boxtimes		
P10.4	Dust (monochroi		, , , ,	<mark>n∕a</mark>) Styrene (monoch	nrome <mark>0.1</mark>	3) Benzen	e (monochroi	me <mark>0.14</mark>) TV(nochro	me
P10.5	.5 Chemical emission requirements of the following voluntary program/s are met for : Dust					\boxtimes						
												_
P10.6		y meets th	e requirement for lov	v frequency e	electrom	agnetic fie	elds of the	following vol	untary			\square

Model number *	Aficio MP W7140		
Issue date *	12 October 2010	Logo	nashua <u>tec</u>

Produc	t environmental attributes - Market requirements (continued)	Require	ment	met
Item	· · · ·	Yes	No	n.a
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\boxtimes	
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\square
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 23.67 Product packaging material type(s): Plastic weight (kg): 2.2 Product packaging material type(s): weight (kg): 2.2			
P13.2*	Product plastic packaging is free from PVC	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic Z Paper Z Other _			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber.			\square
P14	Additional information			
	This product is designed to utilise recycled plastic materials wherever available			