



Product environmental attributes - THE ECO DECLARATION

Brand *	RICOH	Logo		
Company name *	RICOH Company Ltd.]		
Contact information *		nas	nua <u>tec</u>	
Internet site *	www.ricoh.com			
Additional information		•		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Printer			
Commercial name *	SP8200DN			
Model number *	Aficio SP8200DN			
Issue date *	18 January 2010			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	SP8200DN		
Issue date *	18 January 2010	Logo	nashua <u>tec</u>

Product e	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	X	\Box	
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	X		
P4	Consumable materials			
P4.1*	If a photo cond uctor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)			
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	SP8200DN		
Issue date *	18 January 2010	Logo	nashua <u>tec</u>

Product environmental attributes - Market requirements - Environmental conscious design Requirement met								
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design							
	Disassembly, re							
P7.1*		o be treated separately		\boxtimes	<u>Ц</u>			
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			\boxtimes				
P7.4*			according to ISO 11469 referring ISO 1043.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			\boxtimes				
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime							
P7.7*			ssor, memory, cards or drives	\boxtimes				
P7.8*		e done using commonl		\boxtimes				
P7.9.	Spare parts are a	available after end of pr	roduction for: 7 years	\boxtimes				
P7.10	Service is availal	ble after end of product	tion for: 7 years	\boxtimes				
		bstance requirements	3					
P7.11*		ousing material type:	Material time 20 20 Material time					
P7.12*	Material type: PC		Material type: PC + PS Material type: ower cables are halogen free (including PVC)		$\overline{}$			
P7.12			, , ,		╬			
			gnal cables are halogen free (including PVC)		井			
P7.14		plastic parts >25g are	=		부			
P7.15			onents) >25g are halogen free	\boxtimes				
P7.16	Chemical specific Cover/ housing:		ants in cover / housing plastic parts >25g according ISO 1043-4:					
P7.17			ants in printed circuit boards (without components) >25g according					
F1.11	ISO 1043-4:	cations of fiame retains	ants in printed circuit boards (without components) >25g according					
	Printed circuit bo	ards: FR (17)		\boxtimes				
P7.18								
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,							
P7.20	R50/51/53 and R60/61 (67/548/EEC) Light sources are free from mercury							
P7.20		e free from mercury d specify: Number of la	amps: and max. mercury content per lamp: mg	\boxtimes		Ш		
P8	Batteries							
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC							
P8.2*	Battery chemical composition: Lithium-ion							
P8.3	Batteries meet the requirements of the following voluntary program/s: European eco-label (EU Flower)							
	criteria (2001/68	7/EC & 2001/686/EC)		_	_	_		
P9	Energy consum	ntion						
9.1			els or energy consumptions have been measured:					
Mode	Power level at	Time (s) to <mode></mode>		Referen		n.a.		
_	*220-240 Volts			Standar	d			
On-max	1420 W		* Maximum Energy Consumption	*				
On- normal	* 812.1 W	900 to LPM	* Operating Mode	*				
On-idle	115 W	900 to Ready Mode	* Ready Mode	*				
Save 1	* W	to	*	*				
Save 2	W	to	*	*		\vdash		
Off 1	* W	to	*	*				
Off 2	W	to	*	*		$\vdash \vdash \vdash$		
No load	* W	10	External power supplies/charger plugged in but disconnected	*		\vdash		
No load	VV		from the product		ļ			
TEC	* 192.6 kWh/y T	ypical Energy Consum	ption per year	*				
P9.2*	Information abou	it the energy save func	tion is provided with the product.					
P9.3	The product mee	ets the energy requirem	nents of the following voluntary program/s:					
	ENERGY STAR	® MOU						
	GEEA			\boxtimes				
	Others specify:					\boxtimes		

Model number *	SP8200DN		
Issue date *	18 January 2010	Logo	nashua <u>tec</u>

	roduct environmental attributes - Market requirements (continued) Requirement met							
P10	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No r Emissions							
P10	Emissions							
	Noise emission	- Declared according to ISO 9296						
		20014104 4000141119 to 100 0200						
P10.1	Mode	Mode description	Declared	Declared A-weighte				
		·	A-weighted	sound pressure level L _p ,				
			sound power level L _{WAd} (B)	Operator position Bystan	der positions			
			level L _{WAd} (D)	(only if r	oroduct is not			
				Desktop	ator attended)			
	Idle	* Stand-by	* 3.7	or Desk side		-		
	Operation	* Operating Mode	* 7.1	56		╁┼		
	Other mode	Operating mode	7.1			. 🗀		
	Other mode							
	Measured accord	ding to: X ISO 7779 ECMA-74						
				n L _{pAm} measurement distance	m)			
P10.2	The product mee	ets the acoustic noise requirements of the fo	llowing voluntary p	•]		
				TCO	\bowtie \sqcup	\sqcup		
				Blue Angel				
			Ει	uropean eco.label (EU Flower)		\boxtimes		
				Nordic Swan	\square			
	Chemical emiss	sions from printing products						
P10.3*		according to ECMA-328 standard , other	specify: RAL UZ			\Box		
	The test covers:	<u>-</u>		TVOC 🛛		_		
P10.4		ets the chemical emission requirements of the						
	TCO					\boxtimes		
				Blue Angel				
				Nordic Swan				
	Electromagnetic emissions							
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary					\boxtimes		
D44	program/s:							
P11 P11.1*	Consumable materials for printing products A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required							
F 1 1.1	(see P4.3).	Data Sheet (MSDS) is available for the link	/torier preparation	, even ii not legaliy required		ш		
P11.2*	Paper containing	recycled fibres that meets the requirements	s of EN12281 can	be used.				
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.					
P12		computing products						
P12.1*		stem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays				
P12.2*	The product keyl	poard meets the requirements of ISO 9995 a	and EN 29241-4.			\boxtimes		
P12.3*	The computer in	out device meets the requirements of ISO 93	241-9.			X		
P13	Packaging and							
P13.1*		ng material type(s): Corrugated Paper	weight (kg):					
		ng material type(s): <i>Plastic</i> ng material type(s):	weight (kg): 1 weight (kg):	кд				
P13.2*		ackaging is halogen free (including PVC)			\square	\sqcap		
P13.3*	User and produc	t documentation do not contain chlorine blea	ached paper			一		
P13.4*						Ħ		
P14	Additional information							
			<u> </u>					

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.