



Product environmental attributes - THE ECO DECLARATION

Brand *	RICOH	Logo		
Company name *	RICOH Company Ltd.			
Contact information *		nas	nua <u>tec</u>	
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Printer – Wide Format			
Commercial name *	SP W2470			
Model number *	Aficio SP W2470			
Issue date *	13 January 2010			
Intended market *	☐ Global ☑ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Aficio SP W2470		
Issue date *	13 January 2010	Logo	nashuatec

Product e	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo cond uctor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\square		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	Aficio SP W2470		
Issue date *	13 January 2010	Logo	nashuatec

Product environmental attributes - Market requirements - Environmental conscious design Requirement met									
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design								
	Disassembly, re								
P7.1*	Parts that have t	o be treated separately	are easily separable	\boxtimes					
P7.2*	Plastic materials	in covers/housing have	e no surface coating.	\boxtimes					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.								
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.								
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				一				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					H			
	Product lifetime	<u> </u>							
P7.7*			ssor, memory, cards or drives		\Box				
P7.8*	Upgrading can b	e done using commonl	y available tools		市				
P7.9.		available after end of p							
P7.10		ble after end of produc							
		bstance requirements	· · · · · · · · · · · · · · · · · · ·	·					
P7.11*		ousing material type:							
	Material type: PC	C + ABS	Material type: PC + PS Material type:						
P7.12*	Electrical cable in	nsulation material of po	ower cables are halogen free (including PVC)	\boxtimes					
P7.13*	Electrical cable in	nsulation material of sign	gnal cables are halogen free (including PVC)	\boxtimes					
P7.14	All cover/housing	plastic parts >25g are	halogen free	X	T				
P7.15	All printed circuit	boards (without compo	onents) >25g are halogen free	X	Ħ				
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:						
_	Cover/ housing:		3,,	\boxtimes					
P7.17	Chemical specifi	cations of flame retarda	ants in printed circuit boards (without components) >25g according						
	ISO 1043-4:	()			_				
	Printed circuit bo			\boxtimes	\perp				
P7.18									
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)								
P7.20	Light sources are free from mercury								
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg								
P8	Batteries								
P8.1*	Product does no	t contain batteries defir	ned as hazardous according to 91/157/EEC	\boxtimes					
P8.2*			Battery chemical composition: Manganese dioxide lithium battery	/		\boxtimes			
P8.3	Batteries meet the requirements of the following voluntary program/s: European eco-label (EU Flower)								
	criteria (2001/68	7/EC & 2001/686/EC)							
P9	Energy consum	ntion							
9.1			els or energy consumptions have been measured:						
Mode		Time (s) to <mode></mode>		Referen		n.a.			
	* 230 Volts			Standar	b				
On-max	1440 W		* Maximum Energy Consumption	*					
On-	* W	to	*	*					
normal On-idle	W	to	*	*					
Save 1	* W	to	*	*					
Save 1	W		*	*					
		to	* Of any Davis	•					
Off 1	* 36.5 W	to	* Sleep Power	*		\square			
Off 2	26.4 W	to	* Stand by/Off Power	-		\square			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*					
OM	* 36.5 W Sleep	Power 26.4 W Stand I	by/Off Power Operational Mode	*					
P9.2*	Information abou	it the energy save func	tion is provided with the product.	\boxtimes		T			
P9.3		= 1	nents of the following voluntary program/s:						
	ENERGY STAR	• • •	J 71 J 2 2 2	\boxtimes					
	GEEA								
	Others specify:					$\overline{\boxtimes}$			

Model number *	Aficio SP W2470		
Issue date *	13 January 2010	Logo	nashuatec

Product 6	roduct environmental attributes - Market requirements (continued) Requirement met							
Item	<u>, , , , , , , , , , , , , , , , , , , </u>						n.a.	
P10	Emissions							
	Noise emission	- Declared according to ISO 9296						
P10.1	Mode	Mode description	Declared	Declared A-weight	ed			
		mede decempation	A-weighted	sound pressure level L				
	sound power Operator position Bystander positions							
	level L _{WAd} (B)							
					product i			
	or Deskside operator attended)							
	Idle	* Stand-by	* 4.03	21.19			Щ	
	Operation	* Operating Mode	* 6.97	55.77			Ш	
	Other mode							
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74	l .		-			
			d by ECMA-74 witl	h L _{pAm} measurement distance	m))		
P10.2	The product mee	ets the acoustic noise requirements of the fo	llowing voluntary	program/s:				
				TCO			\boxtimes	
				Blue Angel	\Box		\boxtimes	
			Ει	uropean eco.label (EU Flower)	\Box		\boxtimes	
				Nordic Swan	Ħ	$\overline{\Box}$	$\overline{\boxtimes}$	
	Chemical emiss	sions from printing products						
P10.3*	Chemical emissions from printing products Test performed according to ECMA-328 standard, other specify: RAL UZ							
	The test covers:			e ⊠ TVOC ⊠				
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:							
	TCO						\boxtimes	
				Blue Angel			\boxtimes	
	Nordic Swan						\boxtimes	
	Electromagnetic emissions							
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:							
P11	Consumable materials for printing products							
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required							
D44.0*	(see P4.3).	recorded fibres that make the requirement	o of EN110001 con	howard		_	$\overline{}$	
P11.2* P11.3*		g recycled fibres that meets the requirement		be used.			井	
P11.3	` ' '	printing/copying is an integrated product fur computing products	iction.				<u> Ш</u>	
P12.1*		stem meets the ergonomic requirements of	EN 29241-3, -7, -	8 for CRT displays				
D40.0*		06-2 for flat panel displays. board meets the requirements of ISO 9995	and EN 20244 4			_		
P12.2* P12.3*		put device meets the requirements of ISO 9			<u> </u>	 	\boxtimes	
P13	Packaging and	•	241-3.			Ш.		
P13.1*		ng material type(s): Corrugated Paper	weight (kg): 1	3.38				
	Product packaging material type(s): Plastic weight (kg): 1.11 Product packaging material type(s): weight (kg): 1.11							
P13.2*		packaging is halogen free (including PVC)				\Box	\Box	
P13.3*		et documentation do not contain chlorine ble	ached paper			$\overline{\sqcap}$	一	
P13.4*							Ħ	
P14	Additional information							
				·				

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.