

## ecma IT-Företagen

## Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo
Company name *	RICOH Company Ltd.	1 .
Contact information	Ricoh Europe Plc 20 Triton Street, London NW1 3BF, United Kingdom emo@ricoh-europe.com	nashuatec
Internet site *	www.ricoh.com	
Issue date *	28 February 2013	
Intended market *	🔲 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas	Other
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.	$\square$	

Compan	y environmental profile - Legal requirements	Requir	ement	t met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	emen	tmet
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	$\boxtimes$		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	$\boxtimes$		
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of Arbe Global Reporting Initiative Dother as specified in C6	$\boxtimes$		
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	$\boxtimes$		
C6	Additional information			

## Product environmental attributes – THE ECO DECLARATION

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Multifunction			
Commercial name *	MP 2001L			
Model number *	MP 2001L			
Issue date *	28 February 2013			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	MP 2001L		
Issue date *	28 February 2013	Logo	nashuatec

Product	environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1			
P1.2*	Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight ( <i>REACH, Annex XVII</i> ).	$\square$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% ( <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i> ).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) <i>(REACH, Annex XVII)</i> . Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight ( <i>REACH, Annex XVII and Note B1</i> ).			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives ( <i>REACH, Annex XVII</i> ). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week ( <i>REACH, Annex XVII</i> ). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).	$\boxtimes$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.	$\square$		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

Model nu	mber *	MP 2001L				
Issue dat	:e *	28 February 2013	Logo	nash	ua	tec
Draduc	4	nmentel ettrikutee. Merket requiremente. Environmentel and sign	dealarr	Denvis		4 100 - 4
Item		nmental attributes - Market requirements - Environmental conscious atory to fill in. Additional information regarding each item may be found under P14.	aesign	Requir Yes	emen No	n.a.
P6		nt information		165	INU	n.a.
P6.1*		on for recyclers/treatment facilities is available (2002/96/EC WEEE directive).				
P7	Design	mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			H	H
P7.3*		arts >100g consist of one material or of easily separable materials.			$\dashv$	$\dashv$
P7.4*	•	arts >25g have material codes according to ISO 11469 referring ISO 1043.			$- \exists$	-
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available to		-	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>
F7.0	Product					
P7.7*		ing can be done e.g. with processor, memory, cards or drives				
P7.8*		ig can be done using commonly available tools			<u> </u>	<u> </u>
P7.9.		arts are available after end of production for: 7 years			<u> </u>	<u> </u>
		· · ·			<u> </u>	<u> </u>
P7.10		s available after end of production for: 7 years				
P7.11*		and substance requirements cover/housing material type:				
Γ / . Ι Ι		type: PC Material type: Material type: Material	al type:			
P7.12		I cable insulation material of power cables are PVC free.	ar typo.			
P7.13		l cable insulation materials of signal cables are PVC free.		<u> </u>	H	H
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		<u> </u>	⊢⊢	⊢⊢
P7.15		d circuit boards (without components) >25g are halogen free, as defined in IEC612	249-2-21 /		-	-
P7.16	note B2)	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				<u> </u>
	Marking: Alt. 1	ratued plastic parts >25g in covers / nousings are marked according 150 1045-4.				
P7.17	Chemica	I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: ,	ents): CAS #:			
	Alt. 2 Chemica ISO 1043	I specifications of flame retardants in printed circuit boards (without components) > 3-4:	25g accor	ding		
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/prepara ations above 0.1%: nt: No legal limits exist, this is a market requirement.	tions in			
	2. Chem 3. Chem Alt. 2	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #: CAS #:				
P7.19	Plastic p	arts>25g are free from flame retardant substances/preparations above 0.1% classi				
D7.00	regulatio	6, R48, R50, R51, R53, R60, R61 and any combination of these (see note B3)(EC n on classification, labeling and packaging CLP)				
P7.20 P7.21		plastic parts' weight >25g, recycled material content is 0% [pls see P14 for addition plastic parts' weight >25g, biobased material content is 0%.	iai intorma	tionj		
P7.21 P7.22		irces are free from mercury				
	If mercur	y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batteries	Ś	Ŭ			
P8.1*	Battery c	hemical composition (2006/66/EC Battery and accumulators Directive): No battery	/			$\boxtimes$
P8.2		meet the requirements of the following voluntary program/s: <i>European eco-label</i> (2001/687/EC & 2001/686/EC)	(EU Flowe	er)		$\boxtimes$

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MP 2001L		
Issue date *	28 February 2013	Logo	nashua <u>tec</u>

	t environmenta	al attribut	tes - Market requi	irements (c	ontinu	ied)			Re			met
	_									Yes	No	n.a.
-		-			ntional		manauradu					
Energy n	node *		Power level at 100 V AC								ethod	
Operatii	ng Mode		VV	VV		<b>442</b> W						
Ready N	<i>lode</i>		VV	W		105 W						
Sleep M	lode		VV	W		<b>2.3</b> W						
			VV	W		,	W					
			VV	W		,	W					
			VV	W		,	W					
(External plugged	I power supply / ch in the wall outlet b	out	W	W			W					
PTEC * Typical E	Energy Consumpti	on	W	W		W	1					$\boxtimes$
TEC * Typical E	Energy Consumpti	on	kWh/week	kWh	/week	1.330 kV	Vh/week					
ETEC * Annual E	Energy Consumption	on	kWh/year	kWh	/year	63.84 kW	/h/year					
Display r	resolution * : dpi		I					1				$\square$
Print Spe	eed *: 20 pages	per minut	e									
Default ti		-										$\boxtimes$
P9.2*										$\boxtimes$		
P9.3*							n/s:			$\square$		
Cheers	Emissions											
<b>B</b> ( <b>a</b> (				9296								r
P10.1	Mode	Mode de	scription		A-we	eighted			-	(dB)		
						-	Operator pos	ition	Bystander	oositio	ns 🗌	
						WAd (D)			(only if p	roduct	is not	
							or Desk s	side 🗌	operat	tor atte	nded)	
	Idle	* Stand-	by		* 3.4				19.8			
	Operation	* Operat	ing Mode		* 6.6				50.5			
	Other mode											
	Measured accord	ding to: 🔀	ISO7779 🗌 ECMA	-74								
546.6								ement di	stance	m)		
P10.2	The product mee	ets the acc	oustic noise requirem	ents of the fo	ollowing	voluntary	program/s:					
	Chemical emiss	sions from	n printing products									<u> </u>
P10.3*				EC 28360) st	andard	. other	specify: RAL-U	IZ				
P10.4	Typical emission	rate (prin	t phase) is (mg/h):									
P10.5	Chemical emissi	on require	ments of the followin	g voluntary p						 		
P9   Energy consumption     9.1   Ext the product the following power level at 100 VAC   Power level at 115 VAC   Power level at 230 VAC   Reference / Standard for energy consumptions have been measured.     Energy mode*   Power level at 100 VAC   230 VAC   energy mode* and test method     Ready Mode   W   442 W   energy mode* and test method   energy mode* and test method     Ready Mode   W   W   465 W   energy mode* and test method   Energy mode* and test method     Steep Mode   W   W   W   W   W   Energy mode* and test method     Steep Mode   W   W   W   W   W   EPS No-load   EPS No-load   W   W   EPS No-load   EPS No-load   W   W   EPS No-load   EPS No-load   EPS No-load   EPS No-load   W   W   EPS No-load   E	$\square$											
D10.0				u froquere e		o an ati - f		ulog	unton			
10.0	program/s:	y meets th	ie requirement for lov	w rrequency e	electrom	agnetic fle	eius of the follo	wing vol	untary			$\boxtimes$

Model number *	MP 2001L			
Issue date *	28 February 2013	Logo	nas	huatec

Consumable materials for printing products Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of	Require Yes	No	n.a.
Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). aper containing post-consumer recycled fibers can be used, provided that it meets the requirements of			
aper containing post-consumer recycled fibers can be used, provided that it meets the requirements of			
N12281.			
-sided (duplex) printing/copying is an integrated product function.	$\boxtimes$		
rgonomics for computing products	<u> </u>		
he display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\square$
he physical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\square$
ackaging and documentation			
Product packaging material type(s): Corrugated Paper   weight (kg): 5.753     Product packaging material type(s): Plastic   weight (kg): 0.562     Product packaging material type(s):   weight (kg): 0.562			
roduct plastic packaging is free from PVC	$\square$		
pecify media for user and product documentation (tick box): lectronic			
or paper user and product documentation, please specify contained percentage of post-consumer recycled ber. %			$\square$
dditional information			
his product is designed to utilise recycled plastic materials wherever available			
	rgonomics for computing products     ne display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.     ne physical input device meets the requirements of ISO 9995 and ISO 9241-410.     ackaging and documentation     roduct packaging material type(s): Corrugated Paper   weight (kg): 5.753     roduct packaging material type(s): Plastic   weight (kg): 0.562     roduct packaging material type(s):   weight (kg):     roduct packaging is free from PVC   weight (kg):     roduct plastic packaging is free from PVC   weight (kg):     roduct packaging is free from PVC   weight (kg):     rotuct [\scalar]   Paper     Other	rgonomics for computing products     ne display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.     ne physical input device meets the requirements of ISO 9995 and ISO 9241-410.     ackaging and documentation     roduct packaging material type(s): Corrugated Paper   weight (kg): 5.753     roduct packaging material type(s): Plastic   weight (kg):     roduct packaging material type(s):   weight (kg):     roduct packaging is free from PVC   image: the ergonometric type (kg):     roduct packaging is free from PVC   image: the ergonometric type (kg):     coecify media for user and product documentation (tick box):   ectronic     ectronic   Paper   Other     or paper user and product documentation, please specify contained percentage of post-consumer recycled ther.   %	rgonomics for computing products     ne display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.     ne physical input device meets the requirements of ISO 9995 and ISO 9241-410.     ackaging and documentation     roduct packaging material type(s): Corrugated Paper   weight (kg): 5.753     roduct packaging material type(s): Plastic   weight (kg): 0.562     roduct packaging material type(s):   weight (kg):     roduct packaging is free from PVC   Image: Contained percentage of post-consumer recycled     opt paper user and product documentation, please specify contained percentage of post-consumer recycled     opt paper user and product documentation, please specify contained percentage of post-consumer recycled     opt paper user and product documentation, please specify contained percentage of post-consumer recycled     opt paper user and product documentation, please specify contained percentage of post-consumer recycled     opt paper user and product documentation, please specify contained percentage of post-consumer recycled     opt paper user and product documentation, please specify contained percentage of post-consumer recycled     opt paper user and product documentation, please specify contained percentage of post-consumer recycled