



## Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo
Company name *	RICOH Company Ltd.	1 4
Contact information	Ricoh Europe Plc	nashuatec
	20 Triton Street, London NW1 3BF, United Kingdom	Hashuatti
	emo@ricoh-europe.com	
Internet site *	www.ricoh.com	
Issue date *	19 December 2012	
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas	Other
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.		

Compan	y environmental profile - Legal requirements	Requir	emen	t met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	emen	t met
Item		Yes	No	n.a
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	$\boxtimes$		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: SISO 14001 Other as specified in C6	$\boxtimes$		
C4.3	The company regularly publishes an environmental report.  If so, it meets the recommendations of The Global Reporting Initiative Other as specified in C6			
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	$\boxtimes$		
C6	Additional information			

## Product environmental attributes – THE ECO DECLARATION

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction				
Commercial name *	MP 2001SP				
Model number *	MP 2001SP				
Issue date *	19 December 2012				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	MP 2001SP		
Issue date *	19 December 2012	Logo	nashua <u>tec</u>

Product	Require	emen	t met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1		Ш	
P1.2*	Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (REACH, Annex XVII).	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (REACH, Annex XVII). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (REACH, Annex XVII and Note B1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (REACH, Annex XVII). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week ( <i>REACH, Annex XVII</i> ). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VIII)			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

Model number *	MP 2001SP		
Issue date *	19 December 2012	Logo	nashua <u>tec</u>

Produc	ct environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P6</b> P6.1*	Treatment information Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive).			
P7				
F1	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years	$\boxtimes$		
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
P7.12	Material type: PC + ABS Material type: PC + PS Material type: Electrical cable insulation material of power cables are PVC free.			
P7.13	Electrical cable insulation materials of signal cables are PVC free.		<del>  </del>	<del> </del>
P7.13	All cover/housing plastic parts >25g are free from chlorine and bromine.	-		<del> </del>
P7.14	All printed circuit boards (without components) >25g are halogen free, as defined in IEC61249-2-21 (see		<del>  </del>	-
	note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts>25g are free from flame retardant substances/preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (see note B3)(EC No. 1272/2008 regulation on classification, labeling and packaging CLP)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0% [pls see P14 for additional information]			
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is 0%.  Light sources are free from mercury	$\overline{}$		$\overline{}$
1 1.22	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	$\boxtimes$		
P8	Batteries			
P8.1*	Battery chemical composition (2006/66/EC Battery and accumulators Directive): <i>Manganese dioxide lithium</i>			
P8.2	Batteries meet the requirements of the following voluntary program/s: European eco-label (EU Flower) criteria (2001/687/EC & 2001/686/EC)			

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MP 2001SP		
Issue date *	19 December 2012	Logo	nashua <u>tec</u>

Produc	t environmenta	l attribut	es - Market requi	rements (c	ontinu	ied)			Re	quirem	ent n	net
Item										Yes	No	n.a.
P9	Energy consum	ption										
9.1	For the product t	he followir	<u>ig power levels or en</u>	ergy consum	nptions h	nave been	measured:					
Energy n	node *		Power level at 100 V AC	Power level		Power lev			Standard for test method		/	
Operatir	ng Mode		W	VV		<b>433</b> V	V					
Ready N	<i>f</i> lode		W	W		113 W	1					
Off/Slee	p Mode		W	W		<b>0.6</b> W	1					
			W	W		V	I					
			W	W		V	V					
			W	W			N					
plugged	load I power supply / chin the wall outlet bected from the proceeds	ut	W	W			W					$\boxtimes$
PTEC * Typical E	Energy Consumption	on	W	W		W						$\boxtimes$
TEC * Typical E	Energy Consumption	on	kWh/week	kWh	/week	0.892 kW	/h/week					
ETEC * Annual E	Energy Consumption	on	kWh/year	kWh	/year	<b>42.816</b> k	Wh/year					
	resolution * : dpi											
	eed *: 20 pages	per minute	9									
	ime to enter energ	•										$\vdash$
P9.2*	-		gy save function is p	rovided with	the prod	luct.				$\square$		
P9.3*			rgy requirements of				1/s					
1 0.0			1.1 Tier: 2 Produc									
P10	Emissions											
	Noise emission	<ul><li>Declare</li></ul>	d according to ISO 9	296								
P10.1	Mode	Mode de	scription		_	clared eighted	80	Declared und pressure	A-weighted	(dB)		
					sound	d power			r			
					level	$L_{W\!Ad}$ (B)	Operato	r position X Desktop		r positions product is not		
							or D	esk side	opera	tor atter	nded)	
	Idle	* Stand-	by		* 3.4				19.6			
	Operation	* Operat	ing Mode		* 6.5				53.2			
	Other mode											
	Measured accord	ding to:										
D			Other (only	if not covered	d by EC	MA-74 witl	h L <sub>pAm</sub> mea	surement dis	tance	m)		
P10.2	The product mee	ets the aco	ustic noise requirem	ents of the fo	ollowing	voluntary	orogram/s:	Rlı	ıa Angal			
Blue Angel  Nordic Swan												
	Chemical emissions from printing products											
P10.3*			to ECMA-328 (ISO/IE	EC 28360) st	andard	, other	specify: RA	L-UZ		$\boxtimes$		
P10.4	• •		phase) is (mg/h):	alimit of do	tootion	Ponzono	alimit of d	lotootion TV	00.00	$\square$		
P10.5			f detection Styrene ments of the following					election 1V	OC <b>0.99</b>			
			e 🛚 Benzene 🖾 T		Ü				ie Angel ordic Swan			$\boxtimes$
	Flactor											
P10.6	Electromagnetic Computer displa		<b>ns</b> e requirement for lov	v frequency	electrom	agnetic fie	elds of the f	ollowing volu	ntary			
	program/s:			1				J . 276				

Model number *	MP 2001SP		
Issue date *	19 December 2012	Logo	nashua <u>tec</u>

Product environmental attributes - Market requirements (continued)			Requirement met		
Item	·	Yes	No	n.a	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\boxtimes$			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	$\boxtimes$			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\boxtimes$			
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\boxtimes$	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Paper Product packaging material type(s): Plastic Product packaging material type(s): weight (kg): 5.753 weight (kg): 0.541 weight (kg):				
P13.2*	Product plastic packaging is free from PVC				
P13.3*	Specify media for user and product documentation (tick box):  Electronic Paper Other				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. %				
P14	Additional information				
	This product is designed to utilise recycled plastic materials wherever available				