

ecma JT-Företagen

Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo
Company name *	RICOH Company Ltd.	
Contact information	Ricoh Europe Plc 66 Chiltern Street, London W1U 4AG, United Kingdom emo@ricoh-europe.com	nashuatec
Internet site *	www.ricoh.com	
Issue date *	16 February 2012	
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas	Other
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	QC2 * The company is a member of an eco declaration system that enforces regular independent quality control.		

Compan	y environmental profile - Legal requirements	Require	ement	t met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	ement	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	\boxtimes		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	\boxtimes		
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of 🛛 The Global Reporting Initiative 🗌 Other as specified in C6	\boxtimes		
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.	\boxtimes		
C6	Additional information			

Product environmental attributes – THE ECO DECLARATION

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.			
Type of product *	Multifunction			
Commercial name *	ommercial name * MP C5502			
Model number *	Aficio MP C5502			
Issue date *	16 February 2012			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio MP C5502		_
Issue date *	16 February 2012	Logo	nashuatec

Product	environmental attributes - Legal requirements	Requir	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (2002/95/EC ROHS Directive) see note B1			
P1.2*	Products do not contain Asbestos (REACH, Annex XVII). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (<i>REACH, Annex XVII</i>).	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (<i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (<i>REACH, Annex XVII and Note B1</i>).			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>REACH, Annex XVII</i>). Comment: Legal reference has no maximum concentration values.			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (<i>REACH, Annex XVII</i>). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact) (REACH Regulation 1907/2006, Annex VII)	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).	\square		
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (REACH, Annex XVII).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (EC No. 1272/2008 regulation on classification, labeling and packaging CLP, REACH article 31, annex II).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %

Model nu		Aficio MP C5502				
Issue dat	e *	16 February 2012	Logo	nashı	late	C
Produc	t enviro	nmental attributes - Market requirements - Environmental conscious	design	Requir	ement	met
Item			doorgn	Yes	No	n.a.
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (2002/96/EC WEEE directive).		\boxtimes		
P7	Design Disasse	mbly, recycling				
P7.1*	ate * 16 February 2012 Logo nas Internation Internation Internation Internation Internation Internation Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive). Internation		\boxtimes			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.				
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available too		Ē	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	Ħ
P7.7*						
P7.8*	Upgradin	g can be done using commonly available tools			Ē	Π
P7.9.	Spare pa	ints are available after end of production for: 7 years			Ē	
P7.10					Ħ	
	date * 16 February 2012 Logo mask tuct environmental attributes - Market requirements - Environmental conscious design Requiremendatory to fill in Additional Information regarding each item may be found under P14. Yes Treatment information Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive). Image: Comparison of the Co					
P7.11*		cover/housing material type:				
			al type:			
P7.12		•		\square		
P7.13		-		\boxtimes		
P7.14				\square		
P7.15		d circuit boards (without components) >25g are halogen free, as defined in IEC612	249-2-21 (se	e 🖂		
P7.16				\square		
P7.17	Chemica					
	Chemica ISO 1043	Frandatory to fill in. Additional information regarding the formation Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive). Design Disassembly, recycling Plastic parts >100 g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available too. abels are easily separable. Upgrading can be done e.g. with processor, memory, cards or drives pgrading can be done using commonly available tools Spare parts are available after end of production for: 7 years Material type: PC + ABS Material type: PC + ABS Material type: PC + PS Material type: Perticul cable insulation material of power cables are PVC free. Ricover/housing plastic parts >25g in covers / housings are marked according ISO 1043-4: Watri al days, FR (40) Wt.1 TBBPA (reactive) Other; chemical name: CAS #: Nt. 1 TBBPA (reactive) Other; chemical name: CAS #: CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components): FBBPA (additive) >25				
P7.18	Treatment information Information for recyclers/treatment facilities is available (2002/96/EC WEEE directive). Design Disassembly, recycling Plast in that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime Upgrading can be done using commonly available tools Spare parts are available after end of production for: 7 years Betrica lad substance requirements Product cover/housing material type: Electrical cable insulation material of signal cables are PVC free. All cover/housing plastic parts >25g are free from chlorine and bronine. All printed circuit boards (without components) >25g are halogen free, as defined in IEC61249-2:21 (see not beards) Remer learded plastic parts >25g are free from chlorine and bronine. All printed circuit boards (without components) >25g are halogen free, as defined in IEC61249-2:21 (see not beards) Plame retarded plastic parts >25g on covers / housings are marked according ISO 1043-4: Material specif					
	2. Chemi	ical name: , CAS #:				
	Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R46 regulatio	6, R48, R50, R51, R53, R60, R61 and any combination of these (see note B3)(EC n on classification, labeling and packaging CLP)	No. 1272/20	008		
P7.20			al informatio	on]		
P7.21 P7.22	Light sou	irces are free from mercury		\square		
P8			mg			
P8.1*			e dioxide l	ithium		
P8.2			(EU Flower)		\square

Note B2: IEC61249-2-21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Γ	Nodel number *	Aficio MP C5502		
I	ssue date *	16 February 2012	Logo	nashua <u>tec</u>

Produc	t environmenta	l attribu	tes - Market requi	irements (c	ontinu	ed)			R	equirer	ment	met
Item			•	· · ·		,				Yes	No	n.a.
P9	Energy consum											
9.1	For the product t	he followii	ng power levels or er	nergy consum	<u>iptions h</u>	ave been	measured:					
Energy n	node *		Power level at 100 V AC	Power level 115 V A		Power lev 230 V			e / Standard nd test methe		rgy	
Maximu	m Energy Consu	mption	W	W		1700 V	V					
Operatir	ng Mode		W	W		785.3	N					
Ready N	lode		W	VV		116 W						
Low Pow	wer Mode		VV	W		<mark>91</mark> W						
Off/Slee	p Mode		VV	W		1.4 W						$\overline{\Box}$
			VV	W		١	N					
plugged disconne	load I power supply / ch in the wall outlet b acted from the proo	ut	W	W			N					
	Energy Consumpti	on	W	W		W						\square
	Energy Consumpti	on	kWh/week		/week	2.772 kW						
	Energy Consumption	on	kWh/year	kWh	/year	133.056	kWh/year					
	resolution * : dpi											
	eed *: 55 pages											<u> </u>
P9.2*	ime to enter energ		gy save function is p	rovided with t	he nrod	uct				\square		╞
P9.3*			ergy requirements of				n/s·					
	ENERGY STAR Others specify:		1.1 Tier: 2 Produ									
P10	Emissions	Doolor	ed according to ISO 9	206								
P10.1	Mode		escription	9290	Dec	lared		Declared	A-weighted			
					A-we	eighted	sour		e level L_{pArr}			
						d power L _{WAd} (B)	Operator p	osition 🔀	Bystander (only if p	position	is not	
	Idle	* Stand-	by		* 3.6				20.2			
	Operation	* Opera	ting Mode		* 7				52.2			
	Other mode											
	Measured accore	ding to: 🔀		-74 if not covered	d by ECI	MA-74 witl	n L _{pAm} meas	urement di	stance	m)		
P10.2	The product mee	ets the acc	oustic noise requirem	ents of the fo	llowing	voluntary	program/s:		lue Angel lordic Swan			
D10.2*			n printing products									
P10.3* P10.4			to ECMA-328 (ISO/II t phase) is (mg/h):	EC 28360) sta	andard	, other	specify: RAL	UZ		\bowtie		
F 10.4	Dust (monochron detection) Styre colour <limit of<="" td=""><td>me <<i>limit</i> ne (mono detection</td><td>of detection colour chrome <limit det<br="" of="">) TVOC(monochrome</limit></td><td>tection colour e 1.2 colour 4</td><td>r <limit< b=""> I.1)</limit<></td><td>of detecti</td><td>on) Benzene</td><td></td><td></td><td></td><td></td><td></td></limit>	me < <i>limit</i> ne (mono detection	of detection colour chrome <limit det<br="" of="">) TVOC(monochrome</limit>	tection colour e 1.2 colour 4	r <limit< b=""> I.1)</limit<>	of detecti	on) Benzene					
P10.5			ments of the followin ne 🔀 Benzene 🔀 T		orogram/	's are met	for :		lue Angel lordic Swan			
	Electromagneti											
P10.6	Computer displa program/s:	y meets th	ne requirement for low	w frequency e	electrom	agnetic fie	elds of the fo	llowing vol	untary			\square

Model number *	Aficio MP C5502		
Issue date *	16 February 2012	Logo	nashua <u>tec</u>

Produc	t environmental attributes - Market requirements (continued)	Requirer	ment	met
Item	<i>,</i>	Yes	No	n.a
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\square		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			X
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 11.1 Product packaging material type(s): Plastic weight (kg): 1.025 Product packaging material type(s): weight (kg): 1.025			
P13.2*	Product plastic packaging is free from PVC	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber.			\boxtimes
P14	Additional information			
	This product is designed to utilise recycled plastic materials wherever available			